






original_key=Theta_very_wide_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 120276669.3, reshoot_counts = 1591621.6
normalization = 36.954, reshoot_counts*normalization = 58816696.8
original average = 0.16 Theta [rad], reshoot average = 0.15 Theta [ra
counts [1/rad]
Theta [rad]
$10^{10}$
$10^{9}$
$10^{8}$
$10^{7}$
$10^{6}$
$10^{5}$
$10^{4}$
$10^{3}$
$10^{2}$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 82941507.2, reshoot_counts = 1153144.6
normalization = 36.954, reshoot_counts*normalization = 42613243.8
original average = 0.15 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
Theta [rad]
$10^{10}$
$10^{9}$
$10^{8}$
$10^{7}$
$10^{6}$
$10^{5}$
$10^{4}$
$10^{3}$
$10^{2}$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24506787.0, reshoot_counts = 202922.1
normalization = 36.954, reshoot_counts*normalization = 7498771.7
original average = 0.09 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
$10^{10}$
$10^{9}$
$10^{8}$
$10^{7}$
$10^{6}$
$10^{5}$
$10^{4}$
$10^{3}$
$10^{2}$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1059688.4, reshoot_counts = 8759.4
normalization = 36.954, reshoot_counts*normalization = 323693.3
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 440190.8, reshoot_counts = 3772.5
normalization = 36.954, reshoot_counts*normalization = 139407.9
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 745751.7, reshoot_counts = 7014.0
normalization = 36.954, reshoot_counts*normalization = 259195.9
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1361474.7, reshoot_counts = 12821.3
normalization = 36.954, reshoot_counts*normalization = 473797.1
original average = 0.08 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 715969.5, reshoot_counts = 6289.0
normalization = 36.954, reshoot_counts*normalization = 232402.3
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 325865.0, reshoot_counts = 2502.7
normalization = 36.954, reshoot_counts*normalization = 92485.2
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 171490.5, reshoot_counts = 1232.0
normalization = 36.954, reshoot_counts*normalization = 45528.0
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 285816.1, reshoot_counts = 1745.5
normalization = 36.954, reshoot_counts*normalization = 64503.6
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233227.8, reshoot_counts = 1236.5
normalization = 36.954, reshoot_counts*normalization = 45691.8
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 188530.5, reshoot_counts = 837.6
normalization = 36.954, reshoot_counts*normalization = 30954.0
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81993.0, reshoot_counts = 322.0
normalization = 36.954, reshoot_counts*normalization = 11898.0
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26259.2, reshoot_counts = 127.1
normalization = 36.954, reshoot_counts*normalization = 4697.3
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4688.3, reshoot_counts = 44.9
normalization = 36.954, reshoot_counts*normalization = 1657.6
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2047.7, reshoot_counts = 33.7
normalization = 36.954, reshoot_counts*normalization = 1244.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1558.3, reshoot_counts = 25.8
normalization = 36.954, reshoot_counts*normalization = 954.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1348.7, reshoot_counts = 20.3
normalization = 36.954, reshoot_counts*normalization = 749.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1144.6, reshoot_counts = 15.4
normalization = 36.954, reshoot_counts*normalization = 570.5
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1083.4, reshoot_counts = 13.3
normalization = 36.954, reshoot_counts*normalization = 491.5
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 794.3, reshoot_counts = 8.5
normalization = 36.954, reshoot_counts*normalization = 313.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 802.8, reshoot_counts = 7.6
normalization = 36.954, reshoot_counts*normalization = 281.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 557.6, reshoot_counts = 3.7
normalization = 36.954, reshoot_counts*normalization = 138.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 380.8, reshoot_counts = 2.4
normalization = 36.954, reshoot_counts*normalization = 90.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 178.3, reshoot_counts = 1.0
normalization = 36.954, reshoot_counts*normalization = 35.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
$10^5$
$10^4$
$10^3$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.4, reshoot_counts = 0.4
normalization = 36.954, reshoot_counts*normalization = 15.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6193259.3, reshoot_counts = 151407.8
normalization = 36.954, reshoot_counts*normalization = 5595116.6
original average = 0.50 Theta [rad], reshoot average = 0.49 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 586585.1, reshoot_counts = 15252.8
normalization = 36.954, reshoot_counts*normalization = 563650.5
original average = 0.24 Theta [rad], reshoot average = 0.23 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31610025.5, reshoot_counts = 711600.1
normalization = 36.954, reshoot_counts*normalization = 26296429.9
original average = 0.21 Theta [rad], reshoot average = 0.21 Theta [ra
counts [1/rad]
Theta [rad]
$10^{10}$
$10^{9}$
$10^{8}$
$10^{7}$
$10^{6}$
$10^{5}$
$10^{4}$
$10^{3}$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21848.5, reshoot_counts = 748.1
normalization = 36.954, reshoot_counts*normalization = 27643.7
original average = 0.22 Theta [rad], reshoot average = 0.21 Theta [ra
counts [1/rad]
Theta [rad]
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16591.0, reshoot_counts = 583.7
normalization = 36.954, reshoot_counts*normalization = 21570.3
original average = 0.23 Theta [rad], reshoot average = 0.22 Theta [ra
counts [1/rad]
Theta [rad]
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 872095.6, reshoot_counts = 34651.8
normalization = 36.954, reshoot_counts*normalization = 1280522.1
original average = 0.22 Theta [rad], reshoot average = 0.21 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 699154.6, reshoot_counts = 28030.5
normalization = 36.954, reshoot_counts*normalization = 1035837.4
original average = 0.22 Theta [rad], reshoot average = 0.21 Theta [ra
counts [1/rad]
Theta [rad]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_very_wide_100_0___reshoot_key=Phi_1_0
original counts = 78946154.2, reshoot_counts = 2138133.6
normalization = 36.954, reshoot_counts*normalization = 79012471.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^9$
$10^8$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57484927.7, reshoot_counts = 1556292.8
normalization = 36.954, reshoot_counts*normalization = 57511159.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
$10^8$
$10^7$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10818971.2, reshoot_counts = 292564.1
normalization = 36.954, reshoot_counts*normalization = 10811398.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^8$
$10^7$
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 468043.1, reshoot_counts = 12731.5
normalization = 36.954, reshoot_counts*normalization = 470480.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
$10^6$
$10^5$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 202046.0, reshoot_counts = 5459.0
normalization = 36.954, reshoot_counts*normalization = 201730.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^6$
$10^5$
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 371278.6, reshoot_counts = 10017.6
normalization = 36.954, reshoot_counts*normalization = 370190.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^6$
$10^5$
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 683564.2, reshoot_counts = 18648.0
normalization = 36.954, reshoot_counts*normalization = 689117.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 340374.7, reshoot_counts = 9300.7
normalization = 36.954, reshoot_counts*normalization = 343698.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^6$
$10^5$
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 140013.5, reshoot_counts = 3774.7
normalization = 36.954, reshoot_counts*normalization = 139490.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^6$
$10^5$
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_9___reshoot_key=Phi_1_9
original counts = 69874.4, reshoot_counts = 1903.6
normalization = 36.954, reshoot_counts*normalization = 70345.6
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^6$
$10^5$
$10^4$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 101487.9, reshoot counts = 2750.9
normalization = 36.954, reshoot_counts*normalization = 101656.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^6$
$10^5$
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73383.5, reshoot_counts = 1995.7
normalization = 36.954, reshoot_counts*normalization = 73750.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
$10^6$
$10^5$
$10^4$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_12___reshoot_key=Phi_1_12
original counts = 51387.6, reshoot_counts = 1421.2
normalization = 36.954, reshoot_counts*normalization = 52518.3
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
$10^5$
$10^4$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_13___reshoot_key=Phi_1_13
original counts = 20501.5, reshoot_counts = 539.3
normalization = 36.954, reshoot_counts*normalization = 19929.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^5$
$10^4$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_14___reshoot_key=Phi_1_14
original counts = 8438.1, reshoot_counts = 229.3
normalization = 36.954, reshoot_counts*normalization = 8473.5
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^5$
$10^4$
$10^3$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_15___reshoot_key=Phi_1_15
original_counts = 3006.7, reshoot_counts = 76.1
normalization = 36.954, reshoot_counts*normalization = 2810.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
$10^4$
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_16___reshoot_key=Phi_1_16
original_counts = 2323.2, reshoot_counts = 60.5
normalization = 36.954, reshoot_counts*normalization = 2235.9
original average = 3.14 Phi [rad], reshoot average = 3.09 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^4$
$10^3$
$10^2$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_17___reshoot_key=Phi_1_17
original counts = 1861.1, reshoot counts = 45.6
normalization = 36.954, reshoot_counts*normalization = 1684.8
original average = 3.14 Phi [rad], reshoot average = 3.12 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^4$
$10^3$
$10^2$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_18___reshoot_key=Phi_1_18
original_counts = 1488.6, reshoot_counts = 37.5
normalization = 36.954, reshoot_counts*normalization = 1387.2
original average = 3.14 Phi [rad], reshoot average = 3.12 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^4$
$10^3$
$10^2$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1205.6, reshoot_counts = 32.8
normalization = 36.954, reshoot_counts*normalization = 1212.0
original average = 3.16 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
$10^4$
$10^3$
$10^2$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_20___reshoot_key=Phi_1_20
original counts = 1051, reshoot_counts = 30.4
normalization = 36.954, reshoot_counts*normalization = 1122.7
original average = 3.15 Phi [rad], reshoot average = 3.17 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^4$
$10^3$
$10^2$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_21___reshoot_key=Phi_1_21
original counts = 684.6, reshoot counts = 18.5
normalization = 36.954, reshoot counts*normalization = 683.1
original average = 3.14 Phi [rad], reshoot average = 3.17 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^4$
$10^3$
$10^2$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_22___reshoot_key=Phi_1_22
original counts = 664.8, reshoot counts = 15.8
normalization = 36.954, reshoot counts*normalization = 582.7
original average = 3.16 Phi [rad], reshoot average = 3.10 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^4$
$10^3$
$10^2$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_23___reshoot_key=Phi_1_23
original counts = 370.1, reshoot_counts = 9.7
normalization = 36.954, reshoot_counts*normalization = 359.2
original average = 3.14 Phi [rad], reshoot average = 3.11 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^4$
$10^3$
$10^2$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 231.4, reshoot_counts = 10.3
normalization = 36.954, reshoot_counts*normalization = 379.4
original average = 3.17 Phi [rad], reshoot average = 3.11 Phi [rad]
counts [1/rad]
Phi [rad]
$10^4$
$10^3$
$10^2$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 82.5, reshoot_counts = 1.8
normalization = 36.954, reshoot_counts*normalization = 66.8
original average = 3.15 Phi [rad], reshoot average = 2.98 Phi [rad]
counts [1/rad]
$10^3$
$10^2$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 3.7
normalization = 36.954, reshoot_counts*normalization = 135.4
original average = 3.03 Phi [rad], reshoot average = 2.97 Phi [rad]
counts [1/rad]
$10^3$
$10^2$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7237214.0, reshoot_counts = 198845.5
normalization = 36.954, reshoot_counts*normalization = 7348124.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^8$
$10^7$
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_e+___reshoot_key=Phi_1_e+
original counts = 634597.9, reshoot_counts = 19578.9
normalization = 36.954, reshoot_counts*normalization = 723518.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^7$
$10^6$
$10^5$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_gamma___reshoot_key=Phi_1_gamma
original counts = 33005099.3, reshoot_counts = 907598.6
normalization = 36.954, reshoot_counts*normalization = 33539348.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
$10^8$
$10^7$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_mu-___reshoot_key=Phi_1_mu-
original counts = 22551.5, reshoot_counts = 953.2
normalization = 36.954, reshoot_counts*normalization = 35223.7
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^5$
$10^4$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_mu+___reshoot_key=Phi_1_mu+
original counts = 17161.9, reshoot_counts = 759.4
normalization = 36.954, reshoot_counts*normalization = 28063.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^5$
$10^4$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_pi-___reshoot_key=Phi_1_pi-
original counts = 889584.5, reshoot_counts = 44433.2
normalization = 36.954, reshoot_counts*normalization = 1641981.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^7$
$10^6$
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_pi+___reshoot_key=Phi_1_pi+
original counts = 715945.2, reshoot_counts = 35937.7
normalization = 36.954, reshoot_counts*normalization = 1328038.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
$10^7$
$10^6$
0
1
2
3
4
5
6



original_key=Ekin_very_wide_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3493535008.0, reshoot_counts = 95053340.0
normalization = 36.954, reshoot_counts*normalization = 3512595971
original average = 454.09 Ek [MeV/u], reshoot average = 461.60 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2554012749.5, reshoot_counts = 69117981.5
normalization = 36.954, reshoot_counts*normalization = 2554182140
original average = 499.42 Ek [MeV/u], reshoot average = 499.50 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 474745127.5, reshoot_counts = 12841104.0
normalization = 36.954, reshoot_counts*normalization = 474529460.9
original average = 505.12 Ek [MeV/u], reshoot average = 505.37 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20522688.0, reshoot_counts = 555517.0
normalization = 36.954, reshoot_counts*normalization = 20528545.1
original average = 465.90 Ek [MeV/u], reshoot average = 465.89 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8860762.0, reshoot_counts = 238533.5
normalization = 36.954, reshoot_counts*normalization = 8814754.0
original average = 422.06 Ek [MeV/u], reshoot average = 422.55 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16276055.0, reshoot_counts = 440793.5
normalization = 36.954, reshoot_counts*normalization = 16289059.1
original average = 389.07 Ek [MeV/u], reshoot average = 389.49 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29927154.5, reshoot_counts = 810120.5
normalization = 36.954, reshoot_counts*normalization = 29937149.0
original average = 345.89 Ek [MeV/u], reshoot average = 346.28 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^0$
$10^1$
$10^2$
$10^3$
$10^4$
$10^5$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14895528.0, reshoot_counts = 403557.5
normalization = 36.954, reshoot_counts*normalization = 14913042.0
original average = 317.75 Ek [MeV/u], reshoot average = 318.11 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^0$
$10^1$
$10^2$
$10^3$
$10^4$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6110865.5, reshoot_counts = 164885.0
normalization = 36.954, reshoot_counts*normalization = 6093151.3
original average = 293.23 Ek [MeV/u], reshoot average = 293.56 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^0$
$10^1$
$10^2$
$10^3$
$10^4$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3054413.5, reshoot_counts = 82377.0
normalization = 36.954, reshoot_counts*normalization = 3044155.2
original average = 277.65 Ek [MeV/u], reshoot average = 276.93 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^0$
$10^1$
$10^2$
$10^3$
$10^4$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4427549.5, reshoot_counts = 119845.5
normalization = 36.954, reshoot_counts*normalization = 4428764.1
original average = 243.60 Ek [MeV/u], reshoot average = 242.85 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^0$
$10^1$
$10^2$
$10^3$
$10^4$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3206566.5, reshoot_counts = 87098.5
normalization = 36.954, reshoot_counts*normalization = 3218633.2
original average = 220.30 Ek [MeV/u], reshoot average = 220.68 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^0$
$10^1$
$10^2$
$10^3$
$10^4$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2252896.5, reshoot_counts = 60991.0
normalization = 36.954, reshoot_counts*normalization = 2253858.1
original average = 202.66 Ek [MeV/u], reshoot average = 201.08 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^0$
$10^1$
$10^2$
$10^3$
$10^4$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 898038.5, reshoot_counts = 24147.0
normalization = 36.954, reshoot_counts*normalization = 892326.9
original average = 226.91 Ek [MeV/u], reshoot average = 228.58 Ek [
counts [u/MeV]
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 367168.0, reshoot_counts = 9667.0
normalization = 36.954, reshoot_counts*normalization = 357233.8
original average = 463.34 Ek [MeV/u], reshoot average = 463.53 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^0$
$10^1$
$10^2$
$10^3$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 131421.5, reshoot_counts = 3520.0
normalization = 36.954, reshoot_counts*normalization = 130077.9
original average = 767.94 Ek [MeV/u], reshoot average = 770.94 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^0$
$10^1$
$10^2$
$10^3$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99742.0, reshoot_counts = 2685.0
normalization = 36.954, reshoot_counts*normalization = 99221.3
original average = 870.68 Ek [MeV/u], reshoot average = 878.31 Ek [
counts [u/MeV]
Ek [MeV/u]



original_key=Ekin_very_wide_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78371.0, reshoot_counts = 2109.5
normalization = 36.954, reshoot_counts*normalization = 77954.3
original average = 879.79 Ek [MeV/u], reshoot average = 881.44 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^0$
$10^1$
$10^2$
$10^3$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 62853.0, reshoot_counts = 1707.5
normalization = 36.954, reshoot_counts*normalization = 63098.9
original average = 876.09 Ek [MeV/u], reshoot average = 882.02 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50325.5, reshoot_counts = 1381.0
normalization = 36.954, reshoot_counts*normalization = 51033.4
original average = 876.89 Ek [MeV/u], reshoot average = 879.66 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45066.0, reshoot_counts = 1237.0
normalization = 36.954, reshoot_counts*normalization = 45712.0
original average = 874.48 Ek [MeV/u], reshoot average = 874.42 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29203.5, reshoot_counts = 836.0
normalization = 36.954, reshoot_counts*normalization = 30893.5
original average = 872.64 Ek [MeV/u], reshoot average = 863.18 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27373.0, reshoot_counts = 737.0
normalization = 36.954, reshoot_counts*normalization = 27235.1
original average = 874.00 Ek [MeV/u], reshoot average = 873.85 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15121.5, reshoot_counts = 390.0
normalization = 36.954, reshoot_counts*normalization = 14412.0
original average = 882.66 Ek [MeV/u], reshoot average = 873.30 Ek [
counts [u/MeV]
Ek [MeV/u]
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9181.0, reshoot_counts = 251.0
normalization = 36.954, reshoot_counts*normalization = 9275.4
original average = 887.71 Ek [MeV/u], reshoot average = 878.27 Ek [
counts [u/MeV]
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3447.0, reshoot_counts = 104.0
normalization = 36.954, reshoot_counts*normalization = 3843.2
original average = 880.45 Ek [MeV/u], reshoot average = 892.03 Ek [
counts [u/MeV]
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1335.0, reshoot_counts = 41.0
normalization = 36.954, reshoot_counts*normalization = 1515.1
original average = 892.96 Ek [MeV/u], reshoot average = 862.30 Ek [
counts [u/MeV]
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27820478.4, reshoot_counts = 7965555.0
normalization = 36.954, reshoot_counts*normalization = 294358687.5
original average = 3.36 Ek [MeV/u], reshoot average = 5.59 Ek [MeV/u]
counts [u/MeV]
Ek [MeV/u]
$10^9$
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2436139.0, reshoot_counts = 871803.5
normalization = 36.954, reshoot_counts*normalization = 32216579.3
original average = 29.01 Ek [MeV/u], reshoot average = 29.17 Ek [Me
counts [u/MeV]
$10^6$
$10^5$
$10^4$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 139161369.0, reshoot_counts = 37719148.0
normalization = 36.954, reshoot_counts*normalization = 1393871349
original average = 4.73 Ek [MeV/u], reshoot average = 6.21 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
$10^9$
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39202.1, reshoot_counts = 43388.5
normalization = 36.954, reshoot_counts*normalization = 1603376.3
original average = 49.29 Ek [MeV/u], reshoot average = 49.29 Ek [Me
counts [u/MeV]
$10^4$
$10^3$
$10^2$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29358.7, reshoot_counts = 33765.5
normalization = 36.954, reshoot_counts*normalization = 1247768.5
original average = 47.26 Ek [MeV/u], reshoot average = 47.44 Ek [Me
counts [u/MeV]
$10^4$
$10^3$
$10^2$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 610263.6, reshoot_counts = 2011479.5
normalization = 36.954, reshoot_counts*normalization = 74332104.4
original average = 58.58 Ek [MeV/u], reshoot average = 58.57 Ek [Me
counts [u/MeV]
Ek [MeV/u]
$10^6$
$10^5$
$10^4$
$10^3$
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 455228.3, reshoot_counts = 1626590.0
normalization = 36.954, reshoot_counts*normalization = 60108918.7
original average = 58.39 Ek [MeV/u], reshoot average = 58.37 Ek [Me
counts [u/MeV]
Ek [MeV/u]
$10^6$
$10^5$
$10^4$
$10^3$
0
250
500
750
1000
1250
1500
1750
2000



original_key=X_very_wide_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 885981107.0, reshoot_counts = 23862452.0
normalization = 36.954, reshoot_counts*normalization = 881811757.2
original average = -0.03 x pos [mm], reshoot average = -0.17 x pos [r
$10^7$
$10^6$
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 640787690.4, reshoot_counts = 17279854.8
normalization = 36.954, reshoot_counts*normalization = 638558815.4
original average = -0.03 x pos [mm], reshoot average = -0.15 x pos [r
$10^7$
$10^6$
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 118797114.8, reshoot_counts = 3210450.0
normalization = 36.954, reshoot_counts*normalization = 118638795.2
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [r
counts [1/mm]
$10^6$
$10^5$
$10^4$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5134634.2, reshoot_counts = 138887.8
normalization = 36.954, reshoot_counts*normalization = 5132450.4
original average = -0.02 x pos [mm], reshoot average = -0.10 x pos [
counts [1/mm]
$10^5$
$10^4$
$10^3$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2216829.8, reshoot_counts = 59638.2
normalization = 36.954, reshoot_counts*normalization = 2203868.7
original average = -0.01 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
$10^5$
$10^4$
$10^3$
$10^2$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4071779.1, reshoot_counts = 110213.2
normalization = 36.954, reshoot_counts*normalization = 4072814.5
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
$10^5$
$10^4$
$10^3$
$10^2$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7485435.8, reshoot_counts = 202554.8
normalization = 36.954, reshoot_counts*normalization = 7485197.2
original average = -0.01 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
$10^5$
$10^4$
$10^3$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3725140.5, reshoot_counts = 100905.0
normalization = 36.954, reshoot_counts*normalization = 3728837.9
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
$10^5$
$10^4$
$10^3$
$10^2$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1528010.0, reshoot_counts = 41225.5
normalization = 36.954, reshoot_counts*normalization = 1523444.9
original average = -0.01 x pos [mm], reshoot average = -0.27 x pos [
counts [1/mm]
x pos [mm]
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400



original_key=X_very_wide_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 763710.6, reshoot_counts = 20596.0
normalization = 36.954, reshoot_counts*normalization = 761103.5
counts [1/mm]
x pos [mm]



original_key=X_very_wide_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1107083.6, reshoot_counts = 29963.8
normalization = 36.954, reshoot_counts*normalization = 1107278.8
original average = 0.01 x pos [mm], reshoot average = -0.20 x pos [m
counts [1/mm]
$10^4$
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 801816.0, reshoot_counts = 21776.8
normalization = 36.954, reshoot_counts*normalization = 804736.8
original average = -0.01 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
$10^4$
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 563417.1, reshoot_counts = 15250.2
normalization = 36.954, reshoot_counts*normalization = 563556.9
original average = -0.00 x pos [mm], reshoot average = 0.09 x pos [m
counts [1/mm]
$10^4$
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 224613.2, reshoot_counts = 6038.2
normalization = 36.954, reshoot_counts*normalization = 223137.2
original average = -0.02 x pos [mm], reshoot average = -0.03 x pos [
counts [1/mm]
x pos [mm]
$10^4$
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400



original_key=X_very_wide_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91879.9, reshoot_counts = 2418.0
normalization = 36.954, reshoot_counts*normalization = 89354.6
original average = -0.01 x pos [mm], reshoot average = 0.15 x pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32905.2, reshoot_counts = 880.0
normalization = 36.954, reshoot_counts*normalization = 32519.5
original average = 0.13 x pos [mm], reshoot average = 1.52 x pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original_counts = 24966.5, reshoot_counts = 671.2
normalization = 36.954, reshoot_counts*normalization = 24805.3
original average = -0.34 x pos [mm], reshoot average = -1.81 x pos [
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19615.1, reshoot_counts = 527.5
normalization = 36.954, reshoot_counts*normalization = 19493.2
original average = -0.14 x pos [mm], reshoot average = -0.59 x pos [
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15720.9, reshoot_counts = 427.0
normalization = 36.954, reshoot_counts*normalization = 15779.3
original average = 0.19 x pos [mm], reshoot average = 0.49 x pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12589.4, reshoot_counts = 345.2
normalization = 36.954, reshoot_counts*normalization = 12758.3
original average = 0.18 x pos [mm], reshoot average = 1.12 x pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11271.2, reshoot_counts = 309.2
normalization = 36.954, reshoot_counts*normalization = 11428.0
original average = 0.14 x pos [mm], reshoot average = -0.26 x pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7301.6, reshoot_counts = 209.0
normalization = 36.954, reshoot_counts*normalization = 7723.4
original average = -0.01 x pos [mm], reshoot average = 1.11 x pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6845.0, reshoot_counts = 184.2
normalization = 36.954, reshoot_counts*normalization = 6808.8
original average = 0.27 x pos [mm], reshoot average = -2.01 x pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3780.4, reshoot_counts = 97.5
normalization = 36.954, reshoot_counts*normalization = 3603.0
original average = 0.53 x pos [mm], reshoot average = -1.15 x pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2295.1, reshoot_counts = 62.8
normalization = 36.954, reshoot_counts*normalization = 2318.9
original average = -0.63 x pos [mm], reshoot average = 0.72 x pos [m
$10^2$
$10^1$
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 861.8, reshoot_counts = 26.0
normalization = 36.954, reshoot_counts*normalization = 960.8
original average = -1.67 x pos [mm], reshoot average = -0.32 x pos [
$10^2$
$10^1$
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 333.8, reshoot_counts = 10.2
normalization = 36.954, reshoot_counts*normalization = 378.8
original average = 1.30 x pos [mm], reshoot average = 8.97 x pos [m
$10^2$
$10^1$
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79992569.5, reshoot_counts = 2182225.2
normalization = 36.954, reshoot_counts*normalization = 80641833.6
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
$10^6$
$10^5$
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7232418.9, reshoot_counts = 220569.8
normalization = 36.954, reshoot_counts*normalization = 8150922.6
original average = -0.03 x pos [mm], reshoot average = -0.19 x pos [
$10^5$
$10^4$
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 378059357.6, reshoot_counts = 10311997.5
normalization = 36.954, reshoot_counts*normalization = 381068996.4
original average = -0.06 x pos [mm], reshoot average = -0.18 x pos [r
$10^7$
$10^6$
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 253774.8, reshoot_counts = 10864.5
normalization = 36.954, reshoot_counts*normalization = 401486.1
original average = -0.09 x pos [mm], reshoot average = -0.48 x pos [
$10^4$
$10^3$
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 195053.8, reshoot_counts = 8476.5
normalization = 36.954, reshoot_counts*normalization = 313240.1
original average = -0.06 x pos [mm], reshoot average = 0.15 x pos [m
counts [1/mm]
$10^4$
$10^3$
$10^2$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10149275.4, reshoot_counts = 503079.0
normalization = 36.954, reshoot_counts*normalization = 18590754.1
original average = -0.06 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
$10^5$
$10^4$
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8155205.0, reshoot_counts = 406813.2
normalization = 36.954, reshoot_counts*normalization = 15033354.8
original average = -0.06 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
$10^5$
$10^4$
−400
−200
0
200
400
x pos [mm]



original_key=Y_very_wide_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 885977318.9, reshoot_counts = 23862452.0
normalization = 36.954, reshoot_counts*normalization = 881811757.
original average = -0.03 y pos [mm], reshoot average = -0.17 y pos [
$10^7$
$10^6$
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 640789330.6, reshoot_counts = 17279854.8
normalization = 36.954, reshoot_counts*normalization = 638558815.4
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [m
$10^7$
$10^6$
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 118797748.6, reshoot_counts = 3210450.0
normalization = 36.954, reshoot_counts*normalization = 118638795.2
original average = -0.01 y pos [mm], reshoot average = -0.15 y pos [r
counts [1/mm]
$10^6$
$10^5$
$10^4$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5134588.2, reshoot_counts = 138887.8
normalization = 36.954, reshoot_counts*normalization = 5132450.4
original average = -0.01 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
$10^5$
$10^4$
$10^3$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2216817.8, reshoot_counts = 59638.2
normalization = 36.954, reshoot_counts*normalization = 2203868.7
original average = -0.00 y pos [mm], reshoot average = -0.19 y pos [
counts [1/mm]
y pos [mm]



original_key=Y_very_wide_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4071776.2, reshoot_counts = 110213.2
normalization = 36.954, reshoot_counts*normalization = 4072814.5
original average = 0.01 y pos [mm], reshoot average = -0.06 y pos [m
counts [1/mm]
y pos [mm]
$10^5$
$10^4$
$10^3$
$10^2$
−400
−200
0
200
400



original_key=Y_very_wide_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7485440.0, reshoot_counts = 202554.8
normalization = 36.954, reshoot_counts*normalization = 7485197.2
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
$10^5$
$10^4$
$10^3$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3725069.8, reshoot_counts = 100905.0
normalization = 36.954, reshoot_counts*normalization = 3728837.9
original average = 0.01 y pos [mm], reshoot average = -0.19 y pos [m
counts [1/mm]
$10^5$
$10^4$
$10^3$
$10^2$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1528015.2, reshoot_counts = 41225.5
normalization = 36.954, reshoot_counts*normalization = 1523444.9
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400



original_key=Y_very_wide_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 763721.4, reshoot_counts = 20596.0
normalization = 36.954, reshoot_counts*normalization = 761103.5
original average = -0.05 y pos [mm], reshoot average = -0.17 y pos [
counts [1/mm]
$10^4$
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1107093.6, reshoot_counts = 29963.8
normalization = 36.954, reshoot_counts*normalization = 1107278.8
original average = 0.00 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
$10^4$
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 801820.1, reshoot_counts = 21776.8
normalization = 36.954, reshoot_counts*normalization = 804736.8
original average = 0.03 y pos [mm], reshoot average = -0.32 y pos [m
counts [1/mm]
$10^4$
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 563420.2, reshoot_counts = 15250.2
normalization = 36.954, reshoot_counts*normalization = 563556.9
original average = -0.01 y pos [mm], reshoot average = -0.06 y pos [
counts [1/mm]
$10^4$
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 224629.0, reshoot_counts = 6038.2
normalization = 36.954, reshoot_counts*normalization = 223137.2
original average = -0.01 y pos [mm], reshoot average = -0.17 y pos [
counts [1/mm]
y pos [mm]
$10^4$
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400



original_key=Y_very_wide_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91899.4, reshoot_counts = 2418.0
normalization = 36.954, reshoot_counts*normalization = 89354.6
original average = 0.04 y pos [mm], reshoot average = -0.58 y pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32901.9, reshoot_counts = 880.0
normalization = 36.954, reshoot_counts*normalization = 32519.5
original average = -0.08 y pos [mm], reshoot average = -1.17 y pos [
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24968.1, reshoot_counts = 671.2
normalization = 36.954, reshoot_counts*normalization = 24805.3
original average = 0.16 y pos [mm], reshoot average = 2.24 y pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19609.5, reshoot_counts = 527.5
normalization = 36.954, reshoot_counts*normalization = 19493.2
original average = 0.04 y pos [mm], reshoot average = 0.26 y pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15727.0, reshoot_counts = 427.0
normalization = 36.954, reshoot_counts*normalization = 15779.3
original average = 0.13 y pos [mm], reshoot average = -2.31 y pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12586.9, reshoot_counts = 345.2
normalization = 36.954, reshoot_counts*normalization = 12758.3
original average = -0.21 y pos [mm], reshoot average = -0.88 y pos [
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11270.0, reshoot_counts = 309.2
normalization = 36.954, reshoot_counts*normalization = 11428.0
original average = -0.14 y pos [mm], reshoot average = -2.33 y pos [
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7303.6, reshoot_counts = 209.0
normalization = 36.954, reshoot_counts*normalization = 7723.4
original average = -0.12 y pos [mm], reshoot average = 1.48 y pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6843.0, reshoot_counts = 184.2
normalization = 36.954, reshoot_counts*normalization = 6808.8
original average = 0.03 y pos [mm], reshoot average = -2.09 y pos [m
counts [1/mm]
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3780.5, reshoot_counts = 97.5
normalization = 36.954, reshoot_counts*normalization = 3603.0
original average = -0.66 y pos [mm], reshoot average = 5.01 y pos [m
counts [1/mm]
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2295.2, reshoot_counts = 62.8
normalization = 36.954, reshoot_counts*normalization = 2318.9
original average = -0.50 y pos [mm], reshoot average = 0.03 y pos [m
$10^2$
$10^1$
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 861.8, reshoot_counts = 26.0
normalization = 36.954, reshoot_counts*normalization = 960.8
original average = -0.53 y pos [mm], reshoot average = 5.20 y pos [m
$10^2$
$10^1$
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 333.8, reshoot_counts = 10.2
normalization = 36.954, reshoot_counts*normalization = 378.8
original average = 0.66 y pos [mm], reshoot average = 13.66 y pos [r
$10^2$
$10^1$
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79992599.8, reshoot_counts = 2182225.2
normalization = 36.954, reshoot_counts*normalization = 80641833.6
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
$10^6$
$10^5$
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7232161.6, reshoot_counts = 220569.8
normalization = 36.954, reshoot_counts*normalization = 8150922.6
original average = -0.03 y pos [mm], reshoot average = -0.08 y pos [
$10^5$
$10^4$
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 378058009.2, reshoot_counts = 10311997.5
normalization = 36.954, reshoot_counts*normalization = 381068996.4
original average = -0.06 y pos [mm], reshoot average = -0.20 y pos [r
$10^7$
$10^6$
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 253786.9, reshoot_counts = 10864.5
normalization = 36.954, reshoot_counts*normalization = 401486.1
original average = 0.04 y pos [mm], reshoot average = -0.68 y pos [m
counts [1/mm]
$10^4$
$10^3$
$10^2$
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 195025.2, reshoot_counts = 8476.5
normalization = 36.954, reshoot_counts*normalization = 313240.1
original average = -0.02 y pos [mm], reshoot average = -0.09 y pos [
counts [1/mm]
$10^4$
$10^3$
$10^2$
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10149307.9, reshoot_counts = 503079.0
normalization = 36.954, reshoot_counts*normalization = 18590754.1
original average = -0.04 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
$10^5$
$10^4$
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8154996.1, reshoot_counts = 406813.2
normalization = 36.954, reshoot_counts*normalization = 15033354.8
original average = -0.05 y pos [mm], reshoot average = -0.09 y pos [
counts [1/mm]
$10^5$
$10^4$
−400
−200
0
200
400
y pos [mm]