






original_key=Theta_wide_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85156991.0, reshoot_counts = 1538516.5
normalization = 15.562, reshoot_counts*normalization = 23941757.3
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 59317464.6, reshoot_counts = 1232837.6
normalization = 15.562, reshoot_counts*normalization = 19184909.2
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21652077.1, reshoot_counts = 302850.6
normalization = 15.562, reshoot_counts*normalization = 4712835.8
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 940496.0, reshoot_counts = 13342.8
normalization = 15.562, reshoot_counts*normalization = 207635.1
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 388579.2, reshoot_counts = 5780.9
normalization = 15.562, reshoot_counts*normalization = 89960.2
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 650603.7, reshoot_counts = 10674.4
normalization = 15.562, reshoot_counts*normalization = 166110.2
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1194414.8, reshoot_counts = 20012.0
normalization = 15.562, reshoot_counts*normalization = 311418.7
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 640349.8, reshoot_counts = 10228.1
normalization = 15.562, reshoot_counts*normalization = 159166.0
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 299327.8, reshoot_counts = 4364.9
normalization = 15.562, reshoot_counts*normalization = 67924.0
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 158898.0, reshoot_counts = 2188.9
normalization = 15.562, reshoot_counts*normalization = 34062.6
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 268349.0, reshoot_counts = 3140.4
normalization = 15.562, reshoot_counts*normalization = 48869.0
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 220660.6, reshoot_counts = 2229.2
normalization = 15.562, reshoot_counts*normalization = 34690.6
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 178673.4, reshoot_counts = 1481.4
normalization = 15.562, reshoot_counts*normalization = 23053.1
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76769.7, reshoot_counts = 525.8
normalization = 15.562, reshoot_counts*normalization = 8181.8
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21817.6, reshoot_counts = 118.4
normalization = 15.562, reshoot_counts*normalization = 1842.9
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2344.0, reshoot_counts = 9.7
normalization = 15.562, reshoot_counts*normalization = 151.4
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83.0, reshoot_counts = 0.6
normalization = 15.562, reshoot_counts*normalization = 9.9
original average = 0.09 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.9, reshoot_counts = 0.1
normalization = 15.562, reshoot_counts*normalization = 1.2
original average = 0.70 Theta [rad], reshoot average = 0.79 Theta [ra
counts [1/rad]
Theta [rad]
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.6, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.3
original average = 1.06 Theta [rad], reshoot average = 1.02 Theta [ra
counts [1/rad]
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = 0.18 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2076330.9, reshoot_counts = 121925.6
normalization = 15.562, reshoot_counts*normalization = 1897355.9
original average = 0.52 Theta [rad], reshoot average = 0.52 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 205940.4, reshoot_counts = 9297.1
normalization = 15.562, reshoot_counts*normalization = 144678.3
original average = 0.18 Theta [rad], reshoot average = 0.17 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12161140.7, reshoot_counts = 429922.8
normalization = 15.562, reshoot_counts*normalization = 6690280.1
original average = 0.14 Theta [rad], reshoot average = 0.13 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7804.2, reshoot_counts = 464.8
normalization = 15.562, reshoot_counts*normalization = 7232.9
original average = 0.16 Theta [rad], reshoot average = 0.15 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5872.9, reshoot_counts = 358.7
normalization = 15.562, reshoot_counts*normalization = 5581.4
original average = 0.16 Theta [rad], reshoot average = 0.15 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 369469.4, reshoot_counts = 12446.4
normalization = 15.562, reshoot_counts*normalization = 193686.5
original average = 0.15 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 295764.5, reshoot_counts = 10021.8
normalization = 15.562, reshoot_counts*normalization = 155954.5
original average = 0.15 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_wide_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34699728.7, reshoot_counts = 2230582.2
normalization = 15.562, reshoot_counts*normalization = 34711396.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^8
3 × 10^8
2 × 10^8
10^8
6 × 10^7
4 × 10^7
3 × 10^7
2 × 10^7
0
1
2
3
4
5
6



original_key=Phi_wide_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27515487.0, reshoot_counts = 1769346.7
normalization = 15.562, reshoot_counts*normalization = 27533841.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^8
3 × 10^8
2 × 10^8
10^8
6 × 10^7
4 × 10^7
3 × 10^7
2 × 10^7
0
1
2
3
4
5
6



original_key=Phi_wide_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7151885.0, reshoot_counts = 459592.5
normalization = 15.562, reshoot_counts*normalization = 7151987.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^8
10^7
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 314888.2, reshoot_counts = 20311.2
normalization = 15.562, reshoot_counts*normalization = 316074.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^6
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 135837.7, reshoot_counts = 8723.5
normalization = 15.562, reshoot_counts*normalization = 135752.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 248796.1, reshoot_counts = 16041.0
normalization = 15.562, reshoot_counts*normalization = 249622.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 468329.7, reshoot_counts = 30054.9
normalization = 15.562, reshoot_counts*normalization = 467702.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^6
4 × 10^6
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 243040.6, reshoot_counts = 15511.5
normalization = 15.562, reshoot_counts*normalization = 241384.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 105998.2, reshoot_counts = 6797.7
normalization = 15.562, reshoot_counts*normalization = 105782.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53737.7, reshoot_counts = 3471.3
normalization = 15.562, reshoot_counts*normalization = 54018.8
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79582.1, reshoot_counts = 5102.4
normalization = 15.562, reshoot_counts*normalization = 79401.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57740.8, reshoot_counts = 3722.0
normalization = 15.562, reshoot_counts*normalization = 57919.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39754.4, reshoot_counts = 2553.4
normalization = 15.562, reshoot_counts*normalization = 39734.6
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14593.0, reshoot_counts = 935.1
normalization = 15.562, reshoot_counts*normalization = 14552.4
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_14___reshoot_key=Phi_1_14
original_counts = 3485.7, reshoot_counts = 224.1
normalization = 15.562, reshoot_counts*normalization = 3487.0
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 291.5, reshoot_counts = 19.3
normalization = 15.562, reshoot_counts*normalization = 301.1
original average = 3.15 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15.8, reshoot_counts = 0.8
normalization = 15.562, reshoot_counts*normalization = 12.8
original average = 3.08 Phi [rad], reshoot average = 3.49 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_17___reshoot_key=Phi_1_17
original counts = 1.9, reshoot_counts = 0.1
normalization = 15.562, reshoot_counts*normalization = 1.4
original average = 3.16 Phi [rad], reshoot average = 3.55 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.6, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.3
original average = 2.98 Phi [rad], reshoot average = 4.30 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = 3.53 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_wide_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2468992.8, reshoot_counts = 160464.3
normalization = 15.562, reshoot_counts*normalization = 2497078.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^7
10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 170498.7, reshoot_counts = 12477.1
normalization = 15.562, reshoot_counts*normalization = 194164.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8934685.7, reshoot_counts = 584843.8
normalization = 15.562, reshoot_counts*normalization = 9101097.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^8
10^7
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_mu-___reshoot_key=Phi_1_mu-
original counts = 6092.2, reshoot_counts = 635.8
normalization = 15.562, reshoot_counts*normalization = 9893.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^5
10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4580.2, reshoot_counts = 467.2
normalization = 15.562, reshoot_counts*normalization = 7270.8
original average = 3.15 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 263753.5, reshoot_counts = 16929.3
normalization = 15.562, reshoot_counts*normalization = 263446.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 212666.9, reshoot_counts = 13708.7
normalization = 15.562, reshoot_counts*normalization = 213329.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1514745045.0, reshoot_counts = 97604286.0
normalization = 15.562, reshoot_counts*normalization = 1518877514
original average = 540.68 Ek [MeV/u], reshoot average = 545.07 Ek [
counts [u/MeV]
Ek [MeV/u]
10^7
10^6
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1205937528.5, reshoot_counts = 77499370.5
normalization = 15.562, reshoot_counts*normalization = 1206013137
original average = 547.29 Ek [MeV/u], reshoot average = 547.29 Ek [
counts [u/MeV]
Ek [MeV/u]
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 312914674.0, reshoot_counts = 20099473.0
normalization = 15.562, reshoot_counts*normalization = 312779682.5
original average = 533.17 Ek [MeV/u], reshoot average = 533.27 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13770801.0, reshoot_counts = 886008.5
normalization = 15.562, reshoot_counts*normalization = 13787697.7
original average = 491.48 Ek [MeV/u], reshoot average = 491.74 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5935327.0, reshoot_counts = 381715.0
normalization = 15.562, reshoot_counts*normalization = 5940090.9
original average = 444.03 Ek [MeV/u], reshoot average = 444.08 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10885078.5, reshoot_counts = 699198.0
normalization = 15.562, reshoot_counts*normalization = 10880630.0
original average = 408.24 Ek [MeV/u], reshoot average = 408.35 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20478405.0, reshoot_counts = 1315610.0
normalization = 15.562, reshoot_counts*normalization = 20472978.5
original average = 357.60 Ek [MeV/u], reshoot average = 357.66 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10636721.5, reshoot_counts = 681805.0
normalization = 15.562, reshoot_counts*normalization = 10609967.3
original average = 322.18 Ek [MeV/u], reshoot average = 322.18 Ek [
counts [u/MeV]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4627855.5, reshoot_counts = 297501.0
normalization = 15.562, reshoot_counts*normalization = 4629587.5
original average = 290.18 Ek [MeV/u], reshoot average = 290.16 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2355283.0, reshoot_counts = 151286.0
normalization = 15.562, reshoot_counts*normalization = 2354250.1
original average = 270.66 Ek [MeV/u], reshoot average = 271.18 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3475849.5, reshoot_counts = 223307.0
normalization = 15.562, reshoot_counts*normalization = 3475011.1
original average = 228.99 Ek [MeV/u], reshoot average = 229.05 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2533695.0, reshoot_counts = 162856.5
normalization = 15.562, reshoot_counts*normalization = 2534305.5
original average = 195.01 Ek [MeV/u], reshoot average = 195.08 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1746674.5, reshoot_counts = 112068.5
normalization = 15.562, reshoot_counts*normalization = 1743963.6
original average = 155.00 Ek [MeV/u], reshoot average = 154.93 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 639867.5, reshoot_counts = 41298.5
normalization = 15.562, reshoot_counts*normalization = 642670.2
original average = 123.11 Ek [MeV/u], reshoot average = 123.15 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 151013.5, reshoot_counts = 9710.5
normalization = 15.562, reshoot_counts*normalization = 151110.8
original average = 92.44 Ek [MeV/u], reshoot average = 92.79 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13519.5, reshoot_counts = 829.0
normalization = 15.562, reshoot_counts*normalization = 12900.6
original average = 79.20 Ek [MeV/u], reshoot average = 79.16 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 567.0, reshoot_counts = 47.0
normalization = 15.562, reshoot_counts*normalization = 731.4
original average = 66.07 Ek [MeV/u], reshoot average = 59.54 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54.5, reshoot_counts = 4.0
normalization = 15.562, reshoot_counts*normalization = 62.2
original average = 31.72 Ek [MeV/u], reshoot average = 57.90 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.0, reshoot_counts = 0.5
normalization = 15.562, reshoot_counts*normalization = 7.8
original average = 1.12 Ek [MeV/u], reshoot average = 1.50 Ek [MeV/u
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = 0.50 Ek [MeV/u], reshoot average = nan Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9159036.5, reshoot_counts = 6596993.0
normalization = 15.562, reshoot_counts*normalization = 102659675.5
original average = 2.65 Ek [MeV/u], reshoot average = 5.16 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 623692.6, reshoot_counts = 544426.0
normalization = 15.562, reshoot_counts*normalization = 8472132.2
original average = 30.40 Ek [MeV/u], reshoot average = 30.53 Ek [Me
counts [u/MeV]
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36378486.3, reshoot_counts = 23471344.5
normalization = 15.562, reshoot_counts*normalization = 365251351.
original average = 5.05 Ek [MeV/u], reshoot average = 6.53 Ek [MeV/u
counts [u/MeV]
10^8
10^7
10^6
10^5
10^4
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9777.4, reshoot_counts = 27564.0
normalization = 15.562, reshoot_counts*normalization = 428939.6
original average = 49.65 Ek [MeV/u], reshoot average = 49.83 Ek [Me
10^3
10^2
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7209.0, reshoot_counts = 21247.5
normalization = 15.562, reshoot_counts*normalization = 330644.8
original average = 47.95 Ek [MeV/u], reshoot average = 47.86 Ek [Me
10^3
10^2
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22659441.6, reshoot_counts = 745026.0
normalization = 15.562, reshoot_counts*normalization = 11593786.4
original average = 274.23 Ek [MeV/u], reshoot average = 273.97 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18240753.3, reshoot_counts = 599336.5
normalization = 15.562, reshoot_counts*normalization = 9326626.6
original average = 293.45 Ek [MeV/u], reshoot average = 293.64 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=X_wide_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 384486171.8, reshoot_counts = 24451582.2
normalization = 15.562, reshoot_counts*normalization = 380505405.9
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [r
10^7
10^6
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 304571525.2, reshoot_counts = 19375099.0
normalization = 15.562, reshoot_counts*normalization = 301507274.
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
10^7
10^6
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78829052.5, reshoot_counts = 5025032.5
normalization = 15.562, reshoot_counts*normalization = 78197476.6
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
10^6
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3468252.5, reshoot_counts = 221514.0
normalization = 15.562, reshoot_counts*normalization = 3447109.2
original average = -0.02 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1494861.2, reshoot_counts = 95434.8
normalization = 15.562, reshoot_counts*normalization = 1485116.1
original average = -0.01 x pos [mm], reshoot average = -0.05 x pos [
counts [1/mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2741784.6, reshoot_counts = 174816.5
normalization = 15.562, reshoot_counts*normalization = 2720422.0
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5156750.5, reshoot_counts = 328934.0
normalization = 15.562, reshoot_counts*normalization = 5118734.8
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2677195.2, reshoot_counts = 170467.0
normalization = 15.562, reshoot_counts*normalization = 2652736.9
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1164176.0, reshoot_counts = 74382.2
normalization = 15.562, reshoot_counts*normalization = 1157505.8
original average = 0.00 x pos [mm], reshoot average = -0.15 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_wide_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 592419.1, reshoot_counts = 37822.8
normalization = 15.562, reshoot_counts*normalization = 588582.0
original average = -0.01 x pos [mm], reshoot average = -0.07 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 873828.9, reshoot_counts = 55831.8
normalization = 15.562, reshoot_counts*normalization = 868830.6
original average = -0.01 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^4
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 636926.1, reshoot_counts = 40719.0
normalization = 15.562, reshoot_counts*normalization = 633652.2
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 438961.0, reshoot_counts = 28022.5
normalization = 15.562, reshoot_counts*normalization = 436074.6
original average = 0.01 x pos [mm], reshoot average = -0.01 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 160844.2, reshoot_counts = 10327.2
normalization = 15.562, reshoot_counts*normalization = 160708.4
original average = 0.03 x pos [mm], reshoot average = 0.06 x pos [m
counts [1/mm]
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37963.8, reshoot_counts = 2428.8
normalization = 15.562, reshoot_counts*normalization = 37795.2
original average = -0.02 x pos [mm], reshoot average = 0.21 x pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3399.8, reshoot_counts = 207.2
normalization = 15.562, reshoot_counts*normalization = 3225.1
original average = 0.46 x pos [mm], reshoot average = 0.25 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 141.9, reshoot_counts = 11.8
normalization = 15.562, reshoot_counts*normalization = 182.8
original average = -1.38 x pos [mm], reshoot average = 2.97 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.8, reshoot_counts = 1.2
normalization = 15.562, reshoot_counts*normalization = 19.5
original average = -1.80 x pos [mm], reshoot average = 8.12 x pos [m
counts [1/mm]
x pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400



original_key=X_wide_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.5, reshoot_counts = 0.2
normalization = 15.562, reshoot_counts*normalization = 3.9
original average = -1.68 x pos [mm], reshoot average = -20.62 x pos
counts [1/mm]
x pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400



original_key=X_wide_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = -24.88 x pos [mm], reshoot average = nan x pos [r
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_wide_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21337337.4, reshoot_counts = 1755857.5
normalization = 15.562, reshoot_counts*normalization = 27323927.9
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
10^6
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1453331.1, reshoot_counts = 137314.5
normalization = 15.562, reshoot_counts*normalization = 2136831.4
original average = 0.01 x pos [mm], reshoot average = -0.10 x pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75194308.0, reshoot_counts = 6415870.5
normalization = 15.562, reshoot_counts*normalization = 99841122.1
original average = 0.00 x pos [mm], reshoot average = -0.11 x pos [m
10^7
10^6
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51020.2, reshoot_counts = 6902.8
normalization = 15.562, reshoot_counts*normalization = 107417.7
original average = -0.02 x pos [mm], reshoot average = -0.17 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38802.2, reshoot_counts = 5328.2
normalization = 15.562, reshoot_counts*normalization = 82916.0
original average = -0.05 x pos [mm], reshoot average = -0.31 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2238018.4, reshoot_counts = 186257.2
normalization = 15.562, reshoot_counts*normalization = 2898458.3
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1801652.5, reshoot_counts = 149834.5
normalization = 15.562, reshoot_counts*normalization = 2331662.5
original average = -0.00 x pos [mm], reshoot average = -0.09 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 384488359.0, reshoot_counts = 24451582.2
normalization = 15.562, reshoot_counts*normalization = 380505405.9
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [m
10^7
10^6
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 304575475.9, reshoot_counts = 19375099.0
normalization = 15.562, reshoot_counts*normalization = 301507274.
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
10^7
10^6
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78830106.2, reshoot_counts = 5025032.5
normalization = 15.562, reshoot_counts*normalization = 78197476.6
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^6
10^5
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3468329.0, reshoot_counts = 221514.0
normalization = 15.562, reshoot_counts*normalization = 3447109.2
original average = -0.01 y pos [mm], reshoot average = -0.17 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1494859.9, reshoot_counts = 95434.8
normalization = 15.562, reshoot_counts*normalization = 1485116.1
original average = -0.00 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2741440.2, reshoot_counts = 174816.5
normalization = 15.562, reshoot_counts*normalization = 2720422.0
original average = -0.00 y pos [mm], reshoot average = -0.09 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5156571.5, reshoot_counts = 328934.0
normalization = 15.562, reshoot_counts*normalization = 5118734.8
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2677148.1, reshoot_counts = 170467.0
normalization = 15.562, reshoot_counts*normalization = 2652736.9
original average = 0.00 y pos [mm], reshoot average = -0.13 y pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1164275.6, reshoot_counts = 74382.2
normalization = 15.562, reshoot_counts*normalization = 1157505.8
original average = 0.01 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 592338.5, reshoot_counts = 37822.8
normalization = 15.562, reshoot_counts*normalization = 588582.0
original average = -0.03 y pos [mm], reshoot average = -0.25 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 873886.6, reshoot_counts = 55831.8
normalization = 15.562, reshoot_counts*normalization = 868830.6
original average = 0.01 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
10^4
10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 636870.1, reshoot_counts = 40719.0
normalization = 15.562, reshoot_counts*normalization = 633652.2
original average = 0.03 y pos [mm], reshoot average = -0.03 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 438945.6, reshoot_counts = 28022.5
normalization = 15.562, reshoot_counts*normalization = 436074.6
original average = -0.02 y pos [mm], reshoot average = -0.17 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 160819.8, reshoot_counts = 10327.2
normalization = 15.562, reshoot_counts*normalization = 160708.4
original average = 0.02 y pos [mm], reshoot average = -0.31 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37968.4, reshoot_counts = 2428.8
normalization = 15.562, reshoot_counts*normalization = 37795.2
original average = 0.03 y pos [mm], reshoot average = -0.16 y pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3401.9, reshoot_counts = 207.2
normalization = 15.562, reshoot_counts*normalization = 3225.1
original average = -0.04 y pos [mm], reshoot average = 0.80 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 141.9, reshoot_counts = 11.8
normalization = 15.562, reshoot_counts*normalization = 182.8
original average = -0.20 y pos [mm], reshoot average = 0.56 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.8, reshoot_counts = 1.2
normalization = 15.562, reshoot_counts*normalization = 19.5
original average = 3.36 y pos [mm], reshoot average = 20.02 y pos [r
counts [1/mm]
y pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_wide_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.6, reshoot_counts = 0.2
normalization = 15.562, reshoot_counts*normalization = 3.9
original average = -4.49 y pos [mm], reshoot average = 21.88 y pos [
counts [1/mm]
y pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_wide_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = -38.62 y pos [mm], reshoot average = nan y pos [r
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_wide_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 15.562, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27426657.4, reshoot_counts = 1755857.5
normalization = 15.562, reshoot_counts*normalization = 27323927.9
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^6
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1889504.5, reshoot_counts = 137314.5
normalization = 15.562, reshoot_counts*normalization = 2136831.4
original average = -0.01 y pos [mm], reshoot average = -0.16 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99435719.1, reshoot_counts = 6415870.5
normalization = 15.562, reshoot_counts*normalization = 99841122.1
original average = -0.03 y pos [mm], reshoot average = -0.15 y pos [
10^7
10^6
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67626.8, reshoot_counts = 6902.8
normalization = 15.562, reshoot_counts*normalization = 107417.7
original average = -0.05 y pos [mm], reshoot average = 0.14 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51561.5, reshoot_counts = 5328.2
normalization = 15.562, reshoot_counts*normalization = 82916.0
original average = -0.06 y pos [mm], reshoot average = 0.10 y pos [m
counts [1/mm]
10^3
10^2
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2942733.6, reshoot_counts = 186257.2
normalization = 15.562, reshoot_counts*normalization = 2898458.3
original average = -0.04 y pos [mm], reshoot average = -0.14 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2369136.0, reshoot_counts = 149834.5
normalization = 15.562, reshoot_counts*normalization = 2331662.5
original average = -0.03 y pos [mm], reshoot average = -0.13 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]