






original_key=Theta_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32625930.7, reshoot_counts = 1293423.2
normalization = 5.380, reshoot_counts*normalization = 6958932.3
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23352260.1, reshoot_counts = 1135024.4
normalization = 5.380, reshoot_counts*normalization = 6106708.3
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9482482.4, reshoot_counts = 315078.1
normalization = 5.380, reshoot_counts*normalization = 1695197.1
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 429390.9, reshoot_counts = 14571.3
normalization = 5.380, reshoot_counts*normalization = 78397.1
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 176294.9, reshoot_counts = 6299.2
normalization = 5.380, reshoot_counts*normalization = 33891.3
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 286090.5, reshoot_counts = 12005.3
normalization = 5.380, reshoot_counts*normalization = 64591.2
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 577886.5, reshoot_counts = 26781.4
normalization = 5.380, reshoot_counts*normalization = 144090.4
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 333913.3, reshoot_counts = 16169.4
normalization = 5.380, reshoot_counts*normalization = 86995.3
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 160456.8, reshoot_counts = 7714.7
normalization = 5.380, reshoot_counts*normalization = 41506.7
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91013.1, reshoot_counts = 4384.1
normalization = 5.380, reshoot_counts*normalization = 23587.8
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 192067.1, reshoot_counts = 8468.8
normalization = 5.380, reshoot_counts*normalization = 45564.4
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 205940.6, reshoot_counts = 8544.5
normalization = 5.380, reshoot_counts*normalization = 45971.7
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 289430.7, reshoot_counts = 10467.5
normalization = 5.380, reshoot_counts*normalization = 56317.6
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 275082.3, reshoot_counts = 8717.4
normalization = 5.380, reshoot_counts*normalization = 46901.8
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 473623.9, reshoot_counts = 12410.8
normalization = 5.380, reshoot_counts*normalization = 66773.2
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 396102.8, reshoot_counts = 8464.3
normalization = 5.380, reshoot_counts*normalization = 45539.9
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 445506.9, reshoot_counts = 7699.6
normalization = 5.380, reshoot_counts*normalization = 41425.9
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 450039.2, reshoot_counts = 6212.0
normalization = 5.380, reshoot_counts*normalization = 33422.0
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 440948.1, reshoot_counts = 4889.9
normalization = 5.380, reshoot_counts*normalization = 26309.1
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 423292.6, reshoot_counts = 3782.5
normalization = 5.380, reshoot_counts*normalization = 20350.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 424392.2, reshoot_counts = 3040.1
normalization = 5.380, reshoot_counts*normalization = 16356.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 302554.0, reshoot_counts = 1738.1
normalization = 5.380, reshoot_counts*normalization = 9351.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 167954.2, reshoot_counts = 803.3
normalization = 5.380, reshoot_counts*normalization = 4322.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48869.5, reshoot_counts = 203.7
normalization = 5.380, reshoot_counts*normalization = 1095.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1496.7, reshoot_counts = 6.8
normalization = 5.380, reshoot_counts*normalization = 36.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.6, reshoot_counts = 0.1
normalization = 5.380, reshoot_counts*normalization = 0.4
original average = 0.06 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.0
normalization = 5.380, reshoot_counts*normalization = 0.0
original average = 0.08 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
20
40
60
80
100
120
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2332620.1, reshoot_counts = 407199.2
normalization = 5.380, reshoot_counts*normalization = 2190831.1
original average = 0.57 Theta [rad], reshoot average = 0.56 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77407.1, reshoot_counts = 8878.6
normalization = 5.380, reshoot_counts*normalization = 47769.1
original average = 0.15 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3728696.9, reshoot_counts = 304744.2
normalization = 5.380, reshoot_counts*normalization = 1639598.3
original average = 0.12 Theta [rad], reshoot average = 0.11 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2515.2, reshoot_counts = 362.3
normalization = 5.380, reshoot_counts*normalization = 1949.3
original average = 0.14 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1834.1, reshoot_counts = 277.9
normalization = 5.380, reshoot_counts*normalization = 1494.9
original average = 0.15 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128989.9, reshoot_counts = 10126.4
normalization = 5.380, reshoot_counts*normalization = 54482.5
original average = 0.14 Theta [rad], reshoot average = 0.13 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 101850.2, reshoot_counts = 8234.3
normalization = 5.380, reshoot_counts*normalization = 44302.6
original average = 0.14 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10496246.9, reshoot_counts = 1952837.3
normalization = 5.380, reshoot_counts*normalization = 10506741.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^8
6×10^7
4×10^7
3×10^7
2×10^7
0
1
2
3
4
5
6



original_key=Phi_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9042839.3, reshoot_counts = 1682039.8
normalization = 5.380, reshoot_counts*normalization = 9049784.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^8
6×10^7
4×10^7
3×10^7
2×10^7
0
1
2
3
4
5
6



original_key=Phi_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2656851.6, reshoot_counts = 493717.9
normalization = 5.380, reshoot_counts*normalization = 2656322.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^7
3 × 10^7
2 × 10^7
10^7
6 × 10^6
4 × 10^6
3 × 10^6
0
1
2
3
4
5
6



original_key=Phi_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 123024.6, reshoot_counts = 22740.3
normalization = 5.380, reshoot_counts*normalization = 122348.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52824.7, reshoot_counts = 9867.9
normalization = 5.380, reshoot_counts*normalization = 53091.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99203.9, reshoot_counts = 18492.3
normalization = 5.380, reshoot_counts*normalization = 99492.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
6×10^5
4×10^5
3×10^5
2×10^5
0
1
2
3
4
5
6



original_key=Phi_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 219418.4, reshoot_counts = 41003.3
normalization = 5.380, reshoot_counts*normalization = 220607.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
0
1
2
3
4
5
6



original_key=Phi_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 132934.2, reshoot_counts = 24637.0
normalization = 5.380, reshoot_counts*normalization = 132553.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64049.3, reshoot_counts = 11916.8
normalization = 5.380, reshoot_counts*normalization = 64115.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36444.1, reshoot_counts = 6803.2
normalization = 5.380, reshoot_counts*normalization = 36602.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71360.9, reshoot_counts = 13308.3
normalization = 5.380, reshoot_counts*normalization = 71602.1
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73058.9, reshoot_counts = 13485.6
normalization = 5.380, reshoot_counts*normalization = 72555.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91436.7, reshoot_counts = 17023.9
normalization = 5.380, reshoot_counts*normalization = 91592.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77403.2, reshoot_counts = 14525.8
normalization = 5.380, reshoot_counts*normalization = 78152.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 114193.8, reshoot_counts = 21171.4
normalization = 5.380, reshoot_counts*normalization = 113907.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
6×10^5
4×10^5
3×10^5
2×10^5
0
1
2
3
4
5
6



original_key=Phi_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81080.1, reshoot_counts = 15020.3
normalization = 5.380, reshoot_counts*normalization = 80812.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76249.2, reshoot_counts = 14128.5
normalization = 5.380, reshoot_counts*normalization = 76014.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64299.0, reshoot_counts = 11819.7
normalization = 5.380, reshoot_counts*normalization = 63592.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52724.7, reshoot_counts = 9739.0
normalization = 5.380, reshoot_counts*normalization = 52398.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42209.7, reshoot_counts = 7851.2
normalization = 5.380, reshoot_counts*normalization = 42241.1
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35519.2, reshoot_counts = 6558.7
normalization = 5.380, reshoot_counts*normalization = 35287.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21018.1, reshoot_counts = 3895.8
normalization = 5.380, reshoot_counts*normalization = 20960.6
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10085.0, reshoot_counts = 1846.5
normalization = 5.380, reshoot_counts*normalization = 9934.5
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
10^4
0
1
2
3
4
5
6



original_key=Phi_100_23___reshoot_key=Phi_1_23
original counts = 2604.9, reshoot_counts = 471.7
normalization = 5.380, reshoot_counts normalization = 2537.8
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6



original_key=Phi_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84.1, reshoot_counts = 15.7
normalization = 5.380, reshoot_counts*normalization = 84.6
original average = 3.17 Phi [rad], reshoot average = 3.20 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_25___reshoot_key=Phi_1_25
original counts = 0.8, reshoot_counts = 0.1
normalization = 5.380, reshoot_counts*normalization = 0.7
original average = 3.00 Phi [rad], reshoot average = 3.85 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
3×10^2
2×10^2
10^2
6×10^1
0
1
2
3
4
5
6



original_key=Phi_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.0
normalization = 5.380, reshoot_counts*normalization = 0.0
original average = 3.27 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2866395.6, reshoot_counts = 535442.3
normalization = 5.380, reshoot_counts*normalization = 2880810.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^7
3 × 10^7
2 × 10^7
10^7
6 × 10^6
4 × 10^6
0
1
2
3
4
5
6



original_key=Phi_100_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54885.7, reshoot_counts = 12050.3
normalization = 5.380, reshoot_counts*normalization = 64833.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
10^5
0
1
2
3
4
5
6



original_key=Phi_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2219366.5, reshoot_counts = 424155.9
normalization = 5.380, reshoot_counts*normalization = 2282062.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^7
2 × 10^7
10^7
6 × 10^6
4 × 10^6
3 × 10^6
0
1
2
3
4
5
6



original_key=Phi_100_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1647.5, reshoot_counts = 479.5
normalization = 5.380, reshoot_counts*normalization = 2580.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6



original_key=Phi_100_mu+___reshoot_key=Phi_1_mu+
original counts = 1230.6, reshoot_counts = 390.9
normalization = 5.380, reshoot_counts*normalization = 2103.1
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75814.3, reshoot_counts = 14063.9
normalization = 5.380, reshoot_counts*normalization = 75667.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61527.6, reshoot_counts = 11490.8
normalization = 5.380, reshoot_counts*normalization = 61823.1
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Ekin_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 454178647.5, reshoot_counts = 84584377.0
normalization = 5.380, reshoot_counts*normalization = 455084582.4
original average = 575.64 Ek [MeV/u], reshoot average = 578.56 Ek [
counts [u/MeV]
Ek [MeV/u]
10^6
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 391920025.0, reshoot_counts = 72849516.5
normalization = 5.380, reshoot_counts*normalization = 391948170.2
original average = 578.82 Ek [MeV/u], reshoot average = 578.82 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115074560.5, reshoot_counts = 21385236.5
normalization = 5.380, reshoot_counts*normalization = 115057789.2
original average = 584.45 Ek [MeV/u], reshoot average = 584.50 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5317457.0, reshoot_counts = 989190.0
normalization = 5.380, reshoot_counts*normalization = 5322083.5
original average = 561.48 Ek [MeV/u], reshoot average = 561.21 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2284829.0, reshoot_counts = 425247.0
normalization = 5.380, reshoot_counts*normalization = 2287932.6
original average = 532.24 Ek [MeV/u], reshoot average = 532.45 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4288632.5, reshoot_counts = 797061.5
normalization = 5.380, reshoot_counts*normalization = 4288385.3
original average = 507.09 Ek [MeV/u], reshoot average = 507.30 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9493208.5, reshoot_counts = 1764639.0
normalization = 5.380, reshoot_counts*normalization = 9494188.3
original average = 467.79 Ek [MeV/u], reshoot average = 467.70 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5742632.5, reshoot_counts = 1068546.5
normalization = 5.380, reshoot_counts*normalization = 5749040.8
original average = 443.11 Ek [MeV/u], reshoot average = 443.20 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2771548.5, reshoot_counts = 514856.0
normalization = 5.380, reshoot_counts*normalization = 2770050.9
original average = 423.95 Ek [MeV/u], reshoot average = 423.98 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1582241.5, reshoot_counts = 294264.5
normalization = 5.380, reshoot_counts*normalization = 1583214.8
original average = 411.79 Ek [MeV/u], reshoot average = 411.77 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3094726.0, reshoot_counts = 575125.0
normalization = 5.380, reshoot_counts*normalization = 3094312.8
original average = 381.79 Ek [MeV/u], reshoot average = 381.59 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3164240.5, reshoot_counts = 587342.5
normalization = 5.380, reshoot_counts*normalization = 3160045.9
original average = 358.54 Ek [MeV/u], reshoot average = 358.42 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3957358.5, reshoot_counts = 734382.5
normalization = 5.380, reshoot_counts*normalization = 3951157.0
original average = 330.76 Ek [MeV/u], reshoot average = 331.20 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3367048.5, reshoot_counts = 626379.0
normalization = 5.380, reshoot_counts*normalization = 3370071.8
original average = 308.33 Ek [MeV/u], reshoot average = 308.22 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4954203.0, reshoot_counts = 919930.5
normalization = 5.380, reshoot_counts*normalization = 4949450.5
original average = 278.97 Ek [MeV/u], reshoot average = 279.06 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3509925.5, reshoot_counts = 652008.0
normalization = 5.380, reshoot_counts*normalization = 3507962.1
original average = 258.83 Ek [MeV/u], reshoot average = 258.96 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3311972.5, reshoot_counts = 615600.5
normalization = 5.380, reshoot_counts*normalization = 3312080.9
original average = 231.66 Ek [MeV/u], reshoot average = 231.69 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2794358.0, reshoot_counts = 518644.0
normalization = 5.380, reshoot_counts*normalization = 2790431.2
original average = 208.56 Ek [MeV/u], reshoot average = 208.60 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2290832.5, reshoot_counts = 424779.0
normalization = 5.380, reshoot_counts*normalization = 2285414.6
original average = 180.64 Ek [MeV/u], reshoot average = 180.50 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1843059.5, reshoot_counts = 343067.5
normalization = 5.380, reshoot_counts*normalization = 1845786.8
original average = 158.51 Ek [MeV/u], reshoot average = 158.58 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1547391.5, reshoot_counts = 287977.5
normalization = 5.380, reshoot_counts*normalization = 1549389.2
original average = 134.38 Ek [MeV/u], reshoot average = 134.52 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 921766.5, reshoot_counts = 171547.0
normalization = 5.380, reshoot_counts*normalization = 922964.7
original average = 112.80 Ek [MeV/u], reshoot average = 112.54 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 442985.0, reshoot_counts = 81845.5
normalization = 5.380, reshoot_counts*normalization = 440348.8
original average = 86.45 Ek [MeV/u], reshoot average = 86.67 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 113606.5, reshoot_counts = 21258.5
normalization = 5.380, reshoot_counts*normalization = 114375.9
original average = 64.65 Ek [MeV/u], reshoot average = 65.15 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3575.5, reshoot_counts = 676.0
normalization = 5.380, reshoot_counts*normalization = 3637.0
original average = 36.86 Ek [MeV/u], reshoot average = 37.57 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45.5, reshoot_counts = 7.0
normalization = 5.380, reshoot_counts*normalization = 37.7
original average = 20.06 Ek [MeV/u], reshoot average = 10.64 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 5.380, reshoot_counts*normalization = 0.0
original average = 7.30 Ek [MeV/u], reshoot average = nan Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0.00
0.25
0.50
0.75
1.00
1.25
1.50
1.75
2.00
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9998396.8, reshoot_counts = 22778777.5
normalization = 5.380, reshoot_counts*normalization = 122555379.8
original average = 0.93 Ek [MeV/u], reshoot average = 2.17 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 189488.7, reshoot_counts = 527414.0
normalization = 5.380, reshoot_counts*normalization = 2837616.0
original average = 32.37 Ek [MeV/u], reshoot average = 32.45 Ek [Me
counts [u/MeV]
Ek [MeV/u]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8819906.2, reshoot_counts = 17152467.0
normalization = 5.380, reshoot_counts*normalization = 92284456.8
original average = 4.77 Ek [MeV/u], reshoot average = 6.59 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2741.4, reshoot_counts = 21763.5
normalization = 5.380, reshoot_counts*normalization = 117092.9
original average = 48.56 Ek [MeV/u], reshoot average = 48.78 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2005.4, reshoot_counts = 16614.5
normalization = 5.380, reshoot_counts*normalization = 89390.1
original average = 46.35 Ek [MeV/u], reshoot average = 46.14 Ek [Me
counts [u/MeV]
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6478445.2, reshoot_counts = 616429.0
normalization = 5.380, reshoot_counts*normalization = 3316538.4
original average = 289.57 Ek [MeV/u], reshoot average = 289.39 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5247251.6, reshoot_counts = 499620.0
normalization = 5.380, reshoot_counts*normalization = 2688077.5
original average = 313.92 Ek [MeV/u], reshoot average = 313.83 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=X_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115599227.9, reshoot_counts = 21173349.2
normalization = 5.380, reshoot_counts*normalization = 113917784.1
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
10^7
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=X_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99458209.9, reshoot_counts = 18212616.0
normalization = 5.380, reshoot_counts*normalization = 97988317.0
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
10^7
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=X_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29142670.2, reshoot_counts = 5346476.5
normalization = 5.380, reshoot_counts*normalization = 28765347.8
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1346536.6, reshoot_counts = 247306.8
normalization = 5.380, reshoot_counts*normalization = 1330570.6
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
−400
−200
0
200
400



original_key=X_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 578607.9, reshoot_counts = 106318.0
normalization = 5.380, reshoot_counts*normalization = 572016.8
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400



original_key=X_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1086034.5, reshoot_counts = 199277.5
normalization = 5.380, reshoot_counts*normalization = 1072161.6
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
−400
−200
0
200
400



original_key=X_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2403743.4, reshoot_counts = 441183.5
normalization = 5.380, reshoot_counts*normalization = 2373674.9
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1453606.0, reshoot_counts = 267151.5
normalization = 5.380, reshoot_counts*normalization = 1437340.2
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 701308.6, reshoot_counts = 128718.5
normalization = 5.380, reshoot_counts*normalization = 692536.9
original average = 0.02 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=X_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 400321.0, reshoot_counts = 73567.2
normalization = 5.380, reshoot_counts*normalization = 395809.8
original average = -0.02 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=X_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 782817.2, reshoot_counts = 143784.8
normalization = 5.380, reshoot_counts*normalization = 773597.0
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=X_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 800245.8, reshoot_counts = 146839.5
normalization = 5.380, reshoot_counts*normalization = 790032.3
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=X_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1000517.9, reshoot_counts = 183600.0
normalization = 5.380, reshoot_counts*normalization = 987812.8
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=X_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 851292.1, reshoot_counts = 156600.2
normalization = 5.380, reshoot_counts*normalization = 842547.5
original average = 0.01 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=X_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1252331.2, reshoot_counts = 229997.5
normalization = 5.380, reshoot_counts*normalization = 1237442.7
original average = -0.00 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 887172.6, reshoot_counts = 163013.2
normalization = 5.380, reshoot_counts*normalization = 877051.1
original average = 0.01 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=X_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 837111.6, reshoot_counts = 153914.0
normalization = 5.380, reshoot_counts*normalization = 828094.9
original average = 0.01 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
4×10^4
3×10^4
2×10^4
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 706367.1, reshoot_counts = 129675.2
normalization = 5.380, reshoot_counts*normalization = 697684.5
original average = 0.00 x pos [mm], reshoot average = -0.16 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400



original_key=X_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 579010.6, reshoot_counts = 106211.5
normalization = 5.380, reshoot_counts*normalization = 571443.8
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400



original_key=X_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 465950.5, reshoot_counts = 85782.5
normalization = 5.380, reshoot_counts*normalization = 461530.8
original average = -0.01 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
x pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=X_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 391227.0, reshoot_counts = 72019.0
normalization = 5.380, reshoot_counts*normalization = 387479.8
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=X_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233157.0, reshoot_counts = 42907.0
normalization = 5.380, reshoot_counts*normalization = 230850.1
original average = 0.02 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 112111.9, reshoot_counts = 20479.0
normalization = 5.380, reshoot_counts*normalization = 110182.0
original average = 0.06 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
6×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28753.6, reshoot_counts = 5323.5
normalization = 5.380, reshoot_counts*normalization = 28641.7
original average = -0.15 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
2×10^3
10^3
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400



original_key=X_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 908.2, reshoot_counts = 169.5
normalization = 5.380, reshoot_counts*normalization = 912.0
original average = -0.00 x pos [mm], reshoot average = -0.16 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.5, reshoot_counts = 1.8
normalization = 5.380, reshoot_counts*normalization = 9.4
original average = 3.79 x pos [mm], reshoot average = 5.23 x pos [m
counts [1/mm]
x pos [mm]
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400



original_key=X_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.4, reshoot_counts = 0.0
normalization = 5.380, reshoot_counts*normalization = 0.0
original average = -3.25 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−400
−200
0
200
400



original_key=X_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31978630.8, reshoot_counts = 5853161.0
normalization = 5.380, reshoot_counts*normalization = 31491434.0
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 609066.9, reshoot_counts = 132835.2
normalization = 5.380, reshoot_counts*normalization = 714686.0
original average = 0.00 x pos [mm], reshoot average = -0.14 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=X_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24754571.6, reshoot_counts = 4639083.5
normalization = 5.380, reshoot_counts*normalization = 24959400.9
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=X_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18573.1, reshoot_counts = 5449.0
normalization = 5.380, reshoot_counts*normalization = 29316.9
original average = -0.03 x pos [mm], reshoot average = 0.02 x pos [m
counts [1/mm]
x pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13967.1, reshoot_counts = 4174.8
normalization = 5.380, reshoot_counts*normalization = 22461.2
original average = 0.03 x pos [mm], reshoot average = 0.02 x pos [m
counts [1/mm]
x pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 845148.5, reshoot_counts = 154107.8
normalization = 5.380, reshoot_counts*normalization = 829137.3
original average = -0.02 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
−400
−200
0
200
400



original_key=X_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 684568.6, reshoot_counts = 124905.8
normalization = 5.380, reshoot_counts*normalization = 672023.4
original average = -0.02 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=Y_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115601980.8, reshoot_counts = 21173349.2
normalization = 5.380, reshoot_counts*normalization = 113917784.1
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
10^7
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=Y_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99456049.4, reshoot_counts = 18212616.0
normalization = 5.380, reshoot_counts*normalization = 97988317.0
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
10^7
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=Y_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29143181.4, reshoot_counts = 5346476.5
normalization = 5.380, reshoot_counts*normalization = 28765347.8
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1346243.0, reshoot_counts = 247306.8
normalization = 5.380, reshoot_counts*normalization = 1330570.6
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
−400
−200
0
200
400



original_key=Y_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 578433.9, reshoot_counts = 106318.0
normalization = 5.380, reshoot_counts*normalization = 572016.8
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400



original_key=Y_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1085943.2, reshoot_counts = 199277.5
normalization = 5.380, reshoot_counts*normalization = 1072161.6
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
−400
−200
0
200
400



original_key=Y_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2403863.2, reshoot_counts = 441183.5
normalization = 5.380, reshoot_counts*normalization = 2373674.9
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1453469.1, reshoot_counts = 267151.5
normalization = 5.380, reshoot_counts*normalization = 1437340.2
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 701266.8, reshoot_counts = 128718.5
normalization = 5.380, reshoot_counts*normalization = 692536.9
original average = 0.01 y pos [mm], reshoot average = -0.16 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=Y_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 400241.0, reshoot_counts = 73567.2
normalization = 5.380, reshoot_counts*normalization = 395809.8
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 782721.9, reshoot_counts = 143784.8
normalization = 5.380, reshoot_counts*normalization = 773597.0
original average = 0.01 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 800320.5, reshoot_counts = 146839.5
normalization = 5.380, reshoot_counts*normalization = 790032.3
original average = -0.01 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
y pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=Y_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1000713.9, reshoot_counts = 183600.0
normalization = 5.380, reshoot_counts*normalization = 987812.8
original average = 0.00 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=Y_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 851225.2, reshoot_counts = 156600.2
normalization = 5.380, reshoot_counts*normalization = 842547.5
original average = -0.01 y pos [mm], reshoot average = -0.17 y pos [
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=Y_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1252625.6, reshoot_counts = 229997.5
normalization = 5.380, reshoot_counts*normalization = 1237442.7
original average = 0.00 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 887275.8, reshoot_counts = 163013.2
normalization = 5.380, reshoot_counts*normalization = 877051.1
original average = 0.00 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=Y_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 836925.1, reshoot_counts = 153914.0
normalization = 5.380, reshoot_counts*normalization = 828094.9
original average = -0.01 y pos [mm], reshoot average = -0.17 y pos [
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=Y_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 706159.9, reshoot_counts = 129675.2
normalization = 5.380, reshoot_counts*normalization = 697684.5
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
counts [1/mm]
y pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400



original_key=Y_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 579066.4, reshoot_counts = 106211.5
normalization = 5.380, reshoot_counts*normalization = 571443.8
original average = 0.00 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400



original_key=Y_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 465921.4, reshoot_counts = 85782.5
normalization = 5.380, reshoot_counts*normalization = 461530.8
original average = -0.01 y pos [mm], reshoot average = -0.19 y pos [
counts [1/mm]
y pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 391221.6, reshoot_counts = 72019.0
normalization = 5.380, reshoot_counts*normalization = 387479.8
original average = 0.01 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
y pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233159.0, reshoot_counts = 42907.0
normalization = 5.380, reshoot_counts*normalization = 230850.1
original average = 0.04 y pos [mm], reshoot average = -0.09 y pos [m
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 112113.8, reshoot_counts = 20479.0
normalization = 5.380, reshoot_counts*normalization = 110182.0
original average = 0.02 y pos [mm], reshoot average = -0.08 y pos [m
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
6×10^2
−400
−200
0
200
400



original_key=Y_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28774.5, reshoot_counts = 5323.5
normalization = 5.380, reshoot_counts*normalization = 28641.7
original average = -0.01 y pos [mm], reshoot average = -0.17 y pos [
counts [1/mm]
y pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 907.6, reshoot_counts = 169.5
normalization = 5.380, reshoot_counts*normalization = 912.0
original average = 0.22 y pos [mm], reshoot average = 0.16 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.5, reshoot_counts = 1.8
normalization = 5.380, reshoot_counts*normalization = 9.4
original average = -3.02 y pos [mm], reshoot average = -12.77 y pos
counts [1/mm]
y pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 0.0
normalization = 5.380, reshoot_counts*normalization = 0.0
original average = 5.29 y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31977856.9, reshoot_counts = 5853161.0
normalization = 5.380, reshoot_counts*normalization = 31491434.0
original average = -0.01 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 608836.1, reshoot_counts = 132835.2
normalization = 5.380, reshoot_counts*normalization = 714686.0
original average = 0.01 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400


original_key=Y_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24753985.6, reshoot_counts = 4639083.5
normalization = 5.380, reshoot_counts*normalization = 24959400.9
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18528.8, reshoot_counts = 5449.0
normalization = 5.380, reshoot_counts*normalization = 29316.9
original average = 0.08 y pos [mm], reshoot average = -0.06 y pos [m
2×10^3
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13979.4, reshoot_counts = 4174.8
normalization = 5.380, reshoot_counts*normalization = 22461.2
original average = 0.05 y pos [mm], reshoot average = -0.00 y pos [m
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 845304.8, reshoot_counts = 154107.8
normalization = 5.380, reshoot_counts*normalization = 829137.3
original average = -0.04 y pos [mm], reshoot average = -0.20 y pos [
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 684666.8, reshoot_counts = 124905.8
normalization = 5.380, reshoot_counts*normalization = 672023.4
original average = -0.02 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400