






original_key=Theta_wide_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24234735.2, reshoot_counts = 718395.1
normalization = 0.700, reshoot_counts*normalization = 502585.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16262059.7, reshoot_counts = 509318.0
normalization = 0.700, reshoot_counts*normalization = 356315.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7331691.9, reshoot_counts = 220399.4
normalization = 0.700, reshoot_counts*normalization = 154190.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 330031.0, reshoot_counts = 10038.1
normalization = 0.700, reshoot_counts*normalization = 7022.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 134297.1, reshoot_counts = 4151.2
normalization = 0.700, reshoot_counts*normalization = 2904.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 208931.9, reshoot_counts = 6764.9
normalization = 0.700, reshoot_counts*normalization = 4732.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 408189.2, reshoot_counts = 13836.0
normalization = 0.700, reshoot_counts*normalization = 9679.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 231684.5, reshoot_counts = 8148.1
normalization = 0.700, reshoot_counts*normalization = 5700.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111921.7, reshoot_counts = 4083.8
normalization = 0.700, reshoot_counts*normalization = 2857.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63471.9, reshoot_counts = 2366.2
normalization = 0.700, reshoot_counts*normalization = 1655.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 137485.1, reshoot_counts = 5023.9
normalization = 0.700, reshoot_counts*normalization = 3514.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 149464.6, reshoot_counts = 5468.7
normalization = 0.700, reshoot_counts*normalization = 3825.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 217699.6, reshoot_counts = 7729.5
normalization = 0.700, reshoot_counts*normalization = 5407.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 212612.7, reshoot_counts = 7439.4
normalization = 0.700, reshoot_counts*normalization = 5204.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 377747.0, reshoot_counts = 12691.9
normalization = 0.700, reshoot_counts*normalization = 8879.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 325098.9, reshoot_counts = 10481.0
normalization = 0.700, reshoot_counts*normalization = 7332.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 373706.8, reshoot_counts = 11484.7
normalization = 0.700, reshoot_counts*normalization = 8034.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 382472.6, reshoot_counts = 11149.0
normalization = 0.700, reshoot_counts*normalization = 7799.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 377707.7, reshoot_counts = 10314.3
normalization = 0.700, reshoot_counts*normalization = 7215.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 363208.1, reshoot_counts = 9294.6
normalization = 0.700, reshoot_counts*normalization = 6502.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 359785.9, reshoot_counts = 8646.2
normalization = 0.700, reshoot_counts*normalization = 6048.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 250472.9, reshoot_counts = 5558.5
normalization = 0.700, reshoot_counts*normalization = 3888.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128262.0, reshoot_counts = 2671.7
normalization = 0.700, reshoot_counts*normalization = 1869.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32014.5, reshoot_counts = 633.4
normalization = 0.700, reshoot_counts*normalization = 443.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 449.7, reshoot_counts = 11.3
normalization = 0.700, reshoot_counts*normalization = 7.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.2, reshoot_counts = 0.2
normalization = 0.700, reshoot_counts*normalization = 0.1
original average = 0.06 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
3×10^2
2×10^2
10^2
6×10^1
4×10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.1
normalization = 0.700, reshoot_counts*normalization = 0.1
original average = 0.08 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 674298.7, reshoot_counts = 889957.9
normalization = 0.700, reshoot_counts*normalization = 622609.4
original average = 0.63 Theta [rad], reshoot average = 0.63 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28039.8, reshoot_counts = 2299.2
normalization = 0.700, reshoot_counts*normalization = 1608.5
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2097496.6, reshoot_counts = 71913.1
normalization = 0.700, reshoot_counts*normalization = 50310.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2822.1, reshoot_counts = 646.1
normalization = 0.700, reshoot_counts*normalization = 452.0
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2167.6, reshoot_counts = 468.1
normalization = 0.700, reshoot_counts*normalization = 327.5
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63577.6, reshoot_counts = 2244.9
normalization = 0.700, reshoot_counts*normalization = 1570.5
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49528.0, reshoot_counts = 1740.6
normalization = 0.700, reshoot_counts*normalization = 1217.7
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_wide_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1246036.5, reshoot_counts = 1783473.4
normalization = 0.700, reshoot_counts*normalization = 1247707.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^7
10^7
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 877130.1, reshoot_counts = 1253887.6
normalization = 0.700, reshoot_counts*normalization = 877212.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^7
6×10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 382686.6, reshoot_counts = 547917.1
normalization = 0.700, reshoot_counts*normalization = 383319.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6 × 10^6
4 × 10^6
3 × 10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17433.8, reshoot_counts = 25047.0
normalization = 0.700, reshoot_counts*normalization = 17522.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7251.1, reshoot_counts = 10224.2
normalization = 0.700, reshoot_counts*normalization = 7152.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11653.4, reshoot_counts = 16816.8
normalization = 0.700, reshoot_counts*normalization = 11765.0
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23826.3, reshoot_counts = 34006.8
normalization = 0.700, reshoot_counts*normalization = 23790.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^5
3×10^5
2×10^5
0
1
2
3
4
5
6



original_key=Phi_wide_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13926.7, reshoot_counts = 19953.9
normalization = 0.700, reshoot_counts*normalization = 13959.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6877.1, reshoot_counts = 9840.0
normalization = 0.700, reshoot_counts*normalization = 6884.0
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4004.4, reshoot_counts = 5732.0
normalization = 0.700, reshoot_counts*normalization = 4010.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8472.3, reshoot_counts = 12250.7
normalization = 0.700, reshoot_counts*normalization = 8570.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9367.3, reshoot_counts = 13329.6
normalization = 0.700, reshoot_counts*normalization = 9325.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13189.5, reshoot_counts = 19018.3
normalization = 0.700, reshoot_counts*normalization = 13305.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12626.0, reshoot_counts = 18264.1
normalization = 0.700, reshoot_counts*normalization = 12777.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21927.6, reshoot_counts = 31483.1
normalization = 0.700, reshoot_counts*normalization = 22025.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18180.3, reshoot_counts = 26099.7
normalization = 0.700, reshoot_counts*normalization = 18259.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
3×10^5
2×10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20044.2, reshoot_counts = 28713.7
normalization = 0.700, reshoot_counts*normalization = 20087.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19649.9, reshoot_counts = 28043.9
normalization = 0.700, reshoot_counts*normalization = 19619.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18281.1, reshoot_counts = 26130.1
normalization = 0.700, reshoot_counts*normalization = 18280.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
3×10^5
2×10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16502.8, reshoot_counts = 23704.1
normalization = 0.700, reshoot_counts*normalization = 16583.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15501.6, reshoot_counts = 22022.2
normalization = 0.700, reshoot_counts*normalization = 15406.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10059.8, reshoot_counts = 14077.7
normalization = 0.700, reshoot_counts*normalization = 9848.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4842.5, reshoot_counts = 6802.9
normalization = 0.700, reshoot_counts*normalization = 4759.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1131.3, reshoot_counts = 1655.4
normalization = 0.700, reshoot_counts*normalization = 1158.1
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^4
10^4
6×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.8, reshoot_counts = 24.5
normalization = 0.700, reshoot_counts*normalization = 17.1
original average = 3.10 Phi [rad], reshoot average = 3.17 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 0.2
normalization = 0.700, reshoot_counts*normalization = 0.2
original average = 3.22 Phi [rad], reshoot average = 2.60 Phi [rad]
counts [1/rad]
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_26___reshoot_key=Phi_1_26
original counts = 0.1, reshoot_counts = 6.0
normalization = 0.700, reshoot_counts*normalization = 4.2
original average = 3.62 Phi [rad], reshoot average = 2.43 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 815957.9, reshoot_counts = 1168258.5
normalization = 0.700, reshoot_counts*normalization = 817306.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^7
6×10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2498.8, reshoot_counts = 4525.5
normalization = 0.700, reshoot_counts*normalization = 3166.0
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 119463.6, reshoot_counts = 175206.7
normalization = 0.700, reshoot_counts*normalization = 122573.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^6
10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 434.1, reshoot_counts = 1068.4
normalization = 0.700, reshoot_counts*normalization = 747.5
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 309.4, reshoot_counts = 840.0
normalization = 0.700, reshoot_counts*normalization = 587.6
original average = 3.12 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3698.6, reshoot_counts = 5284.5
normalization = 0.700, reshoot_counts*normalization = 3697.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2899.7, reshoot_counts = 4156.1
normalization = 0.700, reshoot_counts*normalization = 2907.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Ekin_wide_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54938895.0, reshoot_counts = 78578830.5
normalization = 0.700, reshoot_counts*normalization = 54973296.9
original average = 686.45 Ek [MeV/u], reshoot average = 687.75 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38716275.0, reshoot_counts = 55345046.5
normalization = 0.700, reshoot_counts*normalization = 38719075.5
original average = 659.19 Ek [MeV/u], reshoot average = 659.23 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16900529.5, reshoot_counts = 24155036.0
normalization = 0.700, reshoot_counts*normalization = 16898723.9
original average = 653.73 Ek [MeV/u], reshoot average = 653.74 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 769438.5, reshoot_counts = 1099067.0
normalization = 0.700, reshoot_counts*normalization = 768900.9
original average = 633.70 Ek [MeV/u], reshoot average = 633.66 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 318173.0, reshoot_counts = 453166.0
normalization = 0.700, reshoot_counts*normalization = 317032.3
original average = 601.65 Ek [MeV/u], reshoot average = 602.06 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 515211.5, reshoot_counts = 735756.0
normalization = 0.700, reshoot_counts*normalization = 514730.7
original average = 574.23 Ek [MeV/u], reshoot average = 574.10 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1047491.0, reshoot_counts = 1497376.5
normalization = 0.700, reshoot_counts*normalization = 1047556.0
original average = 532.10 Ek [MeV/u], reshoot average = 532.30 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 616089.0, reshoot_counts = 879892.0
normalization = 0.700, reshoot_counts*normalization = 615567.4
original average = 505.68 Ek [MeV/u], reshoot average = 505.87 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 307348.5, reshoot_counts = 439301.5
normalization = 0.700, reshoot_counts*normalization = 307332.8
original average = 481.84 Ek [MeV/u], reshoot average = 481.79 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 178056.0, reshoot_counts = 254713.0
normalization = 0.700, reshoot_counts*normalization = 178195.7
original average = 468.46 Ek [MeV/u], reshoot average = 468.43 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 378572.5, reshoot_counts = 541627.5
normalization = 0.700, reshoot_counts*normalization = 378919.5
original average = 435.48 Ek [MeV/u], reshoot average = 435.58 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 412935.5, reshoot_counts = 590631.5
normalization = 0.700, reshoot_counts*normalization = 413202.4
original average = 409.71 Ek [MeV/u], reshoot average = 409.71 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 586304.0, reshoot_counts = 837298.5
normalization = 0.700, reshoot_counts*normalization = 585769.2
original average = 376.94 Ek [MeV/u], reshoot average = 376.91 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 564366.0, reshoot_counts = 808666.0
normalization = 0.700, reshoot_counts*normalization = 565738.1
original average = 350.53 Ek [MeV/u], reshoot average = 350.71 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 969913.5, reshoot_counts = 1386094.5
normalization = 0.700, reshoot_counts*normalization = 969703.7
original average = 314.60 Ek [MeV/u], reshoot average = 314.57 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 805381.5, reshoot_counts = 1149749.5
normalization = 0.700, reshoot_counts*normalization = 804358.1
original average = 289.33 Ek [MeV/u], reshoot average = 289.26 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 884355.5, reshoot_counts = 1264713.0
normalization = 0.700, reshoot_counts*normalization = 884785.9
original average = 254.60 Ek [MeV/u], reshoot average = 254.66 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 862954.5, reshoot_counts = 1234096.0
normalization = 0.700, reshoot_counts*normalization = 863366.4
original average = 225.78 Ek [MeV/u], reshoot average = 225.82 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 802164.5, reshoot_counts = 1146203.5
normalization = 0.700, reshoot_counts*normalization = 801877.4
original average = 191.81 Ek [MeV/u], reshoot average = 191.83 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 727156.5, reshoot_counts = 1037623.0
normalization = 0.700, reshoot_counts*normalization = 725915.1
original average = 165.75 Ek [MeV/u], reshoot average = 165.87 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 675937.0, reshoot_counts = 968790.0
normalization = 0.700, reshoot_counts*normalization = 677759.9
original average = 138.45 Ek [MeV/u], reshoot average = 138.43 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 438040.5, reshoot_counts = 625321.5
normalization = 0.700, reshoot_counts*normalization = 437471.3
original average = 114.47 Ek [MeV/u], reshoot average = 114.59 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 210913.0, reshoot_counts = 301074.5
normalization = 0.700, reshoot_counts*normalization = 210630.0
original average = 86.51 Ek [MeV/u], reshoot average = 86.50 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49859.0, reshoot_counts = 71402.5
normalization = 0.700, reshoot_counts*normalization = 49952.8
original average = 62.80 Ek [MeV/u], reshoot average = 62.91 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 795.5, reshoot_counts = 1175.5
normalization = 0.700, reshoot_counts*normalization = 822.4
original average = 32.52 Ek [MeV/u], reshoot average = 31.28 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.0, reshoot_counts = 13.0
normalization = 0.700, reshoot_counts*normalization = 9.1
original average = 16.66 Ek [MeV/u], reshoot average = 11.42 Ek [Me
counts [u/MeV]
Ek [MeV/u]
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.5, reshoot_counts = 3.5
normalization = 0.700, reshoot_counts*normalization = 2.4
original average = 1.70 Ek [MeV/u], reshoot average = 1.50 Ek [MeV/u]
counts [u/MeV]
Ek [MeV/u]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2615178.2, reshoot_counts = 50573381.0
normalization = 0.700, reshoot_counts*normalization = 35380845.8
original average = 0.38 Ek [MeV/u], reshoot average = 0.91 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8024.3, reshoot_counts = 199042.0
normalization = 0.700, reshoot_counts*normalization = 139248.6
original average = 39.07 Ek [MeV/u], reshoot average = 39.09 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 482179.2, reshoot_counts = 7138236.0
normalization = 0.700, reshoot_counts*normalization = 4993868.8
original average = 5.17 Ek [MeV/u], reshoot average = 6.99 Ek [MeV/u
counts [u/MeV]
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 596.1, reshoot_counts = 47672.5
normalization = 0.700, reshoot_counts*normalization = 33351.4
original average = 56.04 Ek [MeV/u], reshoot average = 56.03 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 399.0, reshoot_counts = 35122.5
normalization = 0.700, reshoot_counts*normalization = 24571.5
original average = 54.75 Ek [MeV/u], reshoot average = 54.84 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 319629.2, reshoot_counts = 234747.0
normalization = 0.700, reshoot_counts*normalization = 164227.6
original average = 317.02 Ek [MeV/u], reshoot average = 317.86 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 248824.4, reshoot_counts = 182297.5
normalization = 0.700, reshoot_counts*normalization = 127534.3
original average = 351.00 Ek [MeV/u], reshoot average = 351.04 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13920519.1, reshoot_counts = 19654374.0
normalization = 0.700, reshoot_counts*normalization = 13750086.8
original average = 0.01 x pos [mm], reshoot average = -0.13 x pos [m
10^6
6×10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9802126.0, reshoot_counts = 13836351.5
normalization = 0.700, reshoot_counts*normalization = 9679831.8
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
10^6
6×10^5
4×10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4277863.9, reshoot_counts = 6038913.8
normalization = 0.700, reshoot_counts*normalization = 4224789.2
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
4×10^5
3×10^5
2×10^5
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 194855.6, reshoot_counts = 274777.0
normalization = 0.700, reshoot_counts*normalization = 192232.4
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80541.6, reshoot_counts = 113296.2
normalization = 0.700, reshoot_counts*normalization = 79261.4
original average = 0.05 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 130421.4, reshoot_counts = 183951.5
normalization = 0.700, reshoot_counts*normalization = 128691.4
original average = -0.06 x pos [mm], reshoot average = -0.24 x pos [
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 265319.4, reshoot_counts = 374362.5
normalization = 0.700, reshoot_counts*normalization = 261901.8
original average = -0.04 x pos [mm], reshoot average = -0.13 x pos [
3 × 10^4
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 156169.5, reshoot_counts = 219982.8
normalization = 0.700, reshoot_counts*normalization = 153898.7
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77855.8, reshoot_counts = 109828.0
normalization = 0.700, reshoot_counts*normalization = 76835.0
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45103.0, reshoot_counts = 63678.8
normalization = 0.700, reshoot_counts*normalization = 44549.3
original average = -0.02 x pos [mm], reshoot average = -0.16 x pos [
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 96017.0, reshoot_counts = 135407.5
normalization = 0.700, reshoot_counts*normalization = 94730.3
original average = 0.03 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104681.4, reshoot_counts = 147659.2
normalization = 0.700, reshoot_counts*normalization = 103301.6
original average = 0.05 x pos [mm], reshoot average = -0.03 x pos [m
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 148499.9, reshoot_counts = 209327.5
normalization = 0.700, reshoot_counts*normalization = 146444.3
original average = -0.06 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 142942.0, reshoot_counts = 202169.8
normalization = 0.700, reshoot_counts*normalization = 141436.8
original average = -0.02 x pos [mm], reshoot average = -0.09 x pos [
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 245618.5, reshoot_counts = 346532.2
normalization = 0.700, reshoot_counts*normalization = 242432.0
original average = -0.00 x pos [mm], reshoot average = -0.11 x pos [
3 × 10^4
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 203797.6, reshoot_counts = 287445.5
normalization = 0.700, reshoot_counts*normalization = 201095.2
original average = 0.03 x pos [mm], reshoot average = -0.08 x pos [m
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 223810.8, reshoot_counts = 316195.0
normalization = 0.700, reshoot_counts*normalization = 221208.2
original average = -0.00 x pos [mm], reshoot average = -0.14 x pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 218282.0, reshoot_counts = 308544.8
normalization = 0.700, reshoot_counts*normalization = 215856.1
original average = 0.01 x pos [mm], reshoot average = -0.10 x pos [m
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 202770.1, reshoot_counts = 286588.0
normalization = 0.700, reshoot_counts*normalization = 200495.3
original average = 0.02 x pos [mm], reshoot average = -0.13 x pos [m
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 183748.2, reshoot_counts = 259447.8
normalization = 0.700, reshoot_counts*normalization = 181508.2
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 170702.5, reshoot_counts = 242261.8
normalization = 0.700, reshoot_counts*normalization = 169484.9
original average = -0.00 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110611.5, reshoot_counts = 156391.2
normalization = 0.700, reshoot_counts*normalization = 109410.4
original average = -0.08 x pos [mm], reshoot average = -0.22 x pos [
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53240.5, reshoot_counts = 75329.2
normalization = 0.700, reshoot_counts*normalization = 52699.9
original average = -0.02 x pos [mm], reshoot average = -0.10 x pos [
4 × 10^3
3 × 10^3
2 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12584.0, reshoot_counts = 17875.2
normalization = 0.700, reshoot_counts*normalization = 12505.4
original average = -0.02 x pos [mm], reshoot average = -0.12 x pos [
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 201.9, reshoot_counts = 294.8
normalization = 0.700, reshoot_counts*normalization = 206.2
original average = 0.45 x pos [mm], reshoot average = 1.02 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400



original_key=X_wide_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.8, reshoot_counts = 3.2
normalization = 0.700, reshoot_counts*normalization = 2.3
original average = -5.44 x pos [mm], reshoot average = -8.78 x pos [
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 1.8
normalization = 0.700, reshoot_counts*normalization = 1.2
original average = -6.78 x pos [mm], reshoot average = -2.38 x pos [
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6908248.8, reshoot_counts = 12783906.8
normalization = 0.700, reshoot_counts*normalization = 8943547.5
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^6
6×10^5
4×10^5
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21162.4, reshoot_counts = 49869.2
normalization = 0.700, reshoot_counts*normalization = 34888.2
original average = -0.06 x pos [mm], reshoot average = -0.22 x pos [
counts [1/mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1004489.2, reshoot_counts = 1930271.5
normalization = 0.700, reshoot_counts*normalization = 1350406.8
original average = 0.00 x pos [mm], reshoot average = -0.11 x pos [m
2×10^5
10^5
6×10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3759.8, reshoot_counts = 11919.0
normalization = 0.700, reshoot_counts*normalization = 8338.5
original average = 0.24 x pos [mm], reshoot average = 0.06 x pos [m
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2767.1, reshoot_counts = 8781.8
normalization = 0.700, reshoot_counts*normalization = 6143.7
original average = -0.09 x pos [mm], reshoot average = -0.17 x pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31217.9, reshoot_counts = 58686.8
normalization = 0.700, reshoot_counts*normalization = 41056.9
original average = -0.02 x pos [mm], reshoot average = -0.09 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24405.8, reshoot_counts = 45574.5
normalization = 0.700, reshoot_counts*normalization = 31883.7
original average = 0.01 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13919833.0, reshoot_counts = 19654374.0
normalization = 0.700, reshoot_counts*normalization = 13750086.8
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
10^6
6×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9802517.0, reshoot_counts = 13836351.5
normalization = 0.700, reshoot_counts*normalization = 9679831.8
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^6
6×10^5
4×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4277716.1, reshoot_counts = 6038913.8
normalization = 0.700, reshoot_counts*normalization = 4224789.2
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
4×10^5
3×10^5
2×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 194733.2, reshoot_counts = 274777.0
normalization = 0.700, reshoot_counts*normalization = 192232.4
original average = -0.05 y pos [mm], reshoot average = -0.11 y pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80533.2, reshoot_counts = 113296.2
normalization = 0.700, reshoot_counts*normalization = 79261.4
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 130511.2, reshoot_counts = 183951.5
normalization = 0.700, reshoot_counts*normalization = 128691.4
original average = 0.01 y pos [mm], reshoot average = -0.15 y pos [m
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 265342.5, reshoot_counts = 374362.5
normalization = 0.700, reshoot_counts*normalization = 261901.8
original average = 0.02 y pos [mm], reshoot average = -0.08 y pos [m
3×10^4
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 156175.8, reshoot_counts = 219982.8
normalization = 0.700, reshoot_counts*normalization = 153898.7
original average = 0.00 y pos [mm], reshoot average = -0.13 y pos [m
2×10^4
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77875.8, reshoot_counts = 109828.0
normalization = 0.700, reshoot_counts*normalization = 76835.0
original average = -0.03 y pos [mm], reshoot average = -0.18 y pos [
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45141.5, reshoot_counts = 63678.8
normalization = 0.700, reshoot_counts*normalization = 44549.3
original average = -0.03 y pos [mm], reshoot average = -0.31 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 95933.1, reshoot_counts = 135407.5
normalization = 0.700, reshoot_counts*normalization = 94730.3
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104654.0, reshoot_counts = 147659.2
normalization = 0.700, reshoot_counts*normalization = 103301.6
original average = -0.01 y pos [mm], reshoot average = -0.15 y pos [
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 148485.1, reshoot_counts = 209327.5
normalization = 0.700, reshoot_counts*normalization = 146444.3
original average = 0.02 y pos [mm], reshoot average = -0.08 y pos [m
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 142972.2, reshoot_counts = 202169.8
normalization = 0.700, reshoot_counts*normalization = 141436.8
original average = -0.03 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 245640.5, reshoot_counts = 346532.2
normalization = 0.700, reshoot_counts*normalization = 242432.0
original average = -0.04 y pos [mm], reshoot average = -0.16 y pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 203873.1, reshoot_counts = 287445.5
normalization = 0.700, reshoot_counts*normalization = 201095.2
original average = 0.06 y pos [mm], reshoot average = -0.06 y pos [m
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 223715.9, reshoot_counts = 316195.0
normalization = 0.700, reshoot_counts*normalization = 221208.2
original average = -0.01 y pos [mm], reshoot average = -0.17 y pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 218242.4, reshoot_counts = 308544.8
normalization = 0.700, reshoot_counts*normalization = 215856.1
original average = -0.00 y pos [mm], reshoot average = -0.14 y pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 202800.0, reshoot_counts = 286588.0
normalization = 0.700, reshoot_counts*normalization = 200495.3
original average = -0.00 y pos [mm], reshoot average = -0.15 y pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 183720.6, reshoot_counts = 259447.8
normalization = 0.700, reshoot_counts*normalization = 181508.2
original average = -0.00 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 170639.8, reshoot_counts = 242261.8
normalization = 0.700, reshoot_counts*normalization = 169484.9
original average = -0.01 y pos [mm], reshoot average = -0.10 y pos [
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110553.8, reshoot_counts = 156391.2
normalization = 0.700, reshoot_counts*normalization = 109410.4
original average = 0.04 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53227.8, reshoot_counts = 75329.2
normalization = 0.700, reshoot_counts*normalization = 52699.9
original average = -0.04 y pos [mm], reshoot average = -0.16 y pos [
4 × 10^3
3 × 10^3
2 × 10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12584.6, reshoot_counts = 17875.2
normalization = 0.700, reshoot_counts*normalization = 12505.4
original average = 0.03 y pos [mm], reshoot average = -0.30 y pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 202.5, reshoot_counts = 294.8
normalization = 0.700, reshoot_counts*normalization = 206.2
original average = -0.77 y pos [mm], reshoot average = -1.53 y pos [
counts [1/mm]
y pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400



original_key=Y_wide_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.8, reshoot_counts = 3.2
normalization = 0.700, reshoot_counts*normalization = 2.3
original average = -4.18 y pos [mm], reshoot average = -8.28 y pos [
6×10^0
4×10^0
3×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 1.8
normalization = 0.700, reshoot_counts*normalization = 1.2
original average = -3.21 y pos [mm], reshoot average = -10.02 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9131857.9, reshoot_counts = 12783906.8
normalization = 0.700, reshoot_counts*normalization = 8943547.5
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
10^6
6×10^5
4×10^5
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28010.9, reshoot_counts = 49869.2
normalization = 0.700, reshoot_counts*normalization = 34888.2
original average = -0.05 y pos [mm], reshoot average = -0.20 y pos [
counts [1/mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1334187.0, reshoot_counts = 1930271.5
normalization = 0.700, reshoot_counts*normalization = 1350406.8
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
10^5
6×10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5010.2, reshoot_counts = 11919.0
normalization = 0.700, reshoot_counts*normalization = 8338.5
original average = 0.22 y pos [mm], reshoot average = 0.03 y pos [m
counts [1/mm]
y pos [mm]
10^3
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400


original_key=Y_wide_2000_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3644.4, reshoot_counts = 8781.8
normalization = 0.700, reshoot_counts*normalization = 6143.7
original average = -0.13 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41480.6, reshoot_counts = 58686.8
normalization = 0.700, reshoot_counts*normalization = 41056.9
original average = -0.04 y pos [mm], reshoot average = -0.13 y pos [
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32280.5, reshoot_counts = 45574.5
normalization = 0.700, reshoot_counts*normalization = 31883.7
original average = 0.09 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
y pos [mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400