






original_key=Theta_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1919046.2, reshoot_counts = 510971.7
normalization = 0.297, reshoot_counts*normalization = 151986.9
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1259308.3, reshoot_counts = 494190.4
normalization = 0.297, reshoot_counts*normalization = 146995.4
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 739075.6, reshoot_counts = 172631.2
normalization = 0.297, reshoot_counts*normalization = 51348.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45949.2, reshoot_counts = 7554.8
normalization = 0.297, reshoot_counts*normalization = 2247.2
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19598.2, reshoot_counts = 2994.9
normalization = 0.297, reshoot_counts*normalization = 890.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32218.5, reshoot_counts = 5017.0
normalization = 0.297, reshoot_counts*normalization = 1492.3
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84310.9, reshoot_counts = 12183.0
normalization = 0.297, reshoot_counts*normalization = 3623.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61024.5, reshoot_counts = 7878.4
normalization = 0.297, reshoot_counts*normalization = 2343.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^1
10^2
10^3
10^4
10^5
10^6
10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34118.4, reshoot_counts = 4000.3
normalization = 0.297, reshoot_counts*normalization = 1189.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20309.2, reshoot_counts = 2282.4
normalization = 0.297, reshoot_counts*normalization = 678.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43199.0, reshoot_counts = 4554.7
normalization = 0.297, reshoot_counts*normalization = 1354.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47853.5, reshoot_counts = 4753.2
normalization = 0.297, reshoot_counts*normalization = 1413.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67013.1, reshoot_counts = 6132.6
normalization = 0.297, reshoot_counts*normalization = 1824.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66228.6, reshoot_counts = 5475.5
normalization = 0.297, reshoot_counts*normalization = 1628.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 121499.8, reshoot_counts = 8796.4
normalization = 0.297, reshoot_counts*normalization = 2616.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 106058.5, reshoot_counts = 6769.9
normalization = 0.297, reshoot_counts*normalization = 2013.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127810.0, reshoot_counts = 7267.6
normalization = 0.297, reshoot_counts*normalization = 2161.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 141003.2, reshoot_counts = 7159.9
normalization = 0.297, reshoot_counts*normalization = 2129.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 156071.7, reshoot_counts = 7287.7
normalization = 0.297, reshoot_counts*normalization = 2167.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 177712.0, reshoot_counts = 7589.6
normalization = 0.297, reshoot_counts*normalization = 2257.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 237672.5, reshoot_counts = 9443.2
normalization = 0.297, reshoot_counts*normalization = 2808.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 253014.3, reshoot_counts = 9302.3
normalization = 0.297, reshoot_counts*normalization = 2766.9
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 386040.7, reshoot_counts = 13407.4
normalization = 0.297, reshoot_counts*normalization = 3988.0
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 457282.9, reshoot_counts = 14967.7
normalization = 0.297, reshoot_counts*normalization = 4452.1
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 635953.3, reshoot_counts = 19852.4
normalization = 0.297, reshoot_counts*normalization = 5905.0
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 864857.4, reshoot_counts = 25984.7
normalization = 0.297, reshoot_counts*normalization = 7729.1
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8253942.6, reshoot_counts = 242351.7
normalization = 0.297, reshoot_counts*normalization = 72086.8
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 485138.5, reshoot_counts = 1584299.0
normalization = 0.297, reshoot_counts*normalization = 471244.8
original average = 0.82 Theta [rad], reshoot average = 0.81 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 661.7, reshoot_counts = 494.6
normalization = 0.297, reshoot_counts*normalization = 147.1
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57246.5, reshoot_counts = 32456.2
normalization = 0.297, reshoot_counts*normalization = 9654.0
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 156.3, reshoot_counts = 212.5
normalization = 0.297, reshoot_counts*normalization = 63.2
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 112.2, reshoot_counts = 152.4
normalization = 0.297, reshoot_counts*normalization = 45.3
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7411.6, reshoot_counts = 3735.2
normalization = 0.297, reshoot_counts*normalization = 1111.0
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6108.8, reshoot_counts = 3134.3
normalization = 0.297, reshoot_counts*normalization = 932.3
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 279169.7, reshoot_counts = 938148.0
normalization = 0.297, reshoot_counts*normalization = 279049.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^7
6×10^6
4×10^6
3×10^6
2×10^6
0
1
2
3
4
5
6



original_key=Phi_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 253478.8, reshoot_counts = 852494.8
normalization = 0.297, reshoot_counts*normalization = 253571.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^7
6×10^6
4×10^6
3×10^6
2×10^6
0
1
2
3
4
5
6



original_key=Phi_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99963.1, reshoot_counts = 335021.5
normalization = 0.297, reshoot_counts*normalization = 99651.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^6
3 × 10^6
2 × 10^6
10^6
6 × 10^5
0
1
2
3
4
5
6



original_key=Phi_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4638.8, reshoot_counts = 15532.0
normalization = 0.297, reshoot_counts*normalization = 4619.9
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1891.9, reshoot_counts = 6451.6
normalization = 0.297, reshoot_counts*normalization = 1919.0
original average = 3.15 Phi [rad], reshoot average = 3.16 Phi [rad]
10^5
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3068.0, reshoot_counts = 10462.8
normalization = 0.297, reshoot_counts*normalization = 3112.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7634.5, reshoot_counts = 25550.9
normalization = 0.297, reshoot_counts*normalization = 7600.0
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5095.8, reshoot_counts = 17143.7
normalization = 0.297, reshoot_counts*normalization = 5099.4
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2697.1, reshoot_counts = 8890.7
normalization = 0.297, reshoot_counts*normalization = 2644.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1549.5, reshoot_counts = 5189.5
normalization = 0.297, reshoot_counts*normalization = 1543.6
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3166.7, reshoot_counts = 10565.1
normalization = 0.297, reshoot_counts*normalization = 3142.6
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3269.2, reshoot_counts = 11097.0
normalization = 0.297, reshoot_counts*normalization = 3300.8
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4354.0, reshoot_counts = 14583.2
normalization = 0.297, reshoot_counts*normalization = 4337.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3948.3, reshoot_counts = 13314.6
normalization = 0.297, reshoot_counts*normalization = 3960.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6437.4, reshoot_counts = 21384.8
normalization = 0.297, reshoot_counts*normalization = 6360.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^5
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5011.0, reshoot_counts = 16726.0
normalization = 0.297, reshoot_counts*normalization = 4975.1
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5343.4, reshoot_counts = 18158.5
normalization = 0.297, reshoot_counts*normalization = 5401.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5440.0, reshoot_counts = 18218.6
normalization = 0.297, reshoot_counts*normalization = 5419.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5557.3, reshoot_counts = 18895.7
normalization = 0.297, reshoot_counts*normalization = 5620.5
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5849.0, reshoot_counts = 19553.9
normalization = 0.297, reshoot_counts*normalization = 5816.3
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7304.4, reshoot_counts = 24370.3
normalization = 0.297, reshoot_counts*normalization = 7248.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7265.9, reshoot_counts = 24136.5
normalization = 0.297, reshoot_counts*normalization = 7179.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^5
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10420.7, reshoot_counts = 35231.0
normalization = 0.297, reshoot_counts*normalization = 10479.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^5
3×10^5
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11675.5, reshoot_counts = 39169.6
normalization = 0.297, reshoot_counts*normalization = 11650.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15453.3, reshoot_counts = 52290.6
normalization = 0.297, reshoot_counts*normalization = 15553.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20241.0, reshoot_counts = 68168.5
normalization = 0.297, reshoot_counts*normalization = 20276.5
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
6×10^5
4×10^5
3×10^5
2×10^5
0
1
2
3
4
5
6



original_key=Phi_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 189358.9, reshoot_counts = 634824.1
normalization = 0.297, reshoot_counts*normalization = 188826.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6 × 10^6
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 619659.8, reshoot_counts = 2082176.4
normalization = 0.297, reshoot_counts*normalization = 619336.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^7
2 × 10^7
10^7
6 × 10^6
4 × 10^6
0
1
2
3
4
5
6



original_key=Phi_100_e+___reshoot_key=Phi_1_e+
original counts = 151.1, reshoot_counts = 754.4
normalization = 0.297, reshoot_counts*normalization = 224.4
original average = 3.16 Phi [rad], reshoot average = 3.17 Phi [rad]
counts [1/rad]
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13542.4, reshoot_counts = 52453.0
normalization = 0.297, reshoot_counts*normalization = 15602.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_100_mu-___reshoot_key=Phi_1_mu-
original counts = 54.6, reshoot_counts = 344.6
normalization = 0.297, reshoot_counts*normalization = 102.5
original average = 3.12 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_100_mu+___reshoot_key=Phi_1_mu+
original counts = 38.8, reshoot counts = 211.5
normalization = 0.297, reshoot_counts*normalization = 62.9
original average = 3.07 Phi [rad], reshoot average = 3.12 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1813.9, reshoot_counts = 5972.0
normalization = 0.297, reshoot_counts*normalization = 1776.4
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_100_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1499.2, reshoot_counts = 5102.7
normalization = 0.297, reshoot_counts*normalization = 1517.8
original average = 3.15 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
10^4
0
1
2
3
4
5
6



original_key=Ekin_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12066752.0, reshoot_counts = 40577972.5
normalization = 0.297, reshoot_counts*normalization = 12069790.9
original average = 844.87 Ek [MeV/u], reshoot average = 844.98 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10965761.0, reshoot_counts = 36874416.5
normalization = 0.297, reshoot_counts*normalization = 10968179.8
original average = 831.44 Ek [MeV/u], reshoot average = 831.41 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4314304.0, reshoot_counts = 14502964.0
normalization = 0.297, reshoot_counts*normalization = 4313861.3
original average = 824.80 Ek [MeV/u], reshoot average = 824.92 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 201175.5, reshoot_counts = 676496.5
normalization = 0.297, reshoot_counts*normalization = 201221.8
original average = 813.64 Ek [MeV/u], reshoot average = 813.50 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81038.5, reshoot_counts = 272796.5
normalization = 0.297, reshoot_counts*normalization = 81142.5
original average = 800.29 Ek [MeV/u], reshoot average = 800.33 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 133892.0, reshoot_counts = 449601.0
normalization = 0.297, reshoot_counts*normalization = 133732.4
original average = 776.64 Ek [MeV/u], reshoot average = 776.66 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 331364.5, reshoot_counts = 1112170.5
normalization = 0.297, reshoot_counts*normalization = 330811.6
original average = 763.63 Ek [MeV/u], reshoot average = 763.69 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 220310.5, reshoot_counts = 740332.0
normalization = 0.297, reshoot_counts*normalization = 220209.4
original average = 761.45 Ek [MeV/u], reshoot average = 761.40 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115554.5, reshoot_counts = 388015.5
normalization = 0.297, reshoot_counts*normalization = 115414.0
original average = 770.53 Ek [MeV/u], reshoot average = 770.63 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66452.0, reshoot_counts = 223945.5
normalization = 0.297, reshoot_counts*normalization = 66611.9
original average = 771.58 Ek [MeV/u], reshoot average = 771.60 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 135266.0, reshoot_counts = 454168.0
normalization = 0.297, reshoot_counts*normalization = 135090.9
original average = 769.35 Ek [MeV/u], reshoot average = 769.32 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 143138.0, reshoot_counts = 480754.0
normalization = 0.297, reshoot_counts*normalization = 142998.8
original average = 768.62 Ek [MeV/u], reshoot average = 768.67 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 187176.0, reshoot_counts = 628746.0
normalization = 0.297, reshoot_counts*normalization = 187018.5
original average = 767.91 Ek [MeV/u], reshoot average = 767.94 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 169891.0, reshoot_counts = 571971.5
normalization = 0.297, reshoot_counts*normalization = 170131.1
original average = 768.79 Ek [MeV/u], reshoot average = 768.85 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 278594.0, reshoot_counts = 934800.0
normalization = 0.297, reshoot_counts*normalization = 278053.3
original average = 768.39 Ek [MeV/u], reshoot average = 768.40 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 217212.0, reshoot_counts = 731066.0
normalization = 0.297, reshoot_counts*normalization = 217453.3
original average = 769.42 Ek [MeV/u], reshoot average = 769.36 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236128.5, reshoot_counts = 794457.0
normalization = 0.297, reshoot_counts*normalization = 236308.7
original average = 767.96 Ek [MeV/u], reshoot average = 767.93 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 235639.0, reshoot_counts = 792410.0
normalization = 0.297, reshoot_counts*normalization = 235699.9
original average = 768.40 Ek [MeV/u], reshoot average = 768.29 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 241557.0, reshoot_counts = 813084.0
normalization = 0.297, reshoot_counts*normalization = 241849.3
original average = 765.82 Ek [MeV/u], reshoot average = 765.88 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 254275.0, reshoot_counts = 853685.0
normalization = 0.297, reshoot_counts*normalization = 253925.9
original average = 765.12 Ek [MeV/u], reshoot average = 765.16 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 317910.0, reshoot_counts = 1068616.0
normalization = 0.297, reshoot_counts*normalization = 317856.5
original average = 763.83 Ek [MeV/u], reshoot average = 763.86 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 315229.0, reshoot_counts = 1058849.0
normalization = 0.297, reshoot_counts*normalization = 314951.3
original average = 763.91 Ek [MeV/u], reshoot average = 763.93 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 455575.0, reshoot_counts = 1530584.0
normalization = 0.297, reshoot_counts*normalization = 455267.4
original average = 761.86 Ek [MeV/u], reshoot average = 761.87 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 509525.0, reshoot_counts = 1712815.0
normalization = 0.297, reshoot_counts*normalization = 509471.5
original average = 762.42 Ek [MeV/u], reshoot average = 762.36 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 676957.0, reshoot_counts = 2273752.0
normalization = 0.297, reshoot_counts*normalization = 676320.4
original average = 761.38 Ek [MeV/u], reshoot average = 761.34 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 885618.0, reshoot_counts = 2977628.0
normalization = 0.297, reshoot_counts*normalization = 885686.1
original average = 762.55 Ek [MeV/u], reshoot average = 762.56 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8261372.0, reshoot_counts = 27771370.5
normalization = 0.297, reshoot_counts*normalization = 8260507.2
original average = 804.22 Ek [MeV/u], reshoot average = 804.21 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2160825.3, reshoot_counts = 82773154.5
normalization = 0.297, reshoot_counts*normalization = 24620615.7
original average = 0.52 Ek [MeV/u], reshoot average = 0.95 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 317.6, reshoot_counts = 34475.0
normalization = 0.297, reshoot_counts*normalization = 10254.5
original average = 39.91 Ek [MeV/u], reshoot average = 40.02 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43968.1, reshoot_counts = 2179527.0
normalization = 0.297, reshoot_counts*normalization = 648293.5
original average = 5.26 Ek [MeV/u], reshoot average = 7.98 Ek [MeV/u]
counts [u/MeV]
Ek [MeV/u]
10^6
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54.6, reshoot_counts = 13870.0
normalization = 0.297, reshoot_counts*normalization = 4125.6
original average = 56.21 Ek [MeV/u], reshoot average = 56.20 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21.5, reshoot_counts = 10158.5
normalization = 0.297, reshoot_counts*normalization = 3021.6
original average = 42.13 Ek [MeV/u], reshoot average = 42.14 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 151923.9, reshoot_counts = 260870.0
normalization = 0.297, reshoot_counts*normalization = 77595.0
original average = 398.41 Ek [MeV/u], reshoot average = 398.31 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127086.0, reshoot_counts = 218492.0
normalization = 0.297, reshoot_counts*normalization = 64989.8
original average = 489.38 Ek [MeV/u], reshoot average = 489.61 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3061005.5, reshoot_counts = 10144813.0
normalization = 0.297, reshoot_counts*normalization = 3017542.9
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2784240.0, reshoot_counts = 9218675.8
normalization = 0.297, reshoot_counts*normalization = 2742066.2
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1092447.2, reshoot_counts = 3625909.2
normalization = 0.297, reshoot_counts*normalization = 1078515.4
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50913.1, reshoot_counts = 169132.8
normalization = 0.297, reshoot_counts*normalization = 50308.0
original average = 0.08 x pos [mm], reshoot average = -0.04 x pos [m
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20527.0, reshoot_counts = 68204.2
normalization = 0.297, reshoot_counts*normalization = 20287.1
original average = -0.03 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33865.1, reshoot_counts = 112409.2
normalization = 0.297, reshoot_counts*normalization = 33435.8
original average = -0.06 x pos [mm], reshoot average = -0.22 x pos [
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83854.4, reshoot_counts = 278061.2
normalization = 0.297, reshoot_counts*normalization = 82708.4
original average = 0.04 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 55669.8, reshoot_counts = 185091.0
normalization = 0.297, reshoot_counts*normalization = 55054.7
original average = -0.00 x pos [mm], reshoot average = -0.17 x pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29227.5, reshoot_counts = 97006.5
normalization = 0.297, reshoot_counts*normalization = 28854.3
original average = 0.04 x pos [mm], reshoot average = -0.04 x pos [m
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16811.8, reshoot_counts = 55986.5
normalization = 0.297, reshoot_counts*normalization = 16653.0
original average = -0.05 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34180.2, reshoot_counts = 113542.0
normalization = 0.297, reshoot_counts*normalization = 33772.7
original average = 0.00 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36168.1, reshoot_counts = 120188.5
normalization = 0.297, reshoot_counts*normalization = 35749.7
original average = 0.00 x pos [mm], reshoot average = -0.14 x pos [m
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47307.0, reshoot_counts = 157186.5
normalization = 0.297, reshoot_counts*normalization = 46754.6
original average = -0.02 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42910.0, reshoot_counts = 142993.0
normalization = 0.297, reshoot_counts*normalization = 42532.8
original average = -0.06 x pos [mm], reshoot average = -0.22 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70443.0, reshoot_counts = 233700.0
normalization = 0.297, reshoot_counts*normalization = 69513.3
original average = 0.04 x pos [mm], reshoot average = -0.11 x pos [m
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54918.5, reshoot_counts = 182766.5
normalization = 0.297, reshoot_counts*normalization = 54363.3
original average = 0.05 x pos [mm], reshoot average = -0.05 x pos [m
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 59669.1, reshoot_counts = 198614.8
normalization = 0.297, reshoot_counts*normalization = 59077.3
original average = 0.03 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 59586.5, reshoot_counts = 198102.5
normalization = 0.297, reshoot_counts*normalization = 58925.0
original average = -0.07 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61080.2, reshoot_counts = 203271.0
normalization = 0.297, reshoot_counts*normalization = 60462.3
original average = 0.03 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64264.2, reshoot_counts = 213421.2
normalization = 0.297, reshoot_counts*normalization = 63481.5
original average = -0.02 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80375.2, reshoot_counts = 267154.0
normalization = 0.297, reshoot_counts*normalization = 79464.1
original average = -0.03 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79722.4, reshoot_counts = 264712.2
normalization = 0.297, reshoot_counts*normalization = 78737.8
original average = -0.05 x pos [mm], reshoot average = -0.17 x pos [
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115218.5, reshoot_counts = 382646.0
normalization = 0.297, reshoot_counts*normalization = 113816.9
original average = -0.02 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128931.6, reshoot_counts = 428203.8
normalization = 0.297, reshoot_counts*normalization = 127367.9
original average = 0.04 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
2×10^4
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 171341.6, reshoot_counts = 568438.0
normalization = 0.297, reshoot_counts*normalization = 169080.1
original average = 0.03 x pos [mm], reshoot average = -0.07 x pos [m
3×10^4
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 224282.4, reshoot_counts = 744407.0
normalization = 0.297, reshoot_counts*normalization = 221421.5
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
−400
−200
0
200
400



original_key=X_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2106611.0, reshoot_counts = 6942843.2
normalization = 0.297, reshoot_counts*normalization = 2065127.0
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6893312.6, reshoot_counts = 22727701.5
normalization = 0.297, reshoot_counts*normalization = 6760283.7
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1713.4, reshoot_counts = 8692.2
normalization = 0.297, reshoot_counts*normalization = 2585.5
original average = -0.14 x pos [mm], reshoot average = -0.41 x pos [
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
−400
−200
0
200
400



original_key=X_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 150412.1, reshoot_counts = 570258.5
normalization = 0.297, reshoot_counts*normalization = 169621.6
original average = -0.04 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
x pos [mm]
10^0
10^1
10^2
10^3
10^4
−400
−200
0
200
400



original_key=X_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 594.5, reshoot_counts = 3467.8
normalization = 0.297, reshoot_counts*normalization = 1031.5
original average = 0.01 x pos [mm], reshoot average = 0.03 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 405.5, reshoot_counts = 2559.8
normalization = 0.297, reshoot_counts*normalization = 761.4
original average = -0.33 x pos [mm], reshoot average = -0.55 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19792.9, reshoot_counts = 65217.5
normalization = 0.297, reshoot_counts*normalization = 19398.7
original average = -0.09 x pos [mm], reshoot average = -0.27 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16559.6, reshoot_counts = 54623.0
normalization = 0.297, reshoot_counts*normalization = 16247.4
original average = 0.12 x pos [mm], reshoot average = -0.04 x pos [m
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3061053.5, reshoot_counts = 10144813.0
normalization = 0.297, reshoot_counts*normalization = 3017542.9
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
y pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2784071.5, reshoot_counts = 9218675.8
normalization = 0.297, reshoot_counts*normalization = 2742066.2
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1092571.8, reshoot_counts = 3625909.2
normalization = 0.297, reshoot_counts*normalization = 1078515.4
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50925.5, reshoot_counts = 169132.8
normalization = 0.297, reshoot_counts*normalization = 50308.0
original average = -0.05 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20470.5, reshoot_counts = 68204.2
normalization = 0.297, reshoot_counts*normalization = 20287.1
original average = 0.09 y pos [mm], reshoot average = -0.01 y pos [m
counts [1/mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33895.6, reshoot_counts = 112409.2
normalization = 0.297, reshoot_counts*normalization = 33435.8
original average = -0.09 y pos [mm], reshoot average = -0.24 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83858.2, reshoot_counts = 278061.2
normalization = 0.297, reshoot_counts*normalization = 82708.4
original average = 0.08 y pos [mm], reshoot average = -0.01 y pos [m
counts [1/mm]
y pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 55671.9, reshoot_counts = 185091.0
normalization = 0.297, reshoot_counts*normalization = 55054.7
original average = -0.05 y pos [mm], reshoot average = -0.20 y pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29230.5, reshoot_counts = 97006.5
normalization = 0.297, reshoot_counts*normalization = 28854.3
original average = -0.00 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16795.8, reshoot_counts = 55986.5
normalization = 0.297, reshoot_counts*normalization = 16653.0
original average = -0.06 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34199.8, reshoot_counts = 113542.0
normalization = 0.297, reshoot_counts*normalization = 33772.7
original average = 0.01 y pos [mm], reshoot average = -0.18 y pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36185.9, reshoot_counts = 120188.5
normalization = 0.297, reshoot_counts*normalization = 35749.7
original average = -0.03 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47300.6, reshoot_counts = 157186.5
normalization = 0.297, reshoot_counts*normalization = 46754.6
original average = 0.03 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42978.0, reshoot_counts = 142993.0
normalization = 0.297, reshoot_counts*normalization = 42532.8
original average = -0.04 y pos [mm], reshoot average = -0.17 y pos [
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70394.1, reshoot_counts = 233700.0
normalization = 0.297, reshoot_counts*normalization = 69513.3
original average = 0.02 y pos [mm], reshoot average = -0.08 y pos [m
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54936.4, reshoot_counts = 182766.5
normalization = 0.297, reshoot_counts*normalization = 54363.3
original average = 0.04 y pos [mm], reshoot average = -0.06 y pos [m
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 59677.5, reshoot_counts = 198614.8
normalization = 0.297, reshoot_counts*normalization = 59077.3
original average = -0.09 y pos [mm], reshoot average = -0.20 y pos [
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 59530.8, reshoot_counts = 198102.5
normalization = 0.297, reshoot_counts*normalization = 58925.0
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61062.2, reshoot_counts = 203271.0
normalization = 0.297, reshoot_counts*normalization = 60462.3
original average = 0.06 y pos [mm], reshoot average = -0.04 y pos [m
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64260.2, reshoot_counts = 213421.2
normalization = 0.297, reshoot_counts*normalization = 63481.5
original average = -0.00 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80392.8, reshoot_counts = 267154.0
normalization = 0.297, reshoot_counts*normalization = 79464.1
original average = -0.03 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79737.9, reshoot_counts = 264712.2
normalization = 0.297, reshoot_counts*normalization = 78737.8
original average = 0.03 y pos [mm], reshoot average = -0.08 y pos [m
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115172.8, reshoot_counts = 382646.0
normalization = 0.297, reshoot_counts*normalization = 113816.9
original average = -0.06 y pos [mm], reshoot average = -0.19 y pos [
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128874.1, reshoot_counts = 428203.8
normalization = 0.297, reshoot_counts*normalization = 127367.9
original average = -0.05 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 171321.8, reshoot_counts = 568438.0
normalization = 0.297, reshoot_counts*normalization = 169080.1
original average = -0.03 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 224389.8, reshoot_counts = 744407.0
normalization = 0.297, reshoot_counts*normalization = 221421.5
original average = 0.00 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2106957.5, reshoot_counts = 6942843.2
normalization = 0.297, reshoot_counts*normalization = 2065127.0
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6893643.1, reshoot_counts = 22727701.5
normalization = 0.297, reshoot_counts*normalization = 6760283.7
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1715.6, reshoot_counts = 8692.2
normalization = 0.297, reshoot_counts*normalization = 2585.5
original average = -0.07 y pos [mm], reshoot average = 0.01 y pos [m
counts [1/mm]
y pos [mm]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
6×10^1
4×10^1
−400
−200
0
200
400


original_key=Y_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 150466.8, reshoot_counts = 570258.5
normalization = 0.297, reshoot_counts*normalization = 169621.6
original average = 0.00 y pos [mm], reshoot average = -0.09 y pos [m
3×10^4
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 591.1, reshoot_counts = 3467.8
normalization = 0.297, reshoot_counts*normalization = 1031.5
original average = 0.78 y pos [mm], reshoot average = 0.73 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 409.1, reshoot_counts = 2559.8
normalization = 0.297, reshoot_counts*normalization = 761.4
original average = 0.96 y pos [mm], reshoot average = 0.71 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19778.9, reshoot_counts = 65217.5
normalization = 0.297, reshoot_counts*normalization = 19398.7
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400


original_key=Y_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16571.5, reshoot_counts = 54623.0
normalization = 0.297, reshoot_counts*normalization = 16247.4
original average = -0.03 y pos [mm], reshoot average = -0.17 y pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]