






original_key=Theta_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1171552.0, reshoot_counts = 122909.9
normalization = 0.168, reshoot_counts*normalization = 20594.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 736823.2, reshoot_counts = 91367.1
normalization = 0.168, reshoot_counts*normalization = 15309.3
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 456501.2, reshoot_counts = 43603.4
normalization = 0.168, reshoot_counts*normalization = 7306.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29255.3, reshoot_counts = 2564.3
normalization = 0.168, reshoot_counts*normalization = 429.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12641.2, reshoot_counts = 1076.7
normalization = 0.168, reshoot_counts*normalization = 180.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20683.3, reshoot_counts = 1780.0
normalization = 0.168, reshoot_counts*normalization = 298.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54355.9, reshoot_counts = 4639.1
normalization = 0.168, reshoot_counts*normalization = 777.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39611.7, reshoot_counts = 3297.4
normalization = 0.168, reshoot_counts*normalization = 552.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22005.2, reshoot_counts = 1787.9
normalization = 0.168, reshoot_counts*normalization = 299.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13258.2, reshoot_counts = 1065.1
normalization = 0.168, reshoot_counts*normalization = 178.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28195.5, reshoot_counts = 2249.5
normalization = 0.168, reshoot_counts*normalization = 376.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31408.4, reshoot_counts = 2468.0
normalization = 0.168, reshoot_counts*normalization = 413.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43889.2, reshoot_counts = 3366.5
normalization = 0.168, reshoot_counts*normalization = 564.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43457.7, reshoot_counts = 3268.5
normalization = 0.168, reshoot_counts*normalization = 547.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80956.4, reshoot_counts = 5800.7
normalization = 0.168, reshoot_counts*normalization = 972.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71332.9, reshoot_counts = 4925.4
normalization = 0.168, reshoot_counts*normalization = 825.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 87578.4, reshoot_counts = 5781.4
normalization = 0.168, reshoot_counts*normalization = 968.7
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98094.5, reshoot_counts = 6239.0
normalization = 0.168, reshoot_counts*normalization = 1045.4
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110112.6, reshoot_counts = 6787.3
normalization = 0.168, reshoot_counts*normalization = 1137.3
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127375.5, reshoot_counts = 7628.7
normalization = 0.168, reshoot_counts*normalization = 1278.3
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 172792.6, reshoot_counts = 10107.0
normalization = 0.168, reshoot_counts*normalization = 1693.5
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 187691.5, reshoot_counts = 10693.6
normalization = 0.168, reshoot_counts*normalization = 1791.8
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 291302.9, reshoot_counts = 16245.3
normalization = 0.168, reshoot_counts*normalization = 2722.0
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 354049.5, reshoot_counts = 19294.6
normalization = 0.168, reshoot_counts*normalization = 3233.0
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 506326.5, reshoot_counts = 27079.1
normalization = 0.168, reshoot_counts*normalization = 4537.3
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 721147.2, reshoot_counts = 37968.6
normalization = 0.168, reshoot_counts*normalization = 6362.0
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7760029.9, reshoot_counts = 404192.3
normalization = 0.168, reshoot_counts*normalization = 67725.8
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 420804.2, reshoot_counts = 2458586.5
normalization = 0.168, reshoot_counts*normalization = 411956.7
original average = 0.81 Theta [rad], reshoot average = 0.80 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 298.4, reshoot_counts = 72.9
normalization = 0.168, reshoot_counts*normalization = 12.2
original average = 0.08 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32016.5, reshoot_counts = 7820.5
normalization = 0.168, reshoot_counts*normalization = 1310.4
original average = 0.19 Theta [rad], reshoot average = 0.19 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 136.9, reshoot_counts = 107.2
normalization = 0.168, reshoot_counts*normalization = 18.0
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111.2, reshoot_counts = 68.8
normalization = 0.168, reshoot_counts*normalization = 11.5
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3951.3, reshoot_counts = 1196.2
normalization = 0.168, reshoot_counts*normalization = 200.4
original average = 0.22 Theta [rad], reshoot average = 0.22 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3309.7, reshoot_counts = 962.2
normalization = 0.168, reshoot_counts*normalization = 161.2
original average = 0.23 Theta [rad], reshoot average = 0.23 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47690.0, reshoot_counts = 283271.7
normalization = 0.168, reshoot_counts*normalization = 47464.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^6
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
0
1
2
3
4
5
6



original_key=Phi_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33209.7, reshoot_counts = 198621.8
normalization = 0.168, reshoot_counts*normalization = 33280.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17905.4, reshoot_counts = 107004.0
normalization = 0.168, reshoot_counts*normalization = 17929.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
6×10^5
4×10^5
3×10^5
2×10^5
0
1
2
3
4
5
6



original_key=Phi_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1111.3, reshoot_counts = 6513.3
normalization = 0.168, reshoot_counts*normalization = 1091.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
10^4
6×10^3
0
1
2
3
4
5
6



original_key=Phi_2000_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 452.7, reshoot_counts = 2717.5
normalization = 0.168, reshoot_counts*normalization = 455.3
original average = 3.16 Phi [rad], reshoot average = 3.17 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 741.0, reshoot_counts = 4364.8
normalization = 0.168, reshoot_counts*normalization = 731.4
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1976.4, reshoot_counts = 11727.5
normalization = 0.168, reshoot_counts*normalization = 1965.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
10^4
0
1
2
3
4
5
6



original_key=Phi_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1394.3, reshoot_counts = 8427.8
normalization = 0.168, reshoot_counts*normalization = 1412.2
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 755.6, reshoot_counts = 4720.3
normalization = 0.168, reshoot_counts*normalization = 790.9
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 470.4, reshoot_counts = 2848.5
normalization = 0.168, reshoot_counts*normalization = 477.3
original average = 3.16 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 993.7, reshoot_counts = 5855.8
normalization = 0.168, reshoot_counts*normalization = 981.2
original average = 3.15 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1058.4, reshoot_counts = 6372.0
normalization = 0.168, reshoot_counts*normalization = 1067.7
original average = 3.13 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
10^4
0
1
2
3
4
5
6



original_key=Phi_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1490.3, reshoot_counts = 8800.6
normalization = 0.168, reshoot_counts*normalization = 1474.6
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
10^4
0
1
2
3
4
5
6



original_key=Phi_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1418.1, reshoot_counts = 8566.1
normalization = 0.168, reshoot_counts*normalization = 1435.3
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
10^5
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2539.7, reshoot_counts = 15307.1
normalization = 0.168, reshoot_counts*normalization = 2564.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2196.5, reshoot_counts = 12910.4
normalization = 0.168, reshoot_counts*normalization = 2163.2
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2560.4, reshoot_counts = 15017.1
normalization = 0.168, reshoot_counts*normalization = 2516.2
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2758.7, reshoot_counts = 16381.3
normalization = 0.168, reshoot_counts*normalization = 2744.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3030.0, reshoot_counts = 17968.9
normalization = 0.168, reshoot_counts*normalization = 3010.8
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3392.1, reshoot_counts = 20110.0
normalization = 0.168, reshoot_counts*normalization = 3369.6
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4434.6, reshoot_counts = 26499.6
normalization = 0.168, reshoot_counts*normalization = 4440.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4753.0, reshoot_counts = 27914.2
normalization = 0.168, reshoot_counts*normalization = 4677.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7177.8, reshoot_counts = 42860.8
normalization = 0.168, reshoot_counts*normalization = 7181.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8590.2, reshoot_counts = 50633.9
normalization = 0.168, reshoot_counts*normalization = 8484.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11916.7, reshoot_counts = 72148.4
normalization = 0.168, reshoot_counts*normalization = 12089.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16664.7, reshoot_counts = 99666.3
normalization = 0.168, reshoot_counts*normalization = 16699.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
10^5
0
1
2
3
4
5
6



original_key=Phi_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 177591.0, reshoot_counts = 1059791.4
normalization = 0.168, reshoot_counts*normalization = 177576.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^7
6×10^6
4×10^6
3×10^6
2×10^6
0
1
2
3
4
5
6



original_key=Phi_2000_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 540945.2, reshoot_counts = 3233083.4
normalization = 0.168, reshoot_counts*normalization = 541730.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^7
3 × 10^7
2 × 10^7
10^7
6 × 10^6
4 × 10^6
0
1
2
3
4
5
6



original_key=Phi_2000_e+___reshoot_key=Phi_1_e+
original counts = 15.6, reshoot_counts = 138.4
normalization = 0.168, reshoot_counts*normalization = 23.2
original average = 3.19 Phi [rad], reshoot average = 3.09 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_2000_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1937.8, reshoot_counts = 13796.3
normalization = 0.168, reshoot_counts*normalization = 2311.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_mu-___reshoot_key=Phi_1_mu-
original counts = 17.6, reshoot_counts = 173.1
normalization = 0.168, reshoot_counts*normalization = 29.0
original average = 3.26 Phi [rad], reshoot average = 3.21 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_2000_mu+___reshoot_key=Phi_1_mu+
original counts = 10.4, reshoot_counts = 153.8
normalization = 0.168, reshoot_counts*normalization = 25.8
original average = 3.22 Phi [rad], reshoot average = 3.19 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_2000_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 321.6, reshoot_counts = 1849.8
normalization = 0.168, reshoot_counts*normalization = 310.0
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_pi+___reshoot_key=Phi_1_pi+
original counts = 261.1, reshoot_counts = 1543.0
normalization = 0.168, reshoot_counts*normalization = 258.5
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^4
10^3
0
1
2
3
4
5
6



original_key=Ekin_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2067819.5, reshoot_counts = 12338173.5
normalization = 0.168, reshoot_counts*normalization = 2067364.2
original average = 841.16 Ek [MeV/u], reshoot average = 841.18 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1450625.5, reshoot_counts = 8659163.5
normalization = 0.168, reshoot_counts*normalization = 1450915.3
original average = 817.74 Ek [MeV/u], reshoot average = 817.78 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 781041.5, reshoot_counts = 4660434.0
normalization = 0.168, reshoot_counts*normalization = 780894.7
original average = 821.80 Ek [MeV/u], reshoot average = 821.86 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46966.5, reshoot_counts = 281372.0
normalization = 0.168, reshoot_counts*normalization = 47146.2
original average = 813.38 Ek [MeV/u], reshoot average = 813.27 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19862.0, reshoot_counts = 118734.0
normalization = 0.168, reshoot_counts*normalization = 19894.9
original average = 802.38 Ek [MeV/u], reshoot average = 802.62 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32694.0, reshoot_counts = 194999.0
normalization = 0.168, reshoot_counts*normalization = 32673.7
original average = 777.96 Ek [MeV/u], reshoot average = 777.82 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85500.5, reshoot_counts = 510826.5
normalization = 0.168, reshoot_counts*normalization = 85593.3
original average = 764.85 Ek [MeV/u], reshoot average = 765.11 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61361.0, reshoot_counts = 365401.5
normalization = 0.168, reshoot_counts*normalization = 61226.1
original average = 762.74 Ek [MeV/u], reshoot average = 762.84 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33586.0, reshoot_counts = 200481.0
normalization = 0.168, reshoot_counts*normalization = 33592.3
original average = 772.08 Ek [MeV/u], reshoot average = 772.24 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20026.0, reshoot_counts = 119928.0
normalization = 0.168, reshoot_counts*normalization = 20094.9
original average = 773.02 Ek [MeV/u], reshoot average = 773.19 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42468.0, reshoot_counts = 253697.0
normalization = 0.168, reshoot_counts*normalization = 42509.1
original average = 770.58 Ek [MeV/u], reshoot average = 770.58 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46711.0, reshoot_counts = 278937.0
normalization = 0.168, reshoot_counts*normalization = 46738.2
original average = 770.65 Ek [MeV/u], reshoot average = 770.54 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64124.0, reshoot_counts = 381338.0
normalization = 0.168, reshoot_counts*normalization = 63896.4
original average = 770.39 Ek [MeV/u], reshoot average = 770.39 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 62301.0, reshoot_counts = 371238.0
normalization = 0.168, reshoot_counts*normalization = 62204.0
original average = 771.31 Ek [MeV/u], reshoot average = 771.37 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110833.0, reshoot_counts = 659940.0
normalization = 0.168, reshoot_counts*normalization = 110578.5
original average = 770.71 Ek [MeV/u], reshoot average = 770.65 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 94082.0, reshoot_counts = 561837.0
normalization = 0.168, reshoot_counts*normalization = 94140.5
original average = 771.55 Ek [MeV/u], reshoot average = 771.48 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110630.0, reshoot_counts = 659902.5
normalization = 0.168, reshoot_counts*normalization = 110572.2
original average = 769.51 Ek [MeV/u], reshoot average = 769.59 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 119608.0, reshoot_counts = 712961.0
normalization = 0.168, reshoot_counts*normalization = 119462.6
original average = 769.59 Ek [MeV/u], reshoot average = 769.60 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 130258.0, reshoot_counts = 776448.0
normalization = 0.168, reshoot_counts*normalization = 130100.4
original average = 766.32 Ek [MeV/u], reshoot average = 766.30 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 146465.0, reshoot_counts = 873252.0
normalization = 0.168, reshoot_counts*normalization = 146320.7
original average = 765.11 Ek [MeV/u], reshoot average = 765.09 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 193942.0, reshoot_counts = 1157223.0
normalization = 0.168, reshoot_counts*normalization = 193902.4
original average = 763.03 Ek [MeV/u], reshoot average = 762.97 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 205176.0, reshoot_counts = 1224991.0
normalization = 0.168, reshoot_counts*normalization = 205257.5
original average = 762.64 Ek [MeV/u], reshoot average = 762.48 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 311782.0, reshoot_counts = 1861578.0
normalization = 0.168, reshoot_counts*normalization = 311923.0
original average = 759.88 Ek [MeV/u], reshoot average = 759.88 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 370551.0, reshoot_counts = 2210993.0
normalization = 0.168, reshoot_counts*normalization = 370470.4
original average = 759.80 Ek [MeV/u], reshoot average = 759.76 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 520000.0, reshoot_counts = 3103031.0
normalization = 0.168, reshoot_counts*normalization = 519938.8
original average = 758.26 Ek [MeV/u], reshoot average = 758.27 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 728665.0, reshoot_counts = 4350886.0
normalization = 0.168, reshoot_counts*normalization = 729027.3
original average = 758.93 Ek [MeV/u], reshoot average = 758.89 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7762741.0, reshoot_counts = 46317017.5
normalization = 0.168, reshoot_counts*normalization = 7760803.7
original average = 800.36 Ek [MeV/u], reshoot average = 800.35 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1887053.1, reshoot_counts = 129196104.5
normalization = 0.168, reshoot_counts*normalization = 21647888.0
original average = 0.50 Ek [MeV/u], reshoot average = 0.92 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]



original_key=Ekin_2000_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33.6, reshoot_counts = 6589.0
normalization = 0.168, reshoot_counts*normalization = 1104.0
original average = 43.99 Ek [MeV/u], reshoot average = 44.10 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6173.4, reshoot_counts = 572720.0
normalization = 0.168, reshoot_counts*normalization = 95964.0
original average = 6.39 Ek [MeV/u], reshoot average = 8.96 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14.3, reshoot_counts = 8066.0
normalization = 0.168, reshoot_counts*normalization = 1351.5
original average = 60.24 Ek [MeV/u], reshoot average = 60.34 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.6, reshoot_counts = 5628.5
normalization = 0.168, reshoot_counts*normalization = 943.1
original average = 52.03 Ek [MeV/u], reshoot average = 51.87 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27699.3, reshoot_counts = 84403.0
normalization = 0.168, reshoot_counts*normalization = 14142.4
original average = 360.54 Ek [MeV/u], reshoot average = 360.40 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22351.6, reshoot_counts = 68002.0
normalization = 0.168, reshoot_counts*normalization = 11394.3
original average = 431.45 Ek [MeV/u], reshoot average = 431.80 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 525405.0, reshoot_counts = 3084625.5
normalization = 0.168, reshoot_counts*normalization = 516854.8
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 368816.9, reshoot_counts = 2164830.0
normalization = 0.168, reshoot_counts*normalization = 362735.4
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 198527.1, reshoot_counts = 1165209.2
normalization = 0.168, reshoot_counts*normalization = 195240.6
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
−400
−200
0
200
400



original_key=X_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11952.4, reshoot_counts = 70351.2
normalization = 0.168, reshoot_counts*normalization = 11787.9
original average = -0.06 x pos [mm], reshoot average = -0.11 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5047.9, reshoot_counts = 29687.8
normalization = 0.168, reshoot_counts*normalization = 4974.4
original average = -0.24 x pos [mm], reshoot average = -0.39 x pos [
counts [1/mm]
x pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8284.4, reshoot_counts = 48755.8
normalization = 0.168, reshoot_counts*normalization = 8169.4
original average = 0.10 x pos [mm], reshoot average = -0.04 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=X_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21710.0, reshoot_counts = 127716.5
normalization = 0.168, reshoot_counts*normalization = 21400.0
original average = 0.05 x pos [mm], reshoot average = -0.06 x pos [m
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15595.1, reshoot_counts = 91357.2
normalization = 0.168, reshoot_counts*normalization = 15307.7
original average = 0.03 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
x pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
6×10^2
−400
−200
0
200
400



original_key=X_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8530.1, reshoot_counts = 50121.0
normalization = 0.168, reshoot_counts*normalization = 8398.2
original average = -0.08 x pos [mm], reshoot average = -0.29 x pos [
counts [1/mm]
x pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=X_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5082.9, reshoot_counts = 29982.0
normalization = 0.168, reshoot_counts*normalization = 5023.7
original average = -0.13 x pos [mm], reshoot average = -0.27 x pos [
counts [1/mm]
x pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10786.1, reshoot_counts = 63424.2
normalization = 0.168, reshoot_counts*normalization = 10627.3
original average = 0.08 x pos [mm], reshoot average = 0.03 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=X_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11832.5, reshoot_counts = 69734.2
normalization = 0.168, reshoot_counts*normalization = 11684.6
original average = -0.09 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16280.5, reshoot_counts = 95334.5
normalization = 0.168, reshoot_counts*normalization = 15974.1
original average = -0.02 x pos [mm], reshoot average = -0.11 x pos [
counts [1/mm]
x pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
6×10^2
−400
−200
0
200
400



original_key=X_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15812.6, reshoot_counts = 92809.5
normalization = 0.168, reshoot_counts*normalization = 15551.0
original average = 0.17 x pos [mm], reshoot average = 0.02 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28107.0, reshoot_counts = 164985.0
normalization = 0.168, reshoot_counts*normalization = 27644.6
original average = 0.06 x pos [mm], reshoot average = -0.03 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23849.5, reshoot_counts = 140459.2
normalization = 0.168, reshoot_counts*normalization = 23535.1
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28017.4, reshoot_counts = 164975.8
normalization = 0.168, reshoot_counts*normalization = 27643.1
original average = -0.04 x pos [mm], reshoot average = -0.21 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30303.1, reshoot_counts = 178240.5
normalization = 0.168, reshoot_counts*normalization = 29865.7
original average = 0.01 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33014.6, reshoot_counts = 194112.0
normalization = 0.168, reshoot_counts*normalization = 32525.1
original average = 0.05 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37074.2, reshoot_counts = 218313.0
normalization = 0.168, reshoot_counts*normalization = 36580.2
original average = -0.03 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49059.4, reshoot_counts = 289305.8
normalization = 0.168, reshoot_counts*normalization = 48475.6
original average = -0.05 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
x pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51877.6, reshoot_counts = 306248.0
normalization = 0.168, reshoot_counts*normalization = 51314.4
original average = -0.07 x pos [mm], reshoot average = -0.21 x pos [
counts [1/mm]
x pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78861.0, reshoot_counts = 465394.5
normalization = 0.168, reshoot_counts*normalization = 77980.7
original average = -0.03 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
x pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=X_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93725.0, reshoot_counts = 552748.2
normalization = 0.168, reshoot_counts*normalization = 92617.6
original average = 0.06 x pos [mm], reshoot average = -0.05 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=X_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 131470.5, reshoot_counts = 775758.0
normalization = 0.168, reshoot_counts*normalization = 129984.7
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=X_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 184236.8, reshoot_counts = 1087721.5
normalization = 0.168, reshoot_counts*normalization = 182256.8
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1965183.6, reshoot_counts = 11579255.8
normalization = 0.168, reshoot_counts*normalization = 1940201.2
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_2000_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6032128.1, reshoot_counts = 35254556.0
normalization = 0.168, reshoot_counts*normalization = 5907195.8
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 183.6, reshoot_counts = 1650.0
normalization = 0.168, reshoot_counts*normalization = 276.5
original average = -0.39 x pos [mm], reshoot average = -0.71 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21662.6, reshoot_counts = 150806.8
malization = 0.168, reshoot_counts*normalization = 25268.9
original average = -0.12 x pos [mm], reshoot average = -0.27 x pos [
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_2000_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 186.9, reshoot_counts = 2018.5
normalization = 0.168, reshoot_counts*normalization = 338.2
original average = 0.24 x pos [mm], reshoot average = -0.19 x pos [m
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 125.5, reshoot_counts = 1411.5
normalization = 0.168, reshoot_counts*normalization = 236.5
original average = 1.22 x pos [mm], reshoot average = 1.40 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3613.5, reshoot_counts = 21100.8
normalization = 0.168, reshoot_counts*normalization = 3535.6
original average = -0.24 x pos [mm], reshoot average = -0.32 x pos [
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2904.8, reshoot_counts = 17000.5
normalization = 0.168, reshoot_counts*normalization = 2848.6
original average = -0.23 x pos [mm], reshoot average = -0.24 x pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 525626.6, reshoot_counts = 3084625.5
normalization = 0.168, reshoot_counts*normalization = 516854.8
original average = 0.00 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 368642.8, reshoot_counts = 2164830.0
normalization = 0.168, reshoot_counts*normalization = 362735.4
original average = 0.02 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 198573.9, reshoot_counts = 1165209.2
normalization = 0.168, reshoot_counts*normalization = 195240.6
original average = -0.01 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11915.4, reshoot_counts = 70351.2
normalization = 0.168, reshoot_counts*normalization = 11787.9
original average = 0.08 y pos [mm], reshoot average = 0.00 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5044.9, reshoot_counts = 29687.8
normalization = 0.168, reshoot_counts*normalization = 4974.4
original average = -0.18 y pos [mm], reshoot average = -0.37 y pos [
counts [1/mm]
y pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8286.0, reshoot_counts = 48755.8
normalization = 0.168, reshoot_counts*normalization = 8169.4
original average = 0.06 y pos [mm], reshoot average = -0.04 y pos [m
counts [1/mm]
y pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=Y_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21727.0, reshoot_counts = 127716.5
normalization = 0.168, reshoot_counts*normalization = 21400.0
original average = -0.03 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15583.5, reshoot_counts = 91357.2
normalization = 0.168, reshoot_counts*normalization = 15307.7
original average = -0.10 y pos [mm], reshoot average = -0.25 y pos [
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8517.2, reshoot_counts = 50121.0
normalization = 0.168, reshoot_counts*normalization = 8398.2
original average = 0.00 y pos [mm], reshoot average = -0.04 y pos [m
counts [1/mm]
y pos [mm]
3×10^3
2×10^3
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400



original_key=Y_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5094.1, reshoot_counts = 29982.0
normalization = 0.168, reshoot_counts*normalization = 5023.7
original average = -0.17 y pos [mm], reshoot average = -0.24 y pos [
counts [1/mm]
y pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10774.8, reshoot_counts = 63424.2
normalization = 0.168, reshoot_counts*normalization = 10627.3
original average = 0.04 y pos [mm], reshoot average = 0.01 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=Y_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11882.9, reshoot_counts = 69734.2
normalization = 0.168, reshoot_counts*normalization = 11684.6
original average = 0.04 y pos [mm], reshoot average = -0.04 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16265.1, reshoot_counts = 95334.5
normalization = 0.168, reshoot_counts*normalization = 15974.1
original average = 0.04 y pos [mm], reshoot average = -0.04 y pos [m
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
6×10^2
−400
−200
0
200
400



original_key=Y_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15820.9, reshoot_counts = 92809.5
normalization = 0.168, reshoot_counts*normalization = 15551.0
original average = 0.15 y pos [mm], reshoot average = 0.01 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28094.6, reshoot_counts = 164985.0
normalization = 0.168, reshoot_counts*normalization = 27644.6
original average = 0.00 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23845.2, reshoot_counts = 140459.2
normalization = 0.168, reshoot_counts*normalization = 23535.1
original average = -0.00 y pos [mm], reshoot average = -0.20 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28011.8, reshoot_counts = 164975.8
normalization = 0.168, reshoot_counts*normalization = 27643.1
original average = -0.11 y pos [mm], reshoot average = -0.22 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30300.5, reshoot_counts = 178240.5
normalization = 0.168, reshoot_counts*normalization = 29865.7
original average = 0.06 y pos [mm], reshoot average = -0.06 y pos [m
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32967.4, reshoot_counts = 194112.0
normalization = 0.168, reshoot_counts*normalization = 32525.1
original average = 0.11 y pos [mm], reshoot average = -0.04 y pos [m
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37084.0, reshoot_counts = 218313.0
normalization = 0.168, reshoot_counts*normalization = 36580.2
original average = -0.06 y pos [mm], reshoot average = -0.19 y pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49066.8, reshoot_counts = 289305.8
normalization = 0.168, reshoot_counts*normalization = 48475.6
original average = -0.01 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
y pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51876.6, reshoot_counts = 306248.0
normalization = 0.168, reshoot_counts*normalization = 51314.4
original average = 0.02 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
y pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78845.2, reshoot_counts = 465394.5
normalization = 0.168, reshoot_counts*normalization = 77980.7
original average = -0.02 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93713.9, reshoot_counts = 552748.2
normalization = 0.168, reshoot_counts*normalization = 92617.6
original average = -0.07 y pos [mm], reshoot average = -0.19 y pos [
counts [1/mm]
y pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 131403.5, reshoot_counts = 775758.0
normalization = 0.168, reshoot_counts*normalization = 129984.7
original average = -0.03 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 184268.8, reshoot_counts = 1087721.5
normalization = 0.168, reshoot_counts*normalization = 182256.8
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1964930.5, reshoot_counts = 11579255.8
normalization = 0.168, reshoot_counts*normalization = 1940201.2
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
y pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_2000_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6032248.8, reshoot_counts = 35254556.0
normalization = 0.168, reshoot_counts*normalization = 5907195.8
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 187.0, reshoot_counts = 1650.0
normalization = 0.168, reshoot_counts*normalization = 276.5
original average = -0.69 y pos [mm], reshoot average = -0.66 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21662.2, reshoot_counts = 150806.8
normalization = 0.168, reshoot_counts*normalization = 25268.9
original average = 0.04 y pos [mm], reshoot average = -0.05 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 186.4, reshoot_counts = 2018.5
normalization = 0.168, reshoot_counts*normalization = 338.2
original average = -0.73 y pos [mm], reshoot average = -1.02 y pos [
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 122.0, reshoot_counts = 1411.5
normalization = 0.168, reshoot_counts*normalization = 236.5
original average = 0.89 y pos [mm], reshoot average = 1.01 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3611.8, reshoot_counts = 21100.8
normalization = 0.168, reshoot_counts*normalization = 3535.6
original average = 0.00 y pos [mm], reshoot average = -0.15 y pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2917.1, reshoot_counts = 17000.5
normalization = 0.168, reshoot_counts*normalization = 2848.6
original average = 0.12 y pos [mm], reshoot average = -0.09 y pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]