






original_key=Theta_wide_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2462180.0, reshoot_counts = 567007.7
normalization = 0.434, reshoot_counts*normalization = 245925.3
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1643146.8, reshoot_counts = 564670.4
normalization = 0.434, reshoot_counts*normalization = 244911.5
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 940413.4, reshoot_counts = 178325.2
normalization = 0.434, reshoot_counts*normalization = 77344.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57955.9, reshoot_counts = 7585.6
normalization = 0.434, reshoot_counts*normalization = 3290.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24703.7, reshoot_counts = 2973.5
normalization = 0.434, reshoot_counts*normalization = 1289.7
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40684.3, reshoot_counts = 5025.5
normalization = 0.434, reshoot_counts*normalization = 2179.7
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]



original_key=Theta_wide_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 106112.5, reshoot_counts = 12080.1
normalization = 0.434, reshoot_counts*normalization = 5239.4
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76590.0, reshoot_counts = 7664.6
normalization = 0.434, reshoot_counts*normalization = 3324.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42718.9, reshoot_counts = 3861.6
normalization = 0.434, reshoot_counts*normalization = 1674.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25505.4, reshoot_counts = 2188.1
normalization = 0.434, reshoot_counts*normalization = 949.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54186.4, reshoot_counts = 4309.2
normalization = 0.434, reshoot_counts*normalization = 1869.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60139.6, reshoot_counts = 4493.4
normalization = 0.434, reshoot_counts*normalization = 1948.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84137.2, reshoot_counts = 5747.6
normalization = 0.434, reshoot_counts*normalization = 2492.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 82864.7, reshoot_counts = 5090.5
normalization = 0.434, reshoot_counts*normalization = 2207.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 151524.5, reshoot_counts = 8097.5
normalization = 0.434, reshoot_counts*normalization = 3512.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 132019.8, reshoot_counts = 6146.0
normalization = 0.434, reshoot_counts*normalization = 2665.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 157653.3, reshoot_counts = 6519.9
normalization = 0.434, reshoot_counts*normalization = 2827.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 173879.3, reshoot_counts = 6376.8
normalization = 0.434, reshoot_counts*normalization = 2765.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 191450.6, reshoot_counts = 6408.1
normalization = 0.434, reshoot_counts*normalization = 2779.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 217471.9, reshoot_counts = 6628.9
normalization = 0.434, reshoot_counts*normalization = 2875.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 289320.3, reshoot_counts = 8147.9
normalization = 0.434, reshoot_counts*normalization = 3533.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 306348.7, reshoot_counts = 7924.0
normalization = 0.434, reshoot_counts*normalization = 3436.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 465416.7, reshoot_counts = 11323.1
normalization = 0.434, reshoot_counts*normalization = 4911.1
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 547911.4, reshoot_counts = 12467.8
normalization = 0.434, reshoot_counts*normalization = 5407.6
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 756343.9, reshoot_counts = 16355.5
normalization = 0.434, reshoot_counts*normalization = 7093.8
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1015853.1, reshoot_counts = 21014.5
normalization = 0.434, reshoot_counts*normalization = 9114.5
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9425577.8, reshoot_counts = 189830.8
normalization = 0.434, reshoot_counts*normalization = 82334.3
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 722792.0, reshoot_counts = 1616168.4
normalization = 0.434, reshoot_counts*normalization = 700972.2
original average = 0.81 Theta [rad], reshoot average = 0.80 Theta [ra
counts [1/rad]
Theta [rad]



original_key=Theta_wide_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 899.6, reshoot_counts = 604.5
normalization = 0.434, reshoot_counts*normalization = 262.2
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77034.5, reshoot_counts = 40648.3
normalization = 0.434, reshoot_counts*normalization = 17630.2
original average = 0.09 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 223.8, reshoot_counts = 268.4
normalization = 0.434, reshoot_counts*normalization = 116.4
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 170.9, reshoot_counts = 187.3
normalization = 0.434, reshoot_counts*normalization = 81.2
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9985.5, reshoot_counts = 4609.5
normalization = 0.434, reshoot_counts*normalization = 1999.3
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8166.2, reshoot_counts = 3858.1
normalization = 0.434, reshoot_counts*normalization = 1673.4
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_wide_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 426209.4, reshoot_counts = 983287.2
normalization = 0.434, reshoot_counts*normalization = 426476.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^7
6×10^6
4×10^6
3×10^6
0
1
2
3
4
5
6



original_key=Phi_wide_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 400837.1, reshoot_counts = 924209.9
normalization = 0.434, reshoot_counts*normalization = 400852.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^7
6×10^6
4×10^6
3×10^6
0
1
2
3
4
5
6



original_key=Phi_wide_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 144349.0, reshoot_counts = 332539.4
normalization = 0.434, reshoot_counts*normalization = 144230.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^6
3×10^6
2×10^6
10^6
0
1
2
3
4
5
6



original_key=Phi_wide_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6542.8, reshoot_counts = 15043.8
normalization = 0.434, reshoot_counts*normalization = 6524.9
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2627.8, reshoot_counts = 6119.9
normalization = 0.434, reshoot_counts*normalization = 2654.4
original average = 3.15 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4322.3, reshoot_counts = 10111.1
normalization = 0.434, reshoot_counts*normalization = 4385.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10683.2, reshoot_counts = 24411.4
normalization = 0.434, reshoot_counts*normalization = 10587.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7022.4, reshoot_counts = 16091.1
normalization = 0.434, reshoot_counts*normalization = 6979.1
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3651.9, reshoot_counts = 8298.5
normalization = 0.434, reshoot_counts*normalization = 3599.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2114.1, reshoot_counts = 4788.1
normalization = 0.434, reshoot_counts*normalization = 2076.7
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4267.3, reshoot_counts = 9671.2
normalization = 0.434, reshoot_counts*normalization = 4194.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4397.3, reshoot_counts = 10210.3
normalization = 0.434, reshoot_counts*normalization = 4428.5
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5831.0, reshoot_counts = 13368.8
normalization = 0.434, reshoot_counts*normalization = 5798.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5215.2, reshoot_counts = 12093.5
normalization = 0.434, reshoot_counts*normalization = 5245.3
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8511.7, reshoot_counts = 19456.7
normalization = 0.434, reshoot_counts*normalization = 8438.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6547.2, reshoot_counts = 15096.7
normalization = 0.434, reshoot_counts*normalization = 6547.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6926.6, reshoot_counts = 16183.4
normalization = 0.434, reshoot_counts*normalization = 7019.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6975.7, reshoot_counts = 15860.9
normalization = 0.434, reshoot_counts*normalization = 6879.3
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7060.3, reshoot_counts = 16309.2
normalization = 0.434, reshoot_counts*normalization = 7073.7
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7363.0, reshoot_counts = 16981.5
normalization = 0.434, reshoot_counts*normalization = 7365.3
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9136.3, reshoot_counts = 20858.3
normalization = 0.434, reshoot_counts*normalization = 9046.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9006.6, reshoot_counts = 20597.2
normalization = 0.434, reshoot_counts*normalization = 8933.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12838.1, reshoot_counts = 29599.5
normalization = 0.434, reshoot_counts*normalization = 12838.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14154.0, reshoot_counts = 32555.6
normalization = 0.434, reshoot_counts*normalization = 14120.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18526.3, reshoot_counts = 43059.6
normalization = 0.434, reshoot_counts*normalization = 18676.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23819.9, reshoot_counts = 55054.7
normalization = 0.434, reshoot_counts*normalization = 23878.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 216407.8, reshoot_counts = 498091.5
normalization = 0.434, reshoot_counts*normalization = 216034.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^6
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6



original_key=Phi_wide_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 918990.3, reshoot_counts = 2120059.7
normalization = 0.434, reshoot_counts*normalization = 919522.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^7
2 × 10^7
10^7
6 × 10^6
0
1
2
3
4
5
6



original_key=Phi_wide_100_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 268.3, reshoot_counts = 931.7
normalization = 0.434, reshoot_counts*normalization = 404.1
original average = 3.19 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23359.8, reshoot_counts = 62061.6
normalization = 0.434, reshoot_counts*normalization = 26917.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_mu-___reshoot_key=Phi_1_mu-
original counts = 97.8, reshoot_counts = 378.1
normalization = 0.434, reshoot_counts*normalization = 164.0
original average = 3.11 Phi [rad], reshoot average = 3.13 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
4×10^3
3×10^3
2×10^3
10^3
6×10^2
4×10^2
3×10^2
2×10^2
0
1
2
3
4
5
6



original_key=Phi_wide_100_mu+___reshoot_key=Phi_1_mu+
original counts = 63.9, reshoot counts = 247.6
normalization = 0.434, reshoot_counts*normalization = 107.4
original average = 3.12 Phi [rad], reshoot average = 3.18 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_wide_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3080.1, reshoot_counts = 6950.4
normalization = 0.434, reshoot_counts*normalization = 3014.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2507.9, reshoot_counts = 5877.8
normalization = 0.434, reshoot_counts*normalization = 2549.3
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Ekin_wide_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18696866.0, reshoot_counts = 43130999.0
normalization = 0.434, reshoot_counts*normalization = 18706981.1
original average = 841.12 Ek [MeV/u], reshoot average = 841.21 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17570758.0, reshoot_counts = 40520516.0
normalization = 0.434, reshoot_counts*normalization = 17574750.1
original average = 828.28 Ek [MeV/u], reshoot average = 828.25 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6319438.5, reshoot_counts = 14568852.0
normalization = 0.434, reshoot_counts*normalization = 6318871.5
original average = 823.66 Ek [MeV/u], reshoot average = 823.72 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 286815.5, reshoot_counts = 661628.5
normalization = 0.434, reshoot_counts*normalization = 286964.6
original average = 812.76 Ek [MeV/u], reshoot average = 812.98 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 114494.5, reshoot_counts = 264199.5
normalization = 0.434, reshoot_counts*normalization = 114589.9
original average = 798.92 Ek [MeV/u], reshoot average = 799.22 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 190362.0, reshoot_counts = 438587.0
normalization = 0.434, reshoot_counts*normalization = 190226.0
original average = 775.57 Ek [MeV/u], reshoot average = 775.75 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 466664.0, reshoot_counts = 1077079.5
normalization = 0.434, reshoot_counts*normalization = 467156.0
original average = 762.73 Ek [MeV/u], reshoot average = 762.70 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 306359.5, reshoot_counts = 706123.0
normalization = 0.434, reshoot_counts*normalization = 306263.0
original average = 760.99 Ek [MeV/u], reshoot average = 761.03 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 159275.5, reshoot_counts = 367375.5
normalization = 0.434, reshoot_counts*normalization = 159339.8
original average = 769.96 Ek [MeV/u], reshoot average = 770.08 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91541.0, reshoot_counts = 211283.0
normalization = 0.434, reshoot_counts*normalization = 91638.7
original average = 770.90 Ek [MeV/u], reshoot average = 771.09 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 184214.0, reshoot_counts = 424182.0
normalization = 0.434, reshoot_counts*normalization = 183978.2
original average = 768.78 Ek [MeV/u], reshoot average = 768.79 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 194559.0, reshoot_counts = 449155.0
normalization = 0.434, reshoot_counts*normalization = 194809.6
original average = 768.13 Ek [MeV/u], reshoot average = 768.05 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 253485.0, reshoot_counts = 583183.0
normalization = 0.434, reshoot_counts*normalization = 252940.9
original average = 767.34 Ek [MeV/u], reshoot average = 767.35 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 228103.0, reshoot_counts = 526558.0
normalization = 0.434, reshoot_counts*normalization = 228381.2
original average = 768.27 Ek [MeV/u], reshoot average = 768.30 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 370917.0, reshoot_counts = 853735.0
normalization = 0.434, reshoot_counts*normalization = 370286.0
original average = 767.68 Ek [MeV/u], reshoot average = 767.62 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 286635.0, reshoot_counts = 659890.0
normalization = 0.434, reshoot_counts*normalization = 286210.6
original average = 768.68 Ek [MeV/u], reshoot average = 768.74 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 307199.5, reshoot_counts = 708589.0
normalization = 0.434, reshoot_counts*normalization = 307332.6
original average = 767.32 Ek [MeV/u], reshoot average = 767.37 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 304891.0, reshoot_counts = 702770.5
normalization = 0.434, reshoot_counts*normalization = 304808.9
original average = 767.58 Ek [MeV/u], reshoot average = 767.60 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 309325.0, reshoot_counts = 712178.0
normalization = 0.434, reshoot_counts*normalization = 308889.2
original average = 764.97 Ek [MeV/u], reshoot average = 764.85 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 322391.0, reshoot_counts = 743689.0
normalization = 0.434, reshoot_counts*normalization = 322556.3
original average = 764.48 Ek [MeV/u], reshoot average = 764.49 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 399097.0, reshoot_counts = 920409.0
normalization = 0.434, reshoot_counts*normalization = 399204.2
original average = 763.13 Ek [MeV/u], reshoot average = 763.10 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 391530.0, reshoot_counts = 900932.0
normalization = 0.434, reshoot_counts*normalization = 390756.5
original average = 763.30 Ek [MeV/u], reshoot average = 763.28 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 560268.0, reshoot_counts = 1291736.5
normalization = 0.434, reshoot_counts*normalization = 560258.1
original average = 761.15 Ek [MeV/u], reshoot average = 761.13 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 618786.0, reshoot_counts = 1426373.0
normalization = 0.434, reshoot_counts*normalization = 618653.3
original average = 761.66 Ek [MeV/u], reshoot average = 761.72 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 811907.0, reshoot_counts = 1873040.5
normalization = 0.434, reshoot_counts*normalization = 812384.0
original average = 760.69 Ek [MeV/u], reshoot average = 760.61 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1043795.0, reshoot_counts = 2408084.0
normalization = 0.434, reshoot_counts*normalization = 1044445.6
original average = 761.93 Ek [MeV/u], reshoot average = 761.96 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9435518.0, reshoot_counts = 21752929.5
normalization = 0.434, reshoot_counts*normalization = 9434783.6
original average = 803.94 Ek [MeV/u], reshoot average = 803.95 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3229216.7, reshoot_counts = 84251611.0
normalization = 0.434, reshoot_counts*normalization = 36542007.7
original average = 0.53 Ek [MeV/u], reshoot average = 0.96 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 546.7, reshoot_counts = 40361.0
normalization = 0.434, reshoot_counts*normalization = 17505.6
original average = 40.12 Ek [MeV/u], reshoot average = 40.50 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76951.8, reshoot_counts = 2610373.0
normalization = 0.434, reshoot_counts*normalization = 1132183.3
original average = 5.20 Ek [MeV/u], reshoot average = 7.91 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^6
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 92.9, reshoot_counts = 17188.5
normalization = 0.434, reshoot_counts*normalization = 7455.1
original average = 55.66 Ek [MeV/u], reshoot average = 55.96 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.1, reshoot_counts = 12181.0
normalization = 0.434, reshoot_counts*normalization = 5283.2
original average = 43.37 Ek [MeV/u], reshoot average = 43.27 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 261540.2, reshoot_counts = 308885.0
normalization = 0.434, reshoot_counts*normalization = 133971.1
original average = 399.99 Ek [MeV/u], reshoot average = 399.80 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 219526.5, reshoot_counts = 258123.0
normalization = 0.434, reshoot_counts*normalization = 111954.3
original average = 489.75 Ek [MeV/u], reshoot average = 489.61 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=X_wide_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4719991.5, reshoot_counts = 10783124.2
normalization = 0.434, reshoot_counts*normalization = 4676907.7
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4439978.9, reshoot_counts = 10130201.0
normalization = 0.434, reshoot_counts*normalization = 4393718.8
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1591984.6, reshoot_counts = 3642371.2
normalization = 0.434, reshoot_counts*normalization = 1579786.5
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
2×10^5
10^5
6×10^4
4×10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72180.9, reshoot_counts = 165417.5
normalization = 0.434, reshoot_counts*normalization = 71745.7
original average = 0.14 x pos [mm], reshoot average = 0.05 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28823.6, reshoot_counts = 66055.8
normalization = 0.434, reshoot_counts*normalization = 28650.0
original average = -0.04 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_wide_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47916.5, reshoot_counts = 109653.5
normalization = 0.434, reshoot_counts*normalization = 47559.4
original average = 0.02 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_wide_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 117434.2, reshoot_counts = 269285.5
normalization = 0.434, reshoot_counts*normalization = 116795.8
original average = 0.06 x pos [mm], reshoot average = -0.04 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77048.8, reshoot_counts = 176535.0
normalization = 0.434, reshoot_counts*normalization = 76567.6
original average = -0.03 x pos [mm], reshoot average = -0.21 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_wide_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40061.2, reshoot_counts = 91845.5
normalization = 0.434, reshoot_counts*normalization = 39835.7
original average = 0.02 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
4×10^3
3×10^3
2×10^3
10^3
6×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23002.6, reshoot_counts = 52820.8
normalization = 0.434, reshoot_counts*normalization = 22909.7
original average = 0.03 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=X_wide_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46305.4, reshoot_counts = 106045.5
normalization = 0.434, reshoot_counts*normalization = 45994.6
original average = 0.00 x pos [mm], reshoot average = -0.16 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_wide_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48886.5, reshoot_counts = 112289.0
normalization = 0.434, reshoot_counts*normalization = 48702.5
original average = 0.01 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_wide_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63661.1, reshoot_counts = 145795.8
normalization = 0.434, reshoot_counts*normalization = 63235.2
original average = -0.06 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
x pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=X_wide_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57269.1, reshoot_counts = 131639.5
normalization = 0.434, reshoot_counts*normalization = 57095.3
original average = -0.07 x pos [mm], reshoot average = -0.21 x pos [
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_wide_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93097.4, reshoot_counts = 213433.8
normalization = 0.434, reshoot_counts*normalization = 92571.5
original average = 0.04 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71932.0, reshoot_counts = 164972.5
normalization = 0.434, reshoot_counts*normalization = 71552.7
original average = 0.01 x pos [mm], reshoot average = -0.10 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77078.8, reshoot_counts = 177147.2
normalization = 0.434, reshoot_counts*normalization = 76833.1
original average = -0.00 x pos [mm], reshoot average = -0.08 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76479.6, reshoot_counts = 175692.8
normalization = 0.434, reshoot_counts*normalization = 76202.3
original average = -0.08 x pos [mm], reshoot average = -0.19 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77557.6, reshoot_counts = 178044.5
normalization = 0.434, reshoot_counts*normalization = 77222.3
original average = 0.01 x pos [mm], reshoot average = -0.16 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80805.1, reshoot_counts = 185922.2
normalization = 0.434, reshoot_counts*normalization = 80639.1
original average = -0.03 x pos [mm], reshoot average = -0.14 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99982.6, reshoot_counts = 230102.2
normalization = 0.434, reshoot_counts*normalization = 99801.0
original average = -0.04 x pos [mm], reshoot average = -0.20 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98055.0, reshoot_counts = 225233.2
normalization = 0.434, reshoot_counts*normalization = 97689.2
original average = -0.03 x pos [mm], reshoot average = -0.18 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 140244.1, reshoot_counts = 322934.2
normalization = 0.434, reshoot_counts*normalization = 140064.6
original average = 0.03 x pos [mm], reshoot average = -0.08 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 154856.1, reshoot_counts = 356593.2
normalization = 0.434, reshoot_counts*normalization = 154663.3
original average = 0.06 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^4
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 203115.0, reshoot_counts = 468260.2
normalization = 0.434, reshoot_counts*normalization = 203096.1
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 261037.9, reshoot_counts = 602021.0
normalization = 0.434, reshoot_counts*normalization = 261111.4
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2358912.1, reshoot_counts = 5438233.0
normalization = 0.434, reshoot_counts*normalization = 2358696.2
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8295964.1, reshoot_counts = 23186309.0
normalization = 0.434, reshoot_counts*normalization = 10056475.7
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
2×10^6
10^6
6×10^5
4×10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2235.5, reshoot_counts = 10177.5
normalization = 0.434, reshoot_counts*normalization = 4414.2
original average = 0.06 x pos [mm], reshoot average = -0.11 x pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 198123.0, reshoot_counts = 682728.8
normalization = 0.434, reshoot_counts*normalization = 296116.3
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
6×10^4
4×10^4
3×10^4
2×10^4
10^4
−400
−200
0
200
400



original_key=X_wide_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 794.5, reshoot_counts = 4300.0
normalization = 0.434, reshoot_counts*normalization = 1865.0
original average = 0.62 x pos [mm], reshoot average = 0.47 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
−400
−200
0
200
400



original_key=X_wide_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 542.9, reshoot_counts = 3062.5
normalization = 0.434, reshoot_counts*normalization = 1328.3
original average = -0.11 x pos [mm], reshoot average = 0.13 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25835.9, reshoot_counts = 77221.5
normalization = 0.434, reshoot_counts*normalization = 33492.9
original average = -0.02 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21642.4, reshoot_counts = 64530.8
normalization = 0.434, reshoot_counts*normalization = 27988.6
original average = 0.04 x pos [mm], reshoot average = -0.14 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4720097.0, reshoot_counts = 10783124.2
normalization = 0.434, reshoot_counts*normalization = 4676907.7
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400



original_key=Y_wide_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4439661.0, reshoot_counts = 10130201.0
normalization = 0.434, reshoot_counts*normalization = 4393718.8
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1592128.1, reshoot_counts = 3642371.2
normalization = 0.434, reshoot_counts*normalization = 1579786.5
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
y pos [mm]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
−400
−200
0
200
400



original_key=Y_wide_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72224.1, reshoot_counts = 165417.5
normalization = 0.434, reshoot_counts*normalization = 71745.7
original average = -0.11 y pos [mm], reshoot average = -0.23 y pos [
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_wide_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28815.6, reshoot_counts = 66055.8
normalization = 0.434, reshoot_counts*normalization = 28650.0
original average = 0.08 y pos [mm], reshoot average = -0.08 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_wide_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47920.6, reshoot_counts = 109653.5
normalization = 0.434, reshoot_counts*normalization = 47559.4
original average = -0.09 y pos [mm], reshoot average = -0.28 y pos [
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 117400.5, reshoot_counts = 269285.5
normalization = 0.434, reshoot_counts*normalization = 116795.8
original average = 0.04 y pos [mm], reshoot average = -0.07 y pos [m
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77066.1, reshoot_counts = 176535.0
normalization = 0.434, reshoot_counts*normalization = 76567.6
original average = -0.06 y pos [mm], reshoot average = -0.20 y pos [
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_wide_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40038.0, reshoot_counts = 91845.5
normalization = 0.434, reshoot_counts*normalization = 39835.7
original average = 0.02 y pos [mm], reshoot average = -0.21 y pos [m
counts [1/mm]
y pos [mm]
4×10^3
3×10^3
2×10^3
10^3
6×10^2
−400
−200
0
200
400



original_key=Y_wide_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23021.4, reshoot_counts = 52820.8
normalization = 0.434, reshoot_counts*normalization = 22909.7
original average = -0.09 y pos [mm], reshoot average = -0.25 y pos [
counts [1/mm]
y pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=Y_wide_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46291.6, reshoot_counts = 106045.5
normalization = 0.434, reshoot_counts*normalization = 45994.6
original average = 0.04 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48894.0, reshoot_counts = 112289.0
normalization = 0.434, reshoot_counts*normalization = 48702.5
original average = -0.07 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63660.4, reshoot_counts = 145795.8
normalization = 0.434, reshoot_counts*normalization = 63235.2
original average = 0.01 y pos [mm], reshoot average = -0.02 y pos [m
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57278.5, reshoot_counts = 131639.5
normalization = 0.434, reshoot_counts*normalization = 57095.3
original average = -0.06 y pos [mm], reshoot average = -0.24 y pos [
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93108.5, reshoot_counts = 213433.8
normalization = 0.434, reshoot_counts*normalization = 92571.5
original average = 0.03 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_wide_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71936.8, reshoot_counts = 164972.5
normalization = 0.434, reshoot_counts*normalization = 71552.7
original average = 0.06 y pos [mm], reshoot average = -0.06 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77078.1, reshoot_counts = 177147.2
normalization = 0.434, reshoot_counts*normalization = 76833.1
original average = -0.06 y pos [mm], reshoot average = -0.17 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76472.5, reshoot_counts = 175692.8
normalization = 0.434, reshoot_counts*normalization = 76202.3
original average = 0.01 y pos [mm], reshoot average = -0.14 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77567.9, reshoot_counts = 178044.5
normalization = 0.434, reshoot_counts*normalization = 77222.3
original average = 0.08 y pos [mm], reshoot average = -0.10 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80783.2, reshoot_counts = 185922.2
normalization = 0.434, reshoot_counts*normalization = 80639.1
original average = -0.04 y pos [mm], reshoot average = -0.19 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99970.6, reshoot_counts = 230102.2
normalization = 0.434, reshoot_counts*normalization = 99801.0
original average = -0.04 y pos [mm], reshoot average = -0.17 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98048.9, reshoot_counts = 225233.2
normalization = 0.434, reshoot_counts*normalization = 97689.2
original average = 0.00 y pos [mm], reshoot average = -0.10 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 140235.8, reshoot_counts = 322934.2
normalization = 0.434, reshoot_counts*normalization = 140064.6
original average = -0.05 y pos [mm], reshoot average = -0.17 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 154848.5, reshoot_counts = 356593.2
normalization = 0.434, reshoot_counts*normalization = 154663.3
original average = -0.01 y pos [mm], reshoot average = -0.17 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 203117.2, reshoot_counts = 468260.2
rmalization = 0.434, reshoot_counts*normalization = 203096.1
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [r
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 261040.1, reshoot_counts = 602021.0
normalization = 0.434, reshoot_counts*normalization = 261111.4
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2358909.1, reshoot_counts = 5438233.0
normalization = 0.434, reshoot_counts*normalization = 2358696.2
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10155311.1, reshoot_counts = 23186309.0
normalization = 0.434, reshoot_counts*normalization = 10056475.7
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
10^6
6×10^5
4×10^5
3×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2932.8, reshoot_counts = 10177.5
normalization = 0.434, reshoot_counts*normalization = 4414.2
original average = -0.42 y pos [mm], reshoot average = -0.56 y pos [
counts [1/mm]
y pos [mm]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
6×10^1
−400
−200
0
200
400


original_key=Y_wide_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 261910.4, reshoot_counts = 682728.8
normalization = 0.434, reshoot_counts*normalization = 296116.3
original average = 0.00 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
−400
−200
0
200
400


original_key=Y_wide_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1051.1, reshoot_counts = 4300.0
normalization = 0.434, reshoot_counts*normalization = 1865.0
original average = 0.70 y pos [mm], reshoot average = 0.84 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 733.1, reshoot_counts = 3062.5
normalization = 0.434, reshoot_counts*normalization = 1328.3
original average = 0.23 y pos [mm], reshoot average = -0.11 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33930.6, reshoot_counts = 77221.5
normalization = 0.434, reshoot_counts*normalization = 33492.9
original average = -0.09 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400


original_key=Y_wide_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28460.8, reshoot_counts = 64530.8
normalization = 0.434, reshoot_counts*normalization = 27988.6
original average = -0.12 y pos [mm], reshoot average = -0.30 y pos [
counts [1/mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
y pos [mm]