






original_key=Theta_wide_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1685417.1, reshoot_counts = 142180.9
normalization = 0.243, reshoot_counts*normalization = 34566.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1061798.5, reshoot_counts = 105930.4
normalization = 0.243, reshoot_counts*normalization = 25753.1
original average = 0.04 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 656861.5, reshoot_counts = 51378.8
normalization = 0.243, reshoot_counts*normalization = 12490.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41775.4, reshoot_counts = 2956.3
normalization = 0.243, reshoot_counts*normalization = 718.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18038.9, reshoot_counts = 1240.2
normalization = 0.243, reshoot_counts*normalization = 301.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29580.9, reshoot_counts = 2041.6
normalization = 0.243, reshoot_counts*normalization = 496.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77743.7, reshoot_counts = 5285.5
normalization = 0.243, reshoot_counts*normalization = 1285.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 56550.3, reshoot_counts = 3742.1
normalization = 0.243, reshoot_counts*normalization = 909.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31745.6, reshoot_counts = 2039.1
normalization = 0.243, reshoot_counts*normalization = 495.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18915.4, reshoot_counts = 1205.7
normalization = 0.243, reshoot_counts*normalization = 293.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40273.3, reshoot_counts = 2545.7
normalization = 0.243, reshoot_counts*normalization = 618.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44727.3, reshoot_counts = 2772.8
normalization = 0.243, reshoot_counts*normalization = 674.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 62803.5, reshoot_counts = 3793.1
normalization = 0.243, reshoot_counts*normalization = 922.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 62278.2, reshoot_counts = 3646.1
normalization = 0.243, reshoot_counts*normalization = 886.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115013.1, reshoot_counts = 6333.8
normalization = 0.243, reshoot_counts*normalization = 1539.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 101370.6, reshoot_counts = 5289.9
normalization = 0.243, reshoot_counts*normalization = 1286.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 123235.3, reshoot_counts = 6085.1
normalization = 0.243, reshoot_counts*normalization = 1479.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 137400.4, reshoot_counts = 6442.8
normalization = 0.243, reshoot_counts*normalization = 1566.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 153274.8, reshoot_counts = 6914.1
normalization = 0.243, reshoot_counts*normalization = 1680.9
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 176112.4, reshoot_counts = 7647.8
normalization = 0.243, reshoot_counts*normalization = 1859.3
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 237828.9, reshoot_counts = 9973.3
normalization = 0.243, reshoot_counts*normalization = 2424.6
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 256149.5, reshoot_counts = 10378.3
normalization = 0.243, reshoot_counts*normalization = 2523.1
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 394834.7, reshoot_counts = 15513.1
normalization = 0.243, reshoot_counts*normalization = 3771.4
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 474585.3, reshoot_counts = 18083.9
normalization = 0.243, reshoot_counts*normalization = 4396.4
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 671124.7, reshoot_counts = 24942.7
normalization = 0.243, reshoot_counts*normalization = 6063.9
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 935775.6, reshoot_counts = 34051.4
normalization = 0.243, reshoot_counts*normalization = 8278.3
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9225126.3, reshoot_counts = 331089.5
normalization = 0.243, reshoot_counts*normalization = 80492.3
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 628671.5, reshoot_counts = 2529524.6
normalization = 0.243, reshoot_counts*normalization = 614961.1
original average = 0.80 Theta [rad], reshoot average = 0.79 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 448.0, reshoot_counts = 86.9
normalization = 0.243, reshoot_counts*normalization = 21.1
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46472.2, reshoot_counts = 8734.6
normalization = 0.243, reshoot_counts*normalization = 2123.5
original average = 0.17 Theta [rad], reshoot average = 0.17 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 232.2, reshoot_counts = 123.9
normalization = 0.243, reshoot_counts*normalization = 30.1
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 170.5, reshoot_counts = 81.5
normalization = 0.243, reshoot_counts*normalization = 19.8
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5771.4, reshoot_counts = 1285.0
normalization = 0.243, reshoot_counts*normalization = 312.4
original average = 0.20 Theta [rad], reshoot average = 0.20 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4751.5, reshoot_counts = 1065.5
normalization = 0.243, reshoot_counts*normalization = 259.0
original average = 0.21 Theta [rad], reshoot average = 0.21 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_wide_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80016.7, reshoot_counts = 328099.1
normalization = 0.243, reshoot_counts*normalization = 79765.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 56399.6, reshoot_counts = 231724.8
normalization = 0.243, reshoot_counts*normalization = 56335.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30363.6, reshoot_counts = 125122.9
normalization = 0.243, reshoot_counts*normalization = 30419.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1830.8, reshoot_counts = 7328.6
normalization = 0.243, reshoot_counts*normalization = 1781.7
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^5
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 756.8, reshoot_counts = 3160.9
normalization = 0.243, reshoot_counts*normalization = 768.5
original average = 3.16 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1216.5, reshoot_counts = 5091.8
normalization = 0.243, reshoot_counts*normalization = 1237.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3226.8, reshoot_counts = 13167.4
normalization = 0.243, reshoot_counts*normalization = 3201.2
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2275.0, reshoot_counts = 9400.6
normalization = 0.243, reshoot_counts*normalization = 2285.4
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1256.6, reshoot_counts = 5312.3
normalization = 0.243, reshoot_counts*normalization = 1291.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 752.6, reshoot_counts = 3065.3
normalization = 0.243, reshoot_counts*normalization = 745.2
original average = 3.16 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1599.8, reshoot_counts = 6628.3
normalization = 0.243, reshoot_counts*normalization = 1611.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1702.1, reshoot_counts = 7017.4
normalization = 0.243, reshoot_counts*normalization = 1706.0
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
10^5
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2383.2, reshoot_counts = 9651.6
normalization = 0.243, reshoot_counts*normalization = 2346.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2286.1, reshoot_counts = 9519.9
normalization = 0.243, reshoot_counts*normalization = 2314.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3988.4, reshoot_counts = 16372.3
normalization = 0.243, reshoot_counts*normalization = 3980.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3370.9, reshoot_counts = 13690.6
normalization = 0.243, reshoot_counts*normalization = 3328.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3874.0, reshoot_counts = 15804.4
normalization = 0.243, reshoot_counts*normalization = 3842.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4104.2, reshoot_counts = 16779.9
normalization = 0.243, reshoot_counts*normalization = 4079.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4411.8, reshoot_counts = 18102.6
normalization = 0.243, reshoot_counts*normalization = 4401.0
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4854.1, reshoot_counts = 19861.1
normalization = 0.243, reshoot_counts*normalization = 4828.5
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6298.6, reshoot_counts = 25832.2
normalization = 0.243, reshoot_counts*normalization = 6280.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6609.6, reshoot_counts = 26901.5
normalization = 0.243, reshoot_counts*normalization = 6540.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9887.6, reshoot_counts = 40758.1
normalization = 0.243, reshoot_counts*normalization = 9908.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11615.1, reshoot_counts = 47117.4
normalization = 0.243, reshoot_counts*normalization = 11454.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_wide_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15815.1, reshoot_counts = 65575.0
normalization = 0.243, reshoot_counts*normalization = 15942.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21549.7, reshoot_counts = 88662.0
normalization = 0.243, reshoot_counts*normalization = 21554.9
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 211049.3, reshoot_counts = 867468.6
normalization = 0.243, reshoot_counts*normalization = 210893.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 806197.8, reshoot_counts = 3316291.3
normalization = 0.243, reshoot_counts*normalization = 806234.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_e+___reshoot_key=Phi_1_e+
original counts = 23.8, reshoot_counts = 173.1
normalization = 0.243; reshoot_counts*normalization = 42.1
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^3
10^2
Phi [rad]
0
1
2
3
4
5
6
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_wide_2000_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3221.6, reshoot_counts = 15706.6
normalization = 0.243, reshoot_counts*normalization = 3818.5
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31.7, reshoot_counts = 217.6
normalization = 0.243, reshoot_counts*normalization = 52.9
original average = 3.22 Phi [rad], reshoot average = 3.19 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_mu+___reshoot_key=Phi_1_mu+
original counts = 18.8, reshoot counts = 184.1
normalization = 0.243, reshoot counts*normalization = 44.8
original average = 3.17 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_wide_2000_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 527.1, reshoot_counts = 2088.7
normalization = 0.243, reshoot_counts*normalization = 507.8
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 427.3, reshoot_counts = 1744.3
normalization = 0.243, reshoot_counts*normalization = 424.1
original average = 3.14 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^4
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Ekin_wide_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3518424.5, reshoot_counts = 14468468.5
normalization = 0.243, reshoot_counts*normalization = 3517477.2
original average = 843.19 Ek [MeV/u], reshoot average = 843.29 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2490907.5, reshoot_counts = 10247918.0
normalization = 0.243, reshoot_counts*normalization = 2491405.2
original average = 820.68 Ek [MeV/u], reshoot average = 820.68 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1342480.5, reshoot_counts = 5518606.0
normalization = 0.243, reshoot_counts*normalization = 1341646.6
original average = 823.42 Ek [MeV/u], reshoot average = 823.56 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78861.0, reshoot_counts = 324751.0
normalization = 0.243, reshoot_counts*normalization = 78951.3
original average = 814.32 Ek [MeV/u], reshoot average = 814.14 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33321.0, reshoot_counts = 136738.5
normalization = 0.243, reshoot_counts*normalization = 33242.9
original average = 802.31 Ek [MeV/u], reshoot average = 802.50 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54469.0, reshoot_counts = 224064.5
normalization = 0.243, reshoot_counts*normalization = 54473.1
original average = 778.68 Ek [MeV/u], reshoot average = 779.11 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 141624.5, reshoot_counts = 581870.5
normalization = 0.243, reshoot_counts*normalization = 141460.5
original average = 764.83 Ek [MeV/u], reshoot average = 764.60 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100890.0, reshoot_counts = 414734.5
normalization = 0.243, reshoot_counts*normalization = 100827.5
original average = 762.76 Ek [MeV/u], reshoot average = 762.77 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 55525.0, reshoot_counts = 228241.0
normalization = 0.243, reshoot_counts*normalization = 55488.4
original average = 771.79 Ek [MeV/u], reshoot average = 771.80 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32911.0, reshoot_counts = 135470.0
normalization = 0.243, reshoot_counts*normalization = 32934.6
original average = 772.68 Ek [MeV/u], reshoot average = 772.68 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69726.0, reshoot_counts = 286571.5
normalization = 0.243, reshoot_counts*normalization = 69669.3
original average = 770.43 Ek [MeV/u], reshoot average = 770.51 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76063.0, reshoot_counts = 312844.0
normalization = 0.243, reshoot_counts*normalization = 76056.5
original average = 769.78 Ek [MeV/u], reshoot average = 769.78 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104181.0, reshoot_counts = 428687.5
normalization = 0.243, reshoot_counts*normalization = 104219.6
original average = 769.39 Ek [MeV/u], reshoot average = 769.43 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100308.0, reshoot_counts = 413313.0
normalization = 0.243, reshoot_counts*normalization = 100481.9
original average = 770.24 Ek [MeV/u], reshoot average = 770.36 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 175130.0, reshoot_counts = 719542.5
normalization = 0.243, reshoot_counts*normalization = 174930.4
original average = 769.53 Ek [MeV/u], reshoot average = 769.75 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 146534.0, reshoot_counts = 602360.0
normalization = 0.243, reshoot_counts*normalization = 146441.7
original average = 770.42 Ek [MeV/u], reshoot average = 770.42 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 168921.0, reshoot_counts = 693872.0
normalization = 0.243, reshoot_counts*normalization = 168689.5
original average = 768.45 Ek [MeV/u], reshoot average = 768.48 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 179177.0, reshoot_counts = 735707.0
normalization = 0.243, reshoot_counts*normalization = 178860.2
original average = 768.41 Ek [MeV/u], reshoot average = 768.25 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 192694.0, reshoot_counts = 790482.0
normalization = 0.243, reshoot_counts*normalization = 192176.7
original average = 765.26 Ek [MeV/u], reshoot average = 765.20 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 212764.0, reshoot_counts = 874841.0
normalization = 0.243, reshoot_counts*normalization = 212685.5
original average = 764.03 Ek [MeV/u], reshoot average = 764.03 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 277873.0, reshoot_counts = 1141461.0
normalization = 0.243, reshoot_counts*normalization = 277504.4
original average = 762.10 Ek [MeV/u], reshoot average = 762.05 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 288850.0, reshoot_counts = 1188566.0
normalization = 0.243, reshoot_counts*normalization = 288956.2
original average = 761.72 Ek [MeV/u], reshoot average = 761.63 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 432588.0, reshoot_counts = 1777664.5
normalization = 0.243, reshoot_counts*normalization = 432173.9
original average = 759.02 Ek [MeV/u], reshoot average = 758.96 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 504333.0, reshoot_counts = 2072258.0
normalization = 0.243, reshoot_counts*normalization = 503793.5
original average = 759.02 Ek [MeV/u], reshoot average = 758.94 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 695589.0, reshoot_counts = 2858223.0
normalization = 0.243, reshoot_counts*normalization = 694872.0
original average = 757.56 Ek [MeV/u], reshoot average = 757.53 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 948897.0, reshoot_counts = 3901996.0
normalization = 0.243, reshoot_counts*normalization = 948627.2
original average = 758.16 Ek [MeV/u], reshoot average = 758.17 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9229817.0, reshoot_counts = 37940054.0
normalization = 0.243, reshoot_counts*normalization = 9223732.0
original average = 798.56 Ek [MeV/u], reshoot average = 798.58 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2833184.7, reshoot_counts = 132756197.5
normalization = 0.243, reshoot_counts*normalization = 32274798.4
original average = 0.51 Ek [MeV/u], reshoot average = 0.92 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.8, reshoot_counts = 7849.5
normalization = 0.243, reshoot_counts*normalization = 1908.3
original average = 43.55 Ek [MeV/u], reshoot average = 43.57 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10393.3, reshoot_counts = 661015.5
normalization = 0.243, reshoot_counts*normalization = 160701.7
original average = 6.18 Ek [MeV/u], reshoot average = 8.77 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.3, reshoot_counts = 9387.0
normalization = 0.243, reshoot_counts*normalization = 2282.1
original average = 60.92 Ek [MeV/u], reshoot average = 61.02 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 6632.0
normalization = 0.243, reshoot_counts*normalization = 1612.3
original average = 55.18 Ek [MeV/u], reshoot average = 55.45 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44802.8, reshoot_counts = 93322.0
normalization = 0.243, reshoot_counts*normalization = 22687.8
original average = 364.37 Ek [MeV/u], reshoot average = 365.51 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36683.6, reshoot_counts = 77583.0
normalization = 0.243, reshoot_counts*normalization = 18861.5
original average = 437.79 Ek [MeV/u], reshoot average = 437.53 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 890075.8, reshoot_counts = 3617207.5
normalization = 0.243, reshoot_counts*normalization = 879391.3
original average = -0.02 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
−400
−200
0
200
400



original_key=X_wide_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 630425.2, reshoot_counts = 2562015.8
normalization = 0.243, reshoot_counts*normalization = 622860.1
original average = -0.02 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
−400
−200
0
200
400



original_key=X_wide_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 339533.0, reshoot_counts = 1379757.5
normalization = 0.243, reshoot_counts*normalization = 335437.4
original average = -0.02 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
x pos [mm]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
−400
−200
0
200
400



original_key=X_wide_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19932.8, reshoot_counts = 81194.2
normalization = 0.243, reshoot_counts*normalization = 19739.4
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_wide_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8426.4, reshoot_counts = 34187.8
normalization = 0.243, reshoot_counts*normalization = 8311.5
original average = -0.46 x pos [mm], reshoot average = -0.51 x pos [
counts [1/mm]
x pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=X_wide_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13783.5, reshoot_counts = 56020.2
normalization = 0.243, reshoot_counts*normalization = 13619.3
original average = -0.04 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=X_wide_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35796.2, reshoot_counts = 145480.5
normalization = 0.243, reshoot_counts*normalization = 35368.2
original average = 0.06 x pos [mm], reshoot average = -0.03 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25495.6, reshoot_counts = 103688.0
normalization = 0.243, reshoot_counts*normalization = 25207.9
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_wide_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14031.5, reshoot_counts = 57061.8
normalization = 0.243, reshoot_counts*normalization = 13872.5
original average = 0.02 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=X_wide_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8311.1, reshoot_counts = 33867.5
normalization = 0.243, reshoot_counts*normalization = 8233.6
original average = -0.11 x pos [mm], reshoot average = -0.26 x pos [
counts [1/mm]
x pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_wide_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17630.2, reshoot_counts = 71643.2
normalization = 0.243, reshoot_counts*normalization = 17417.4
original average = 0.10 x pos [mm], reshoot average = 0.01 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_wide_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19194.5, reshoot_counts = 78211.0
normalization = 0.243, reshoot_counts*normalization = 19014.1
original average = 0.02 x pos [mm], reshoot average = -0.14 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_wide_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26312.5, reshoot_counts = 107172.0
normalization = 0.243, reshoot_counts*normalization = 26054.9
original average = -0.02 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_wide_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25305.1, reshoot_counts = 103328.2
normalization = 0.243, reshoot_counts*normalization = 25120.5
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_wide_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44199.1, reshoot_counts = 179885.8
normalization = 0.243, reshoot_counts*normalization = 43732.6
original average = -0.00 x pos [mm], reshoot average = -0.10 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_wide_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36960.0, reshoot_counts = 150590.0
normalization = 0.243, reshoot_counts*normalization = 36610.4
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=X_wide_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42609.6, reshoot_counts = 173468.0
normalization = 0.243, reshoot_counts*normalization = 42172.4
original average = 0.00 x pos [mm], reshoot average = -0.14 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45136.2, reshoot_counts = 183926.8
normalization = 0.243, reshoot_counts*normalization = 44715.0
original average = 0.02 x pos [mm], reshoot average = -0.15 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48524.6, reshoot_counts = 197620.5
normalization = 0.243, reshoot_counts*normalization = 48044.2
original average = 0.03 x pos [mm], reshoot average = -0.08 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53542.0, reshoot_counts = 218710.2
normalization = 0.243, reshoot_counts*normalization = 53171.4
original average = -0.02 x pos [mm], reshoot average = -0.12 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69949.0, reshoot_counts = 285365.2
normalization = 0.243, reshoot_counts*normalization = 69376.1
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72630.2, reshoot_counts = 297141.5
normalization = 0.243, reshoot_counts*normalization = 72239.1
original average = -0.09 x pos [mm], reshoot average = -0.22 x pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 108752.5, reshoot_counts = 444416.2
normalization = 0.243, reshoot_counts*normalization = 108043.5
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_wide_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 126667.9, reshoot_counts = 518064.5
normalization = 0.243, reshoot_counts*normalization = 125948.4
original average = 0.05 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_wide_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 174661.9, reshoot_counts = 714555.8
normalization = 0.243, reshoot_counts*normalization = 173718.0
original average = 0.01 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=X_wide_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 238031.6, reshoot_counts = 975499.5
normalization = 0.243, reshoot_counts*normalization = 237156.9
original average = -0.00 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_wide_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2308477.8, reshoot_counts = 9485015.0
normalization = 0.243, reshoot_counts*normalization = 2305933.4
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7253385.1, reshoot_counts = 36272331.2
normalization = 0.243, reshoot_counts*normalization = 8818286.5
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
−400
−200
0
200
400



original_key=X_wide_2000_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 245.0, reshoot_counts = 1963.8
normalization = 0.243, reshoot_counts*normalization = 477.4
original average = -0.42 x pos [mm], reshoot average = -0.42 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27864.6, reshoot_counts = 173876.2
normalization = 0.243, reshoot_counts*normalization = 42271.6
original average = -0.08 x pos [mm], reshoot average = -0.21 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_wide_2000_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 241.1, reshoot_counts = 2348.5
normalization = 0.243, reshoot_counts*normalization = 571.0
original average = 0.16 x pos [mm], reshoot average = 0.16 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 167.5, reshoot_counts = 1659.8
normalization = 0.243, reshoot_counts*normalization = 403.5
original average = 0.61 x pos [mm], reshoot average = 0.48 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4565.0, reshoot_counts = 23330.5
normalization = 0.243, reshoot_counts*normalization = 5672.0
original average = -0.21 x pos [mm], reshoot average = -0.31 x pos [
2×10^3
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3718.8, reshoot_counts = 19395.8
normalization = 0.243, reshoot_counts*normalization = 4715.4
original average = -0.28 x pos [mm], reshoot average = -0.50 x pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 890182.1, reshoot_counts = 3617207.5
normalization = 0.243, reshoot_counts*normalization = 879391.3
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
y pos [mm]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
−400
−200
0
200
400



original_key=Y_wide_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 630527.8, reshoot_counts = 2562015.8
normalization = 0.243, reshoot_counts*normalization = 622860.1
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
2×10^5
10^5
6×10^4
4×10^4
3×10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 339598.6, reshoot_counts = 1379757.5
normalization = 0.243, reshoot_counts*normalization = 335437.4
original average = -0.05 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
y pos [mm]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
−400
−200
0
200
400



original_key=Y_wide_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19960.9, reshoot_counts = 81194.2
normalization = 0.243, reshoot_counts*normalization = 19739.4
original average = 0.06 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
6×10^2
−400
−200
0
200
400



original_key=Y_wide_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8443.6, reshoot_counts = 34187.8
normalization = 0.243, reshoot_counts*normalization = 8311.5
original average = -0.10 y pos [mm], reshoot average = -0.08 y pos [
2×10^3
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13772.4, reshoot_counts = 56020.2
normalization = 0.243, reshoot_counts*normalization = 13619.3
original average = 0.04 y pos [mm], reshoot average = -0.07 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=Y_wide_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35785.1, reshoot_counts = 145480.5
normalization = 0.243, reshoot_counts*normalization = 35368.2
original average = -0.05 y pos [mm], reshoot average = -0.23 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25470.2, reshoot_counts = 103688.0
normalization = 0.243, reshoot_counts*normalization = 25207.9
original average = -0.08 y pos [mm], reshoot average = -0.23 y pos [
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14039.2, reshoot_counts = 57061.8
normalization = 0.243, reshoot_counts*normalization = 13872.5
original average = 0.05 y pos [mm], reshoot average = -0.02 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=Y_wide_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8322.0, reshoot_counts = 33867.5
normalization = 0.243, reshoot_counts*normalization = 8233.6
original average = -0.14 y pos [mm], reshoot average = -0.23 y pos [
counts [1/mm]
y pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_wide_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17619.6, reshoot_counts = 71643.2
normalization = 0.243, reshoot_counts*normalization = 17417.4
original average = 0.11 y pos [mm], reshoot average = -0.05 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_wide_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19223.0, reshoot_counts = 78211.0
normalization = 0.243, reshoot_counts*normalization = 19014.1
original average = 0.03 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_wide_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26331.6, reshoot_counts = 107172.0
normalization = 0.243, reshoot_counts*normalization = 26054.9
original average = 0.02 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25318.1, reshoot_counts = 103328.2
normalization = 0.243, reshoot_counts*normalization = 25120.5
original average = 0.01 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44190.4, reshoot_counts = 179885.8
normalization = 0.243, reshoot_counts*normalization = 43732.6
original average = 0.03 y pos [mm], reshoot average = -0.08 y pos [m
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_wide_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36966.1, reshoot_counts = 150590.0
normalization = 0.243, reshoot_counts*normalization = 36610.4
original average = 0.09 y pos [mm], reshoot average = -0.05 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42603.1, reshoot_counts = 173468.0
normalization = 0.243, reshoot_counts*normalization = 42172.4
original average = -0.08 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45121.2, reshoot_counts = 183926.8
normalization = 0.243, reshoot_counts*normalization = 44715.0
original average = -0.07 y pos [mm], reshoot average = -0.26 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48577.2, reshoot_counts = 197620.5
normalization = 0.243, reshoot_counts*normalization = 48044.2
original average = 0.03 y pos [mm], reshoot average = -0.11 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53557.1, reshoot_counts = 218710.2
normalization = 0.243, reshoot_counts*normalization = 53171.4
original average = -0.03 y pos [mm], reshoot average = -0.13 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69913.9, reshoot_counts = 285365.2
normalization = 0.243, reshoot_counts*normalization = 69376.1
original average = -0.07 y pos [mm], reshoot average = -0.17 y pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72624.0, reshoot_counts = 297141.5
normalization = 0.243, reshoot_counts*normalization = 72239.1
original average = 0.04 y pos [mm], reshoot average = -0.07 y pos [m
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 108760.0, reshoot_counts = 444416.2
normalization = 0.243, reshoot_counts*normalization = 108043.5
original average = -0.06 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_wide_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 126712.8, reshoot_counts = 518064.5
normalization = 0.243, reshoot_counts*normalization = 125948.4
original average = -0.02 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_wide_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 174659.5, reshoot_counts = 714555.8
normalization = 0.243, reshoot_counts*normalization = 173718.0
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_wide_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 237993.0, reshoot_counts = 975499.5
normalization = 0.243, reshoot_counts*normalization = 237156.9
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_wide_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2308425.1, reshoot_counts = 9485015.0
normalization = 0.243, reshoot_counts*normalization = 2305933.4
original average = 0.00 y pos [mm], reshoot average = -0.13 y pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8916711.9, reshoot_counts = 36272331.2
normalization = 0.243, reshoot_counts*normalization = 8818286.5
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
y pos [mm]
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400



original_key=Y_wide_2000_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 320.0, reshoot_counts = 1963.8
normalization = 0.243, reshoot_counts*normalization = 477.4
original average = -0.55 y pos [mm], reshoot average = -0.59 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36186.9, reshoot_counts = 173876.2
normalization = 0.243, reshoot_counts*normalization = 42271.6
original average = -0.02 y pos [mm], reshoot average = -0.13 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 319.1, reshoot_counts = 2348.5
normalization = 0.243, reshoot_counts*normalization = 571.0
original average = -0.84 y pos [mm], reshoot average = -0.96 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 219.4, reshoot_counts = 1659.8
normalization = 0.243, reshoot_counts*normalization = 403.5
original average = 0.02 y pos [mm], reshoot average = -0.23 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5793.5, reshoot_counts = 23330.5
normalization = 0.243, reshoot_counts*normalization = 5672.0
original average = -0.12 y pos [mm], reshoot average = -0.38 y pos [
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4755.0, reshoot_counts = 19395.8
normalization = 0.243, reshoot_counts*normalization = 4715.4
original average = 0.40 y pos [mm], reshoot average = 0.34 y pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]