






original_key=Theta_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 690692.0, reshoot_counts = 1329994.0
normalization = 0.519, reshoot_counts*normalization = 690204.6
original average = 0.01 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
7×10^7
6×10^7
5×10^7
4×10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8571.8, reshoot_counts = 946306.0
normalization = 0.519, reshoot_counts*normalization = 491088.5
original average = 1.00 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
5 × 10^7
4 × 10^7
3 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4498.7, reshoot_counts = 497153.0
normalization = 0.519, reshoot_counts*normalization = 257999.1
original average = 2.00 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
Theta [rad]
2.8 × 10^7
2.6 × 10^7
2.4 × 10^7
2.2 × 10^7
2 × 10^7
1.8 × 10^7
1.6 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_3___reshoot_key=Theta_1_3
original counts = 261.7, reshoot_counts = 28878.0
normalization = 0.519, reshoot_counts*normalization = 14986.3
original average = 2.99 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
10^6
9×10^5
output PS * normalization
output PS
input PS
original average
reshoot average
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 11231.0
normalization = 0.519, reshoot_counts*normalization = 5828.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
6×10^5
5×10^5
4×10^5
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 14054.0
normalization = 0.519, reshoot_counts*normalization = 7293.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
8 × 10^5
7 × 10^5
6 × 10^5
5 × 10^5
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 36492.0
normalization = 0.519, reshoot_counts*normalization = 18937.6
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
2 × 10^6
1.8 × 10^6
1.6 × 10^6
1.4 × 10^6
1.2 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 30194.0
normalization = 0.519, reshoot_counts*normalization = 15669.3
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
10^6
9×10^5
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 20773.0
normalization = 0.519, reshoot_counts*normalization = 10780.2
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
10^6
9×10^5
8×10^5
7×10^5
6×10^5
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 12323.0
normalization = 0.519, reshoot_counts*normalization = 6395.1
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
7 × 10^5
6 × 10^5
5 × 10^5
4 × 10^5
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 27427.0
normalization = 0.519, reshoot_counts*normalization = 14233.3
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
10^6
9×10^5
8×10^5
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 29945.0
normalization = 0.519, reshoot_counts*normalization = 15540.1
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
10^6
9×10^5
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 38193.0
normalization = 0.519, reshoot_counts*normalization = 19820.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
2.2 × 10^6
2 × 10^6
1.8 × 10^6
1.6 × 10^6
1.4 × 10^6
1.2 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 33625.0
normalization = 0.519, reshoot_counts*normalization = 17449.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad]
counts [1/rad]
1.8×10^6
1.6×10^6
1.4×10^6
1.2×10^6
10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 53999.0
normalization = 0.519, reshoot_counts*normalization = 28023.0
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
3×10^6
2×10^6
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 41634.0
normalization = 0.519, reshoot_counts*normalization = 21606.1
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
2.4 × 10^6
2.2 × 10^6
2 × 10^6
1.8 × 10^6
1.6 × 10^6
1.4 × 10^6
1.2 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 45704.0
normalization = 0.519, reshoot_counts*normalization = 23718.2
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
2.6 × 10^6
2.4 × 10^6
2.2 × 10^6
2 × 10^6
1.8 × 10^6
1.6 × 10^6
1.4 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 51418.0
normalization = 0.519, reshoot_counts*normalization = 26683.5
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
3 × 10^6
2 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 60689.0
normalization = 0.519, reshoot_counts*normalization = 31494.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
3×10^6
2×10^6
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 76765.0
normalization = 0.519, reshoot_counts*normalization = 39837.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
4 × 10^6
3 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 124580.0
normalization = 0.519, reshoot_counts*normalization = 64651.2
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
7 × 10^6
6 × 10^6
5 × 10^6
4 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 165356.0
normalization = 0.519, reshoot_counts*normalization = 85812.0
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
9 × 10^6
8 × 10^6
7 × 10^6
6 × 10^6
5 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 329246.0
normalization = 0.519, reshoot_counts*normalization = 170863.3
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
1.8×10^7
1.6×10^7
1.4×10^7
1.2×10^7
10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 478028.0
normalization = 0.519, reshoot_counts*normalization = 248074.1
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
2.8 × 10^7
2.6 × 10^7
2.4 × 10^7
2.2 × 10^7
2 × 10^7
1.8 × 10^7
1.6 × 10^7
1.4 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 731740.0
normalization = 0.519, reshoot_counts*normalization = 379738.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
4 × 10^7
3 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 1022480.0
normalization = 0.519, reshoot_counts*normalization = 530619.2
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
6 × 10^7
5 × 10^7
4 × 10^7
3 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 27683192.0
normalization = 0.519, reshoot_counts*normalization = 14366280.3
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
10^9
9×10^8
8×10^8
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 200992004.0
normalization = 0.519, reshoot_counts*normalization = 104305437.9
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^{10}
9×10^9
8×10^9
7×10^9
6×10^9
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 13.0
normalization = 0.519, reshoot_counts*normalization = 6.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
7×10^2
6×10^2
5×10^2
4×10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 86496.0
normalization = 0.519, reshoot_counts*normalization = 44887.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
5×10^6
4×10^6
3×10^6
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 15.0
normalization = 0.519, reshoot_counts*normalization = 7.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
8 × 10^2
7 × 10^2
6 × 10^2
5 × 10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.519, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 22.0
normalization = 0.519, reshoot_counts*normalization = 11.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^3
9×10^2
8×10^2
7×10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 31.0
normalization = 0.519, reshoot_counts*normalization = 16.1
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
10^3
9×10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15819.4, reshoot_counts = 1329994.0
normalization = 0.519, reshoot_counts*normalization = 690204.6
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^8
10^7
10^6
10^5
0
1
2
3
4
5
6



original_key=Phi_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11250.8, reshoot_counts = 946306.0
normalization = 0.519, reshoot_counts*normalization = 491088.5
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5956.8, reshoot_counts = 497153.0
normalization = 0.519, reshoot_counts*normalization = 257999.1
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 337.7, reshoot_counts = 28878.0
normalization = 0.519, reshoot_counts*normalization = 14986.3
original average = 3.13 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
10^5
10^4
10^3
0
1
2
3
4
5
6



original_key=Phi_1500_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138.0, reshoot_counts = 11231.0
normalization = 0.519, reshoot_counts*normalization = 5828.4
original average = 3.12 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^5
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 168.4, reshoot_counts = 14054.0
normalization = 0.519, reshoot_counts*normalization = 7293.4
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 446.6, reshoot_counts = 36492.0
normalization = 0.519, reshoot_counts*normalization = 18937.6
original average = 3.12 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 376.4, reshoot_counts = 30194.0
normalization = 0.519, reshoot_counts*normalization = 15669.3
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 241.5, reshoot_counts = 20773.0
normalization = 0.519, reshoot_counts*normalization = 10780.2
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
10^5
10^4
10^3
0
1
2
3
4
5
6



original_key=Phi_1500_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 157.1, reshoot_counts = 12323.0
normalization = 0.519, reshoot_counts*normalization = 6395.1
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
10^5
10^4
10^3
0
1
2
3
4
5
6



original_key=Phi_1500_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 333.7, reshoot_counts = 27427.0
normalization = 0.519, reshoot_counts*normalization = 14233.3
original average = 3.13 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 341.9, reshoot_counts = 29945.0
normalization = 0.519, reshoot_counts*normalization = 15540.1
original average = 3.12 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 454.8, reshoot_counts = 38193.0
normalization = 0.519, reshoot_counts*normalization = 19820.4
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 393.2, reshoot_counts = 33625.0
normalization = 0.519, reshoot_counts*normalization = 17449.8
original average = 3.12 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 631.6, reshoot_counts = 53999.0
normalization = 0.519, reshoot_counts*normalization = 28023.0
original average = 3.13 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 508.4, reshoot_counts = 41634.0
normalization = 0.519, reshoot_counts*normalization = 21606.1
original average = 3.13 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 545.2, reshoot_counts = 45704.0
normalization = 0.519, reshoot_counts*normalization = 23718.2
original average = 3.12 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 597.2, reshoot_counts = 51418.0
normalization = 0.519, reshoot_counts*normalization = 26683.5
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 732.9, reshoot_counts = 60689.0
normalization = 0.519, reshoot_counts*normalization = 31494.7
original average = 3.13 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 909.5, reshoot_counts = 76765.0
normalization = 0.519, reshoot_counts*normalization = 39837.4
original average = 3.13 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1503.7, reshoot_counts = 124580.0
normalization = 0.519, reshoot_counts*normalization = 64651.2
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2005.4, reshoot_counts = 165356.0
normalization = 0.519, reshoot_counts*normalization = 85812.0
original average = 3.13 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^7
10^6
10^5
10^4
0
1
2
3
4
5
6



original_key=Phi_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3937.2, reshoot_counts = 329246.0
normalization = 0.519, reshoot_counts*normalization = 170863.3
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5737.6, reshoot_counts = 478028.0
normalization = 0.519, reshoot_counts*normalization = 248074.1
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8770.1, reshoot_counts = 731740.0
normalization = 0.519, reshoot_counts*normalization = 379738.8
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12258.5, reshoot_counts = 1022480.0
normalization = 0.519, reshoot_counts*normalization = 530619.2
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 330089.7, reshoot_counts = 27683192.0
normalization = 0.519, reshoot_counts*normalization = 14366280.3
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^9
10^8
10^7
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2388467.7, reshoot_counts = 200992004.0
normalization = 0.519, reshoot_counts*normalization = 104305437.9
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
10^{10}
10^{9}
10^{8}
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 13.0
normalization = 0.519, reshoot_counts*normalization = 6.7
original average = 4.06 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1015.6, reshoot_counts = 86496.0
normalization = 0.519, reshoot_counts*normalization = 44887.4
original average = 3.16 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 15.0
normalization = 0.519, reshoot_counts*normalization = 7.8
original average = 3.53 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
6×10^1
0
1
2
3
4
5
6



original_key=Phi_1500_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.519, reshoot_counts*normalization = 0.0
original average = 1.18 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_1500_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 22.0
normalization = 0.519, reshoot_counts*normalization = 11.4
original average = 3.33 Phi [rad], reshoot average = 0.01 Phi [rad]
10^3
10^2
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 31.0
normalization = 0.519, reshoot_counts*normalization = 16.1
original average = 2.93 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 690580.5, reshoot_counts = 1329814.0
normalization = 0.519, reshoot_counts*normalization = 690111.2
original average = 226.09 Ek [MeV/u], reshoot average = 226.18 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 491057.5, reshoot_counts = 946189.5
normalization = 0.519, reshoot_counts*normalization = 491028.0
original average = 217.52 Ek [MeV/u], reshoot average = 217.48 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 257635.5, reshoot_counts = 496931.5
normalization = 0.519, reshoot_counts*normalization = 257884.2
original average = 213.28 Ek [MeV/u], reshoot average = 213.36 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14991.0, reshoot_counts = 28865.0
normalization = 0.519, reshoot_counts*normalization = 14979.6
original average = 208.61 Ek [MeV/u], reshoot average = 208.15 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5835.5, reshoot_counts = 11227.0
normalization = 0.519, reshoot_counts*normalization = 5826.3
original average = 202.45 Ek [MeV/u], reshoot average = 203.13 Ek [
counts [u/MeV]
Ek [MeV/u]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7249.0, reshoot_counts = 14046.0
normalization = 0.519, reshoot_counts*normalization = 7289.2
original average = 201.98 Ek [MeV/u], reshoot average = 201.59 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18936.5, reshoot_counts = 36473.5
normalization = 0.519, reshoot_counts*normalization = 18928.0
original average = 194.49 Ek [MeV/u], reshoot average = 194.67 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15647.5, reshoot_counts = 30184.5
normalization = 0.519, reshoot_counts*normalization = 15664.3
original average = 190.63 Ek [MeV/u], reshoot average = 190.98 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10823.0, reshoot_counts = 20771.5
normalization = 0.519, reshoot_counts*normalization = 10779.4
original average = 182.24 Ek [MeV/u], reshoot average = 182.02 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6540.0, reshoot_counts = 12322.5
normalization = 0.519, reshoot_counts*normalization = 6394.8
original average = 179.14 Ek [MeV/u], reshoot average = 178.97 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14261.0, reshoot_counts = 27427.0
normalization = 0.519, reshoot_counts*normalization = 14233.3
original average = 172.44 Ek [MeV/u], reshoot average = 172.21 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15465.5, reshoot_counts = 29944.0
normalization = 0.519, reshoot_counts*normalization = 15539.5
original average = 167.57 Ek [MeV/u], reshoot average = 167.21 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19869.5, reshoot_counts = 38191.5
normalization = 0.519, reshoot_counts*normalization = 19819.6
original average = 162.51 Ek [MeV/u], reshoot average = 162.41 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17391.0, reshoot_counts = 33621.5
normalization = 0.519, reshoot_counts*normalization = 17448.0
original average = 161.38 Ek [MeV/u], reshoot average = 162.09 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28158.0, reshoot_counts = 53997.5
normalization = 0.519, reshoot_counts*normalization = 28022.2
original average = 158.69 Ek [MeV/u], reshoot average = 159.12 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21699.0, reshoot_counts = 41631.0
normalization = 0.519, reshoot_counts*normalization = 21604.5
original average = 159.70 Ek [MeV/u], reshoot average = 159.90 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23757.0, reshoot_counts = 45703.0
normalization = 0.519, reshoot_counts*normalization = 23717.7
original average = 158.89 Ek [MeV/u], reshoot average = 158.87 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26851.0, reshoot_counts = 51417.0
normalization = 0.519, reshoot_counts*normalization = 26683.0
original average = 159.46 Ek [MeV/u], reshoot average = 159.74 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31430.0, reshoot_counts = 60689.0
normalization = 0.519, reshoot_counts*normalization = 31494.7
original average = 156.73 Ek [MeV/u], reshoot average = 156.88 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39838.0, reshoot_counts = 76764.0
normalization = 0.519, reshoot_counts*normalization = 39836.9
original average = 154.78 Ek [MeV/u], reshoot average = 155.16 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64491.5, reshoot_counts = 124576.5
normalization = 0.519, reshoot_counts*normalization = 64649.4
original average = 151.39 Ek [MeV/u], reshoot average = 151.39 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 86396.0, reshoot_counts = 165350.0
normalization = 0.519, reshoot_counts*normalization = 85808.9
original average = 147.75 Ek [MeV/u], reshoot average = 147.48 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 170783.0, reshoot_counts = 329220.0
normalization = 0.519, reshoot_counts*normalization = 170849.8
original average = 140.83 Ek [MeV/u], reshoot average = 140.77 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 248453.5, reshoot_counts = 477962.5
normalization = 0.519, reshoot_counts*normalization = 248040.2
original average = 135.36 Ek [MeV/u], reshoot average = 135.40 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 380508.5, reshoot_counts = 731551.5
normalization = 0.519, reshoot_counts*normalization = 379641.0
original average = 130.34 Ek [MeV/u], reshoot average = 130.32 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 531164.0, reshoot_counts = 1022122.5
normalization = 0.519, reshoot_counts*normalization = 530433.7
original average = 128.93 Ek [MeV/u], reshoot average = 129.08 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14373845.0, reshoot_counts = 27675890.5
normalization = 0.519, reshoot_counts*normalization = 14362491.2
original average = 145.89 Ek [MeV/u], reshoot average = 145.95 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7029256.4, reshoot_counts = 200991935.0
normalization = 0.519, reshoot_counts*normalization = 104305402.1
original average = 0.20 Ek [MeV/u], reshoot average = 0.50 Ek [MeV/u]
counts [u/MeV]
Ek [MeV/u]
10^0
10^2
10^4
10^6
10^8
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 13.0
normalization = 0.519, reshoot_counts*normalization = 6.7
original average = 7.76 Ek [MeV/u], reshoot average = 8.88 Ek [MeV/u
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3733.0, reshoot_counts = 79107.5
normalization = 0.519, reshoot_counts*normalization = 41053.1
original average = 2.50 Ek [MeV/u], reshoot average = 3.80 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]



original_key=Ekin_1500_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 15.0
normalization = 0.519, reshoot_counts*normalization = 7.8
original average = 60.27 Ek [MeV/u], reshoot average = 56.70 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.519, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.4, reshoot_counts = 22.0
normalization = 0.519, reshoot_counts*normalization = 11.4
original average = 128.08 Ek [MeV/u], reshoot average = 135.27 Ek [
counts [u/MeV]
2×10^0
10^0
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23.4, reshoot_counts = 31.0
normalization = 0.519, reshoot_counts*normalization = 16.1
original average = 218.75 Ek [MeV/u], reshoot average = 208.40 Ek [
counts [u/MeV]
Ek [MeV/u]
3×10^0
2×10^0
10^0
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=X_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 175549.1, reshoot_counts = 332498.5
normalization = 0.519, reshoot_counts*normalization = 172551.2
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 124936.6, reshoot_counts = 236576.5
normalization = 0.519, reshoot_counts*normalization = 122772.1
original average = -0.06 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65474.5, reshoot_counts = 124288.2
normalization = 0.519, reshoot_counts*normalization = 64499.8
original average = -0.06 x pos [mm], reshoot average = -0.18 x pos [
6 × 10^3
4 × 10^3
3 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3809.8, reshoot_counts = 7219.5
normalization = 0.519, reshoot_counts*normalization = 3746.6
original average = 0.26 x pos [mm], reshoot average = 0.13 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1477.5, reshoot_counts = 2807.8
normalization = 0.519, reshoot_counts*normalization = 1457.1
original average = 0.17 x pos [mm], reshoot average = 0.15 x pos [m
counts [1/mm]
x pos [mm]
2×10^2
10^2
6×10^1
4×10^1
3×10^1
−400
−200
0
200
400



original_key=X_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1845.8, reshoot_counts = 3513.5
normalization = 0.519, reshoot_counts*normalization = 1823.3
original average = 0.37 x pos [mm], reshoot average = 0.23 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
−400
−200
0
200
400



original_key=X_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4800.2, reshoot_counts = 9123.0
normalization = 0.519, reshoot_counts*normalization = 4734.4
original average = -0.08 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3974.9, reshoot_counts = 7548.5
normalization = 0.519, reshoot_counts*normalization = 3917.3
original average = 0.16 x pos [mm], reshoot average = 0.13 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2747.1, reshoot_counts = 5193.2
normalization = 0.519, reshoot_counts*normalization = 2695.1
original average = -0.13 x pos [mm], reshoot average = -0.53 x pos [
counts [1/mm]
x pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=X_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1661.8, reshoot_counts = 3080.8
normalization = 0.519, reshoot_counts*normalization = 1598.8
original average = 0.19 x pos [mm], reshoot average = 0.13 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
−400
−200
0
200
400



original_key=X_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3625.6, reshoot_counts = 6856.8
normalization = 0.519, reshoot_counts*normalization = 3558.3
original average = -0.31 x pos [mm], reshoot average = -0.48 x pos [
counts [1/mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3937.4, reshoot_counts = 7486.2
normalization = 0.519, reshoot_counts*normalization = 3885.0
original average = -0.08 x pos [mm], reshoot average = -0.21 x pos [
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5052.2, reshoot_counts = 9548.2
normalization = 0.519, reshoot_counts*normalization = 4955.1
original average = -0.01 x pos [mm], reshoot average = -0.08 x pos [
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4416.8, reshoot_counts = 8406.2
normalization = 0.519, reshoot_counts*normalization = 4362.5
original average = 0.12 x pos [mm], reshoot average = -0.16 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7159.8, reshoot_counts = 13499.8
normalization = 0.519, reshoot_counts*normalization = 7005.7
original average = 0.11 x pos [mm], reshoot average = 0.07 x pos [m
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5499.4, reshoot_counts = 10408.5
normalization = 0.519, reshoot_counts*normalization = 5401.5
original average = -0.11 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6048.0, reshoot_counts = 11426.0
normalization = 0.519, reshoot_counts*normalization = 5929.6
original average = 0.01 x pos [mm], reshoot average = -0.14 x pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6824.1, reshoot_counts = 12854.5
normalization = 0.519, reshoot_counts*normalization = 6670.9
original average = -0.11 x pos [mm], reshoot average = -0.31 x pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7979.4, reshoot_counts = 15172.2
normalization = 0.519, reshoot_counts*normalization = 7873.7
original average = 0.06 x pos [mm], reshoot average = -0.16 x pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10100.0, reshoot_counts = 19191.2
normalization = 0.519, reshoot_counts*normalization = 9959.4
original average = 0.23 x pos [mm], reshoot average = 0.01 x pos [m
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16361.4, reshoot_counts = 31145.0
normalization = 0.519, reshoot_counts*normalization = 16162.8
original average = 0.00 x pos [mm], reshoot average = -0.17 x pos [m
counts [1/mm]
2×10^3
10^3
6×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21875.2, reshoot_counts = 41339.0
normalization = 0.519, reshoot_counts*normalization = 21453.0
original average = 0.06 x pos [mm], reshoot average = -0.09 x pos [m
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43245.1, reshoot_counts = 82311.5
normalization = 0.519, reshoot_counts*normalization = 42715.8
original average = -0.03 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 62934.9, reshoot_counts = 119507.0
normalization = 0.519, reshoot_counts*normalization = 62018.5
original average = 0.04 x pos [mm], reshoot average = -0.06 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 96288.2, reshoot_counts = 182935.0
normalization = 0.519, reshoot_counts*normalization = 94934.7
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 134440.8, reshoot_counts = 255620.0
normalization = 0.519, reshoot_counts*normalization = 132654.8
original average = 0.03 x pos [mm], reshoot average = -0.15 x pos [m
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3634498.1, reshoot_counts = 6920798.0
normalization = 0.519, reshoot_counts*normalization = 3591570.1
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26576984.0, reshoot_counts = 50248001.0
normalization = 0.519, reshoot_counts*normalization = 26076359.5
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.5, reshoot_counts = 3.2
normalization = 0.519, reshoot_counts*normalization = 1.7
original average = -2.33 x pos [mm], reshoot average = -1.32 x pos [
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11420.8, reshoot_counts = 21624.0
normalization = 0.519, reshoot_counts*normalization = 11221.8
original average = -0.23 x pos [mm], reshoot average = -0.35 x pos [
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 3.8
normalization = 0.519, reshoot_counts*normalization = 1.9
original average = -4.58 x pos [mm], reshoot average = -6.76 x pos [
counts [1/mm]
x pos [mm]
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400



original_key=X_1500_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.519, reshoot_counts*normalization = 0.0
original average = -1.88 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_1500_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 5.5
normalization = 0.519, reshoot_counts*normalization = 2.9
original average = 3.35 x pos [mm], reshoot average = 2.18 x pos [m
counts [1/mm]
x pos [mm]
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400



original_key=X_1500_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 7.8
normalization = 0.519, reshoot_counts*normalization = 4.0
original average = 1.50 x pos [mm], reshoot average = -1.10 x pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 175560.8, reshoot_counts = 332498.5
normalization = 0.519, reshoot_counts*normalization = 172551.2
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 124874.8, reshoot_counts = 236576.5
normalization = 0.519, reshoot_counts*normalization = 122772.1
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65501.2, reshoot_counts = 124288.2
normalization = 0.519, reshoot_counts*normalization = 64499.8
original average = -0.01 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3816.8, reshoot_counts = 7219.5
normalization = 0.519, reshoot_counts*normalization = 3746.6
original average = -0.10 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
y pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=Y_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1481.2, reshoot_counts = 2807.8
normalization = 0.519, reshoot_counts*normalization = 1457.1
original average = 0.10 y pos [mm], reshoot average = -0.08 y pos [m
2×10^2
10^2
6×10^1
4×10^1
3×10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1837.6, reshoot_counts = 3513.5
normalization = 0.519, reshoot_counts*normalization = 1823.3
original average = 0.19 y pos [mm], reshoot average = 0.26 y pos [m
counts [1/mm]
y pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
−400
−200
0
200
400



original_key=Y_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4816.8, reshoot_counts = 9123.0
normalization = 0.519, reshoot_counts*normalization = 4734.4
original average = 0.05 y pos [mm], reshoot average = -0.29 y pos [m
counts [1/mm]
y pos [mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400



original_key=Y_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3967.8, reshoot_counts = 7548.5
normalization = 0.519, reshoot_counts*normalization = 3917.3
original average = -0.14 y pos [mm], reshoot average = -0.41 y pos [
counts [1/mm]
y pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2750.4, reshoot_counts = 5193.2
normalization = 0.519, reshoot_counts*normalization = 2695.1
original average = 0.16 y pos [mm], reshoot average = -0.00 y pos [m
counts [1/mm]
y pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=Y_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1655.2, reshoot_counts = 3080.8
normalization = 0.519, reshoot_counts*normalization = 1598.8
original average = -0.24 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
2×10^2
10^2
6×10^1
4×10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3621.2, reshoot_counts = 6856.8
normalization = 0.519, reshoot_counts*normalization = 3558.3
original average = 0.12 y pos [mm], reshoot average = -0.07 y pos [m
counts [1/mm]
y pos [mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400



original_key=Y_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3927.8, reshoot_counts = 7486.2
normalization = 0.519, reshoot_counts*normalization = 3885.0
original average = -0.01 y pos [mm], reshoot average = -0.17 y pos [
counts [1/mm]
y pos [mm]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=Y_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5040.4, reshoot_counts = 9548.2
normalization = 0.519, reshoot_counts*normalization = 4955.1
original average = -0.16 y pos [mm], reshoot average = -0.25 y pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4424.4, reshoot_counts = 8406.2
normalization = 0.519, reshoot_counts*normalization = 4362.5
original average = 0.11 y pos [mm], reshoot average = 0.06 y pos [m
counts [1/mm]
y pos [mm]
6 × 10²
4 × 10²
3 × 10²
2 × 10²
−400
−200
0
200
400



original_key=Y_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7182.1, reshoot_counts = 13499.8
normalization = 0.519, reshoot_counts*normalization = 7005.7
original average = 0.04 y pos [mm], reshoot average = -0.19 y pos [m
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5509.2, reshoot_counts = 10408.5
normalization = 0.519, reshoot_counts*normalization = 5401.5
original average = -0.16 y pos [mm], reshoot average = -0.54 y pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6033.0, reshoot_counts = 11426.0
normalization = 0.519, reshoot_counts*normalization = 5929.6
original average = 0.25 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6815.0, reshoot_counts = 12854.5
normalization = 0.519, reshoot_counts*normalization = 6670.9
original average = 0.15 y pos [mm], reshoot average = 0.10 y pos [m
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7977.4, reshoot_counts = 15172.2
normalization = 0.519, reshoot_counts*normalization = 7873.7
original average = -0.05 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10088.6, reshoot_counts = 19191.2
normalization = 0.519, reshoot_counts*normalization = 9959.4
original average = -0.08 y pos [mm], reshoot average = -0.15 y pos [
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16320.6, reshoot_counts = 31145.0
normalization = 0.519, reshoot_counts*normalization = 16162.8
original average = 0.03 y pos [mm], reshoot average = -0.06 y pos [m
counts [1/mm]
2×10^3
10^3
6×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21919.0, reshoot_counts = 41339.0
normalization = 0.519, reshoot_counts*normalization = 21453.0
original average = -0.08 y pos [mm], reshoot average = -0.16 y pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43244.4, reshoot_counts = 82311.5
normalization = 0.519, reshoot_counts*normalization = 42715.8
original average = -0.02 y pos [mm], reshoot average = -0.19 y pos [
counts [1/mm]
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 62898.5, reshoot_counts = 119507.0
normalization = 0.519, reshoot_counts*normalization = 62018.5
original average = -0.10 y pos [mm], reshoot average = -0.23 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 96338.2, reshoot_counts = 182935.0
normalization = 0.519, reshoot_counts*normalization = 94934.7
original average = 0.02 y pos [mm], reshoot average = -0.08 y pos [m
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 134439.9, reshoot_counts = 255620.0
normalization = 0.519, reshoot_counts*normalization = 132654.8
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3634341.4, reshoot_counts = 6920798.0
normalization = 0.519, reshoot_counts*normalization = 3591570.1
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26577395.9, reshoot_counts = 50248001.0
normalization = 0.519, reshoot_counts*normalization = 26076359.5
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.5, reshoot_counts = 3.2
normalization = 0.519, reshoot_counts*normalization = 1.7
original average = 1.52 y pos [mm], reshoot average = 3.34 y pos [m
10^1
6×10^0
4×10^0
3×10^0
2×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11412.8, reshoot_counts = 21624.0
normalization = 0.519, reshoot_counts*normalization = 11221.8
original average = -0.30 y pos [mm], reshoot average = -0.44 y pos [
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 3.8
normalization = 0.519, reshoot_counts*normalization = 1.9
original average = 1.18 y pos [mm], reshoot average = 14.64 y pos [r
10^1
6×10^0
4×10^0
3×10^0
2×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.519, reshoot_counts*normalization = 0.0
original average = 21.62 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400


original_key=Y_1500_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 5.5
normalization = 0.519, reshoot_counts*normalization = 2.9
original average = 7.05 y pos [mm], reshoot average = 1.85 y pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.9, reshoot_counts = 7.8
normalization = 0.519, reshoot_counts*normalization = 4.0
original average = 2.17 y pos [mm], reshoot average = 0.08 y pos [m
10^1
6×10^0
4×10^0
3×10^0
2×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]