






original_key=Theta_wide_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 320521.7, reshoot_counts = 18074.0
normalization = 0.737, reshoot_counts*normalization = 13320.2
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 197587.4, reshoot_counts = 13613.1
normalization = 0.737, reshoot_counts*normalization = 10032.6
original average = 0.09 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 122573.2, reshoot_counts = 6594.1
normalization = 0.737, reshoot_counts*normalization = 4859.8
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7755.1, reshoot_counts = 364.9
normalization = 0.737, reshoot_counts*normalization = 268.9
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3033.0, reshoot_counts = 142.1
normalization = 0.737, reshoot_counts*normalization = 104.8
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4001.0, reshoot_counts = 168.4
normalization = 0.737, reshoot_counts*normalization = 124.1
original average = 0.04 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10756.1, reshoot_counts = 436.7
normalization = 0.737, reshoot_counts*normalization = 321.9
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8968.6, reshoot_counts = 354.9
normalization = 0.737, reshoot_counts*normalization = 261.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6185.8, reshoot_counts = 250.7
normalization = 0.737, reshoot_counts*normalization = 184.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3689.9, reshoot_counts = 153.0
normalization = 0.737, reshoot_counts*normalization = 112.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7887.5, reshoot_counts = 326.0
normalization = 0.737, reshoot_counts*normalization = 240.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8327.8, reshoot_counts = 363.4
normalization = 0.737, reshoot_counts*normalization = 267.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10194.5, reshoot_counts = 472.8
normalization = 0.737, reshoot_counts*normalization = 348.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8557.1, reshoot_counts = 416.7
normalization = 0.737, reshoot_counts*normalization = 307.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13385.4, reshoot_counts = 700.8
normalization = 0.737, reshoot_counts*normalization = 516.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10333.4, reshoot_counts = 532.5
normalization = 0.737, reshoot_counts*normalization = 392.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11980.5, reshoot_counts = 582.8
normalization = 0.737, reshoot_counts*normalization = 429.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15008.6, reshoot_counts = 630.0
normalization = 0.737, reshoot_counts*normalization = 464.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20042.0, reshoot_counts = 709.1
normalization = 0.737, reshoot_counts*normalization = 522.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28977.0, reshoot_counts = 866.9
normalization = 0.737, reshoot_counts*normalization = 638.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52208.7, reshoot_counts = 1309.5
normalization = 0.737, reshoot_counts*normalization = 965.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77826.2, reshoot_counts = 1667.5
normalization = 0.737, reshoot_counts*normalization = 1228.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 166685.7, reshoot_counts = 3155.3
normalization = 0.737, reshoot_counts*normalization = 2325.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 257124.1, reshoot_counts = 4445.1
normalization = 0.737, reshoot_counts*normalization = 3275.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 406314.5, reshoot_counts = 6677.4
normalization = 0.737, reshoot_counts*normalization = 4921.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 579633.7, reshoot_counts = 9096.2
normalization = 0.737, reshoot_counts*normalization = 6703.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17907007.8, reshoot_counts = 214385.9
normalization = 0.737, reshoot_counts*normalization = 157998.8
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2705964.9, reshoot_counts = 3544138.6
normalization = 0.737, reshoot_counts*normalization = 2611969.4
original average = 0.62 Theta [rad], reshoot average = 0.61 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 0.3
normalization = 0.737, reshoot_counts*normalization = 0.2
original average = 0.17 Theta [rad], reshoot average = 0.16 Theta [ra
counts [1/rad]
Theta [rad]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10335.5, reshoot_counts = 1442.4
normalization = 0.737, reshoot_counts*normalization = 1063.0
original average = 0.53 Theta [rad], reshoot average = 0.53 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.2
normalization = 0.737, reshoot_counts*normalization = 0.2
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.737, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 0.2
normalization = 0.737, reshoot_counts*normalization = 0.1
original average = 0.10 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 0.3
normalization = 0.737, reshoot_counts*normalization = 0.2
original average = 0.09 Theta [rad], reshoot average = 0.07 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_wide_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26576.7, reshoot_counts = 36072.7
normalization = 0.737, reshoot_counts*normalization = 26585.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18808.4, reshoot_counts = 25778.1
normalization = 0.737, reshoot_counts*normalization = 18998.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9991.3, reshoot_counts = 13598.4
normalization = 0.737, reshoot_counts*normalization = 10021.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 576.7, reshoot_counts = 784.6
normalization = 0.737, reshoot_counts*normalization = 578.2
original average = 3.13 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 235.7, reshoot_counts = 319.3
normalization = 0.737, reshoot_counts*normalization = 235.3
original average = 3.12 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^3
3×10^3
2×10^3
10^3
6×10^2
0
1
2
3
4
5
6



original_key=Phi_wide_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 282.9, reshoot_counts = 372.0
normalization = 0.737, reshoot_counts*normalization = 274.2
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 728.6, reshoot_counts = 980.3
normalization = 0.737, reshoot_counts*normalization = 722.5
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 615.3, reshoot_counts = 799.2
normalization = 0.737, reshoot_counts*normalization = 589.0
original average = 3.16 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 412.5, reshoot_counts = 594.2
normalization = 0.737, reshoot_counts*normalization = 437.9
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_9___reshoot_key=Phi_1_9
original counts = 255.0, reshoot_counts = 360.6
normalization = 0.737, reshoot_counts*normalization = 265.8
original average = 3.13 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_wide_1500_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 551.9, reshoot_counts = 724.1
normalization = 0.737, reshoot_counts*normalization = 533.7
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 585.6, reshoot_counts = 810.6
normalization = 0.737, reshoot_counts*normalization = 597.4
original average = 3.12 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 781.3, reshoot_counts = 1089.6
normalization = 0.737, reshoot_counts*normalization = 803.0
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
10^4
6×10^3
4×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 669.7, reshoot_counts = 935.6
normalization = 0.737, reshoot_counts*normalization = 689.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1103.6, reshoot_counts = 1528.0
normalization = 0.737, reshoot_counts*normalization = 1126.1
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^4
10^4
6×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 881.1, reshoot_counts = 1144.0
normalization = 0.737, reshoot_counts*normalization = 843.1
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
10^4
6×10^3
4×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 934.3, reshoot_counts = 1280.8
normalization = 0.737, reshoot_counts*normalization = 943.9
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^4
6×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1022.0, reshoot_counts = 1386.0
normalization = 0.737, reshoot_counts*normalization = 1021.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^4
10^4
6×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1211.4, reshoot_counts = 1577.8
normalization = 0.737, reshoot_counts*normalization = 1162.8
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^4
10^4
6×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1463.4, reshoot_counts = 2002.0
normalization = 0.737, reshoot_counts*normalization = 1475.4
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^4
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2293.5, reshoot_counts = 3115.0
normalization = 0.737, reshoot_counts*normalization = 2295.7
original average = 3.15 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2997.8, reshoot_counts = 3968.3
normalization = 0.737, reshoot_counts*normalization = 2924.6
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5709.4, reshoot_counts = 7710.2
normalization = 0.737, reshoot_counts*normalization = 5682.3
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8156.2, reshoot_counts = 11153.6
normalization = 0.737, reshoot_counts*normalization = 8220.0
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12404.2, reshoot_counts = 16729.3
normalization = 0.737, reshoot_counts*normalization = 12329.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17110.3, reshoot_counts = 23152.2
normalization = 0.737, reshoot_counts*normalization = 17062.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 413625.7, reshoot_counts = 560751.6
normalization = 0.737, reshoot_counts*normalization = 413264.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6 × 10^6
4 × 10^6
3 × 10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3429550.4, reshoot_counts = 4655310.8
normalization = 0.737, reshoot_counts*normalization = 3430884.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6×10^7
4×10^7
3×10^7
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 0.3
normalization = 0.737, reshoot_counts*normalization = 0.2
original average = 3.73 Phi [rad], reshoot average = 4.04 Phi [rad]
10^2
6×10^1
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1671.2, reshoot_counts = 2211.6
normalization = 0.737, reshoot_counts*normalization = 1629.9
original average = 3.16 Phi [rad], reshoot average = 3.13 Phi [rad]
3×10^4
2×10^4
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.2
normalization = 0.737, reshoot_counts*normalization = 0.2
original average = 3.53 Phi [rad], reshoot average = 2.73 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^2
2×10^2
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.737, reshoot_counts*normalization = 0.0
original average = 1.18 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_wide_1500_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 0.3
normalization = 0.737, reshoot_counts*normalization = 0.2
original average = 3.45 Phi [rad], reshoot average = 3.68 Phi [rad]
10^2
6×10^1
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 0.4
normalization = 0.737, reshoot_counts*normalization = 0.3
original average = 2.91 Phi [rad], reshoot average = 2.97 Phi [rad]
counts [1/rad]
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1174991.5, reshoot_counts = 1592963.0
normalization = 0.737, reshoot_counts*normalization = 1173986.4
original average = 228.98 Ek [MeV/u], reshoot average = 228.95 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 830749.0, reshoot_counts = 1127172.5
normalization = 0.737, reshoot_counts*normalization = 830706.8
original average = 220.88 Ek [MeV/u], reshoot average = 220.89 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 438774.5, reshoot_counts = 594973.5
normalization = 0.737, reshoot_counts*normalization = 438485.3
original average = 215.55 Ek [MeV/u], reshoot average = 215.59 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25558.0, reshoot_counts = 34575.5
normalization = 0.737, reshoot_counts*normalization = 25481.6
original average = 210.56 Ek [MeV/u], reshoot average = 210.26 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9979.0, reshoot_counts = 13489.0
normalization = 0.737, reshoot_counts*normalization = 9941.2
original average = 204.29 Ek [MeV/u], reshoot average = 204.79 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12243.5, reshoot_counts = 16451.0
normalization = 0.737, reshoot_counts*normalization = 12124.1
original average = 203.24 Ek [MeV/u], reshoot average = 203.75 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31803.5, reshoot_counts = 43259.5
normalization = 0.737, reshoot_counts*normalization = 31881.5
original average = 195.02 Ek [MeV/u], reshoot average = 195.33 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26215.0, reshoot_counts = 35722.0
normalization = 0.737, reshoot_counts*normalization = 26326.5
original average = 190.93 Ek [MeV/u], reshoot average = 190.91 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18448.5, reshoot_counts = 24983.5
normalization = 0.737, reshoot_counts*normalization = 18412.4
original average = 182.64 Ek [MeV/u], reshoot average = 182.50 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11041.0, reshoot_counts = 15237.0
normalization = 0.737, reshoot_counts*normalization = 11229.4
original average = 180.15 Ek [MeV/u], reshoot average = 180.06 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24032.0, reshoot_counts = 32460.0
normalization = 0.737, reshoot_counts*normalization = 23922.5
original average = 172.99 Ek [MeV/u], reshoot average = 172.56 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26413.5, reshoot_counts = 35959.0
normalization = 0.737, reshoot_counts*normalization = 26501.2
original average = 168.48 Ek [MeV/u], reshoot average = 168.24 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34046.0, reshoot_counts = 46141.0
normalization = 0.737, reshoot_counts*normalization = 34005.1
original average = 163.41 Ek [MeV/u], reshoot average = 163.13 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29942.0, reshoot_counts = 40477.0
normalization = 0.737, reshoot_counts*normalization = 29830.9
original average = 161.54 Ek [MeV/u], reshoot average = 161.89 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49290.5, reshoot_counts = 67177.5
normalization = 0.737, reshoot_counts*normalization = 49508.7
original average = 159.15 Ek [MeV/u], reshoot average = 159.04 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37803.5, reshoot_counts = 51143.0
normalization = 0.737, reshoot_counts*normalization = 37691.5
original average = 159.88 Ek [MeV/u], reshoot average = 160.03 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41090.5, reshoot_counts = 56010.5
normalization = 0.737, reshoot_counts*normalization = 41278.8
original average = 158.57 Ek [MeV/u], reshoot average = 158.65 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45324.0, reshoot_counts = 61437.5
normalization = 0.737, reshoot_counts*normalization = 45278.4
original average = 158.95 Ek [MeV/u], reshoot average = 159.03 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52027.5, reshoot_counts = 70218.5
normalization = 0.737, reshoot_counts*normalization = 51749.8
original average = 155.80 Ek [MeV/u], reshoot average = 155.71 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64260.0, reshoot_counts = 87393.0
normalization = 0.737, reshoot_counts*normalization = 64407.1
original average = 153.88 Ek [MeV/u], reshoot average = 153.93 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100202.0, reshoot_counts = 135603.0
normalization = 0.737, reshoot_counts*normalization = 99937.1
original average = 150.36 Ek [MeV/u], reshoot average = 150.50 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 130340.0, reshoot_counts = 176399.5
normalization = 0.737, reshoot_counts*normalization = 130003.4
original average = 146.95 Ek [MeV/u], reshoot average = 146.93 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 251464.0, reshoot_counts = 339900.5
normalization = 0.737, reshoot_counts*normalization = 250500.8
original average = 140.12 Ek [MeV/u], reshoot average = 140.25 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 358188.5, reshoot_counts = 485677.0
normalization = 0.737, reshoot_counts*normalization = 357935.6
original average = 134.82 Ek [MeV/u], reshoot average = 134.81 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 541801.5, reshoot_counts = 736357.5
normalization = 0.737, reshoot_counts*normalization = 542682.9
original average = 129.84 Ek [MeV/u], reshoot average = 129.93 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 746998.0, reshoot_counts = 1011417.5
normalization = 0.737, reshoot_counts*normalization = 745397.4
original average = 128.38 Ek [MeV/u], reshoot average = 128.43 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18087435.0, reshoot_counts = 24523072.5
normalization = 0.737, reshoot_counts*normalization = 18073084.3
original average = 144.43 Ek [MeV/u], reshoot average = 144.48 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10110247.5, reshoot_counts = 203436849.5
normalization = 0.737, reshoot_counts*normalization = 149929473.2
original average = 0.20 Ek [MeV/u], reshoot average = 0.50 Ek [MeV/u
counts [u/MeV]
10^8
10^6
10^4
10^2
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.6, reshoot_counts = 18.0
normalization = 0.737, reshoot_counts*normalization = 13.3
original average = 11.29 Ek [MeV/u], reshoot average = 5.50 Ek [MeV
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6062.9, reshoot_counts = 90911.5
normalization = 0.737, reshoot_counts*normalization = 67000.2
original average = 2.50 Ek [MeV/u], reshoot average = 3.87 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]



original_key=Ekin_wide_1500_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 14.0
normalization = 0.737, reshoot_counts*normalization = 10.3
original average = 60.27 Ek [MeV/u], reshoot average = 55.50 Ek [Me
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.737, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37.1, reshoot_counts = 17.0
normalization = 0.737, reshoot_counts*normalization = 12.5
original average = 143.25 Ek [MeV/u], reshoot average = 137.74 Ek [
2×10^0
10^0
6×10^{-1}
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37.1, reshoot_counts = 26.0
normalization = 0.737, reshoot_counts*normalization = 19.2
original average = 221.37 Ek [MeV/u], reshoot average = 217.00 Ek [
counts [u/MeV]
2×10^0
10^0
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 297435.6, reshoot_counts = 398299.5
normalization = 0.737, reshoot_counts*normalization = 293539.9
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
3 × 10^4
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 210315.1, reshoot_counts = 281825.8
normalization = 0.737, reshoot_counts*normalization = 207700.8
original average = -0.04 x pos [mm], reshoot average = -0.18 x pos [
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111080.8, reshoot_counts = 148796.2
normalization = 0.737, reshoot_counts*normalization = 109660.3
original average = -0.01 x pos [mm], reshoot average = -0.11 x pos [
counts [1/mm]
10^4
6×10^3
4×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6475.5, reshoot_counts = 8646.2
normalization = 0.737, reshoot_counts*normalization = 6372.1
original average = 0.13 x pos [mm], reshoot average = 0.05 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_wide_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2530.1, reshoot_counts = 3372.8
normalization = 0.737, reshoot_counts*normalization = 2485.7
original average = 0.24 x pos [mm], reshoot average = 0.26 x pos [m
counts [1/mm]
2×10^2
10^2
6×10^1
4×10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3099.2, reshoot_counts = 4114.2
normalization = 0.737, reshoot_counts*normalization = 3032.1
original average = 0.65 x pos [mm], reshoot average = 0.54 x pos [m
counts [1/mm]
2×10^2
10^2
6×10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8039.6, reshoot_counts = 10820.5
normalization = 0.737, reshoot_counts*normalization = 7974.5
original average = 0.13 x pos [mm], reshoot average = 0.07 x pos [m
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6629.5, reshoot_counts = 8933.5
normalization = 0.737, reshoot_counts*normalization = 6583.8
original average = -0.01 x pos [mm], reshoot average = 0.02 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_wide_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4673.8, reshoot_counts = 6246.2
normalization = 0.737, reshoot_counts*normalization = 4603.4
original average = -0.08 x pos [mm], reshoot average = -0.38 x pos [
counts [1/mm]
x pos [mm]
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_wide_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2789.8, reshoot_counts = 3809.2
normalization = 0.737, reshoot_counts*normalization = 2807.4
original average = 0.33 x pos [mm], reshoot average = 0.21 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
−400
−200
0
200
400



original_key=X_wide_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6075.8, reshoot_counts = 8115.0
normalization = 0.737, reshoot_counts*normalization = 5980.6
original average = -0.18 x pos [mm], reshoot average = -0.57 x pos [
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6690.0, reshoot_counts = 8989.8
normalization = 0.737, reshoot_counts*normalization = 6625.3
original average = -0.01 x pos [mm], reshoot average = -0.43 x pos [
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8607.1, reshoot_counts = 11535.5
normalization = 0.737, reshoot_counts*normalization = 8501.5
original average = -0.04 x pos [mm], reshoot average = 0.05 x pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7567.2, reshoot_counts = 10119.2
normalization = 0.737, reshoot_counts*normalization = 7457.7
original average = 0.06 x pos [mm], reshoot average = 0.05 x pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12467.9, reshoot_counts = 16795.5
normalization = 0.737, reshoot_counts*normalization = 12378.0
original average = 0.14 x pos [mm], reshoot average = 0.00 x pos [m
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9551.5, reshoot_counts = 12786.0
normalization = 0.737, reshoot_counts*normalization = 9423.1
original average = -0.14 x pos [mm], reshoot average = -0.27 x pos [
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10384.8, reshoot_counts = 14004.0
normalization = 0.737, reshoot_counts*normalization = 10320.7
original average = 0.09 x pos [mm], reshoot average = -0.04 x pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11459.6, reshoot_counts = 15359.8
normalization = 0.737, reshoot_counts*normalization = 11319.9
original average = -0.04 x pos [mm], reshoot average = -0.07 x pos [
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13143.5, reshoot_counts = 17554.8
normalization = 0.737, reshoot_counts*normalization = 12937.6
original average = 0.03 x pos [mm], reshoot average = -0.01 x pos [m
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16238.8, reshoot_counts = 21849.0
normalization = 0.737, reshoot_counts*normalization = 16102.3
original average = 0.22 x pos [mm], reshoot average = 0.10 x pos [m
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25287.1, reshoot_counts = 33902.5
normalization = 0.737, reshoot_counts*normalization = 24985.6
original average = 0.06 x pos [mm], reshoot average = -0.15 x pos [m
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32825.1, reshoot_counts = 44101.0
normalization = 0.737, reshoot_counts*normalization = 32501.7
original average = 0.07 x pos [mm], reshoot average = -0.03 x pos [m
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63324.0, reshoot_counts = 84981.5
normalization = 0.737, reshoot_counts*normalization = 62629.9
original average = -0.00 x pos [mm], reshoot average = -0.18 x pos [
4 × 10^3
3 × 10^3
2 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 90138.4, reshoot_counts = 121437.2
normalization = 0.737, reshoot_counts*normalization = 89497.2
original average = 0.05 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 136389.2, reshoot_counts = 184138.5
normalization = 0.737, reshoot_counts*normalization = 135706.9
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 187933.8, reshoot_counts = 252944.0
normalization = 0.737, reshoot_counts*normalization = 186415.4
original average = -0.00 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^4
6×10^3
4×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4532212.2, reshoot_counts = 6132456.0
normalization = 0.737, reshoot_counts*normalization = 4519515.0
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
−400
−200
0
200
400



original_key=X_wide_1500_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31505635.4, reshoot_counts = 50859232.5
normalization = 0.737, reshoot_counts*normalization = 37482383.1
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
4 × 10^6
3 × 10^6
2 × 10^6
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 4.5
normalization = 0.737, reshoot_counts*normalization = 3.3
original average = -4.88 x pos [mm], reshoot average = -6.24 x pos [
counts [1/mm]
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14329.8, reshoot_counts = 24815.2
normalization = 0.737, reshoot_counts*normalization = 18288.4
original average = -0.11 x pos [mm], reshoot average = -0.24 x pos [
counts [1/mm]
2×10^3
10^3
6×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 3.5
normalization = 0.737, reshoot_counts*normalization = 2.6
original average = -4.58 x pos [mm], reshoot average = -4.36 x pos [
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.737, reshoot_counts*normalization = 0.0
original average = -1.88 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_wide_1500_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 4.2
normalization = 0.737, reshoot_counts*normalization = 3.1
original average = 7.59 x pos [mm], reshoot average = 7.83 x pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 6.5
normalization = 0.737, reshoot_counts*normalization = 4.8
original average = 3.67 x pos [mm], reshoot average = -0.21 x pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 297313.8, reshoot_counts = 398299.5
normalization = 0.737, reshoot_counts*normalization = 293539.9
original average = 0.00 y pos [mm], reshoot average = -0.09 y pos [m
3×10^4
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 210299.5, reshoot_counts = 281825.8
normalization = 0.737, reshoot_counts*normalization = 207700.8
original average = -0.04 y pos [mm], reshoot average = -0.21 y pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111020.2, reshoot_counts = 148796.2
normalization = 0.737, reshoot_counts*normalization = 109660.3
original average = -0.01 y pos [mm], reshoot average = -0.10 y pos [
counts [1/mm]
10^4
6×10^3
4×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6449.0, reshoot_counts = 8646.2
normalization = 0.737, reshoot_counts*normalization = 6372.1
original average = -0.18 y pos [mm], reshoot average = -0.45 y pos [
counts [1/mm]
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2531.4, reshoot_counts = 3372.8
normalization = 0.737, reshoot_counts*normalization = 2485.7
original average = 0.11 y pos [mm], reshoot average = 0.09 y pos [m
counts [1/mm]
y pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
−400
−200
0
200
400



original_key=Y_wide_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3093.9, reshoot_counts = 4114.2
normalization = 0.737, reshoot_counts*normalization = 3032.1
original average = 0.19 y pos [mm], reshoot average = 0.04 y pos [m
counts [1/mm]
y pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
−400
−200
0
200
400



original_key=Y_wide_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8055.4, reshoot_counts = 10820.5
normalization = 0.737, reshoot_counts*normalization = 7974.5
original average = -0.01 y pos [mm], reshoot average = -0.40 y pos [
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6634.6, reshoot_counts = 8933.5
normalization = 0.737, reshoot_counts*normalization = 6583.8
original average = -0.20 y pos [mm], reshoot average = -0.28 y pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4655.9, reshoot_counts = 6246.2
normalization = 0.737, reshoot_counts*normalization = 4603.4
original average = 0.17 y pos [mm], reshoot average = 0.07 y pos [m
counts [1/mm]
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2779.0, reshoot_counts = 3809.2
normalization = 0.737, reshoot_counts*normalization = 2807.4
original average = 0.23 y pos [mm], reshoot average = 0.07 y pos [m
counts [1/mm]
2×10^2
10^2
6×10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6072.1, reshoot_counts = 8115.0
normalization = 0.737, reshoot_counts*normalization = 5980.6
original average = 0.04 y pos [mm], reshoot average = -0.05 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_wide_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6662.0, reshoot_counts = 8989.8
normalization = 0.737, reshoot_counts*normalization = 6625.3
original average = 0.16 y pos [mm], reshoot average = -0.08 y pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8605.5, reshoot_counts = 11535.5
normalization = 0.737, reshoot_counts*normalization = 8501.5
original average = -0.14 y pos [mm], reshoot average = -0.31 y pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7580.5, reshoot_counts = 10119.2
normalization = 0.737, reshoot_counts*normalization = 7457.7
original average = -0.21 y pos [mm], reshoot average = -0.37 y pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12478.0, reshoot_counts = 16795.5
normalization = 0.737, reshoot_counts*normalization = 12378.0
original average = 0.15 y pos [mm], reshoot average = 0.16 y pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9568.8, reshoot_counts = 12786.0
normalization = 0.737, reshoot_counts*normalization = 9423.1
original average = 0.03 y pos [mm], reshoot average = -0.17 y pos [m
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10385.9, reshoot_counts = 14004.0
normalization = 0.737, reshoot_counts*normalization = 10320.7
original average = 0.07 y pos [mm], reshoot average = 0.13 y pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11462.6, reshoot_counts = 15359.8
normalization = 0.737, reshoot_counts*normalization = 11319.9
original average = 0.13 y pos [mm], reshoot average = -0.29 y pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13148.5, reshoot_counts = 17554.8
normalization = 0.737, reshoot_counts*normalization = 12937.6
original average = 0.02 y pos [mm], reshoot average = -0.03 y pos [m
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16226.4, reshoot_counts = 21849.0
normalization = 0.737, reshoot_counts*normalization = 16102.3
original average = 0.08 y pos [mm], reshoot average = 0.03 y pos [m
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25279.2, reshoot_counts = 33902.5
normalization = 0.737, reshoot_counts*normalization = 24985.6
original average = -0.13 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
10^3
6×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32838.1, reshoot_counts = 44101.0
normalization = 0.737, reshoot_counts*normalization = 32501.7
original average = -0.04 y pos [mm], reshoot average = -0.15 y pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63319.1, reshoot_counts = 84981.5
normalization = 0.737, reshoot_counts*normalization = 62629.9
original average = 0.04 y pos [mm], reshoot average = -0.07 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_wide_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 90139.6, reshoot_counts = 121437.2
normalization = 0.737, reshoot_counts*normalization = 89497.2
original average = -0.11 y pos [mm], reshoot average = -0.23 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 136315.4, reshoot_counts = 184138.5
normalization = 0.737, reshoot_counts*normalization = 135706.9
original average = 0.03 y pos [mm], reshoot average = -0.10 y pos [m
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 187892.6, reshoot_counts = 252944.0
normalization = 0.737, reshoot_counts*normalization = 186415.4
original average = -0.04 y pos [mm], reshoot average = -0.19 y pos [
counts [1/mm]
10^4
6×10^3
4×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4532200.0, reshoot_counts = 6132456.0
normalization = 0.737, reshoot_counts*normalization = 4519515.0
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
−400
−200
0
200
400



original_key=Y_wide_1500_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37837164.8, reshoot_counts = 50859232.5
normalization = 0.737, reshoot_counts*normalization = 37482383.1
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
2×10^6
10^6
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 4.5
normalization = 0.737, reshoot_counts*normalization = 3.3
original average = -11.14 y pos [mm], reshoot average = -17.83 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18494.6, reshoot_counts = 24815.2
normalization = 0.737, reshoot_counts*normalization = 18288.4
original average = -0.19 y pos [mm], reshoot average = -0.22 y pos [
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 3.5
normalization = 0.737, reshoot_counts*normalization = 2.6
original average = 1.18 y pos [mm], reshoot average = -1.29 y pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.737, reshoot_counts*normalization = 0.0
original average = 21.62 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400


original_key=Y_wide_1500_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.8, reshoot_counts = 4.2
normalization = 0.737, reshoot_counts*normalization = 3.1
original average = 0.89 y pos [mm], reshoot average = -1.93 y pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.8, reshoot_counts = 6.5
normalization = 0.737, reshoot_counts*normalization = 4.8
original average = 2.45 y pos [mm], reshoot average = 2.37 y pos [m
counts [1/mm]
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
y pos [mm]