






original_key=Theta_wide_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 290264.8, reshoot_counts = 14187.9
normalization = 0.688, reshoot_counts*normalization = 9759.8
original average = 0.08 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 178618.9, reshoot_counts = 11133.1
normalization = 0.688, reshoot_counts*normalization = 7658.4
original average = 0.10 Theta [rad], reshoot average = 0.10 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111002.6, reshoot_counts = 5067.8
normalization = 0.688, reshoot_counts*normalization = 3486.1
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7056.0, reshoot_counts = 275.7
normalization = 0.688, reshoot_counts*normalization = 189.6
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2730.9, reshoot_counts = 103.6
normalization = 0.688, reshoot_counts*normalization = 71.3
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3636.8, reshoot_counts = 126.3
normalization = 0.688, reshoot_counts*normalization = 86.9
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9727.0, reshoot_counts = 319.2
normalization = 0.688, reshoot_counts*normalization = 219.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8182.2, reshoot_counts = 264.1
normalization = 0.688, reshoot_counts*normalization = 181.7
original average = 0.03 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5597.7, reshoot_counts = 184.3
normalization = 0.688, reshoot_counts*normalization = 126.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3361.8, reshoot_counts = 112.0
normalization = 0.688, reshoot_counts*normalization = 77.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7194.2, reshoot_counts = 242.4
normalization = 0.688, reshoot_counts*normalization = 166.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7491.4, reshoot_counts = 263.6
normalization = 0.688, reshoot_counts*normalization = 181.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9230.6, reshoot_counts = 343.0
normalization = 0.688, reshoot_counts*normalization = 236.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7731.1, reshoot_counts = 300.5
normalization = 0.688, reshoot_counts*normalization = 206.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12043.0, reshoot_counts = 497.5
normalization = 0.688, reshoot_counts*normalization = 342.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9277.7, reshoot_counts = 380.7
normalization = 0.688, reshoot_counts*normalization = 261.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10771.7, reshoot_counts = 417.1
normalization = 0.688, reshoot_counts*normalization = 286.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13558.4, reshoot_counts = 466.9
normalization = 0.688, reshoot_counts*normalization = 321.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18158.9, reshoot_counts = 541.4
normalization = 0.688, reshoot_counts*normalization = 372.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26295.1, reshoot_counts = 674.9
normalization = 0.688, reshoot_counts*normalization = 464.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47733.1, reshoot_counts = 1072.4
normalization = 0.688, reshoot_counts*normalization = 737.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71287.2, reshoot_counts = 1412.4
normalization = 0.688, reshoot_counts*normalization = 971.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 152733.5, reshoot_counts = 2759.8
normalization = 0.688, reshoot_counts*normalization = 1898.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 235410.7, reshoot_counts = 3981.9
normalization = 0.688, reshoot_counts*normalization = 2739.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 370006.5, reshoot_counts = 6004.4
normalization = 0.688, reshoot_counts*normalization = 4130.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 527375.6, reshoot_counts = 8325.8
normalization = 0.688, reshoot_counts*normalization = 5727.2
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17035139.2, reshoot_counts = 218263.3
normalization = 0.688, reshoot_counts*normalization = 150141.9
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2530743.5, reshoot_counts = 3557269.0
normalization = 0.688, reshoot_counts*normalization = 2447022.3
original average = 0.60 Theta [rad], reshoot average = 0.59 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.4
normalization = 0.688, reshoot_counts*normalization = 0.3
original average = 0.17 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9268.7, reshoot_counts = 1155.4
normalization = 0.688, reshoot_counts*normalization = 794.8
original average = 0.35 Theta [rad], reshoot average = 0.35 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.1
normalization = 0.688, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.688, reshoot_counts*normalization = 0.0
original average = 0.04 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.1, reshoot_counts = 0.2
normalization = 0.688, reshoot_counts*normalization = 0.2
original average = 0.11 Theta [rad], reshoot average = 0.11 Theta [ra
counts [1/rad]
Theta [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.1, reshoot_counts = 0.2
normalization = 0.688, reshoot_counts*normalization = 0.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_wide_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19196.0, reshoot_counts = 28222.7
normalization = 0.688, reshoot_counts*normalization = 19414.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13893.8, reshoot_counts = 20434.5
normalization = 0.688, reshoot_counts*normalization = 14056.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7096.2, reshoot_counts = 10319.1
normalization = 0.688, reshoot_counts*normalization = 7098.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 413.2, reshoot_counts = 622.9
normalization = 0.688, reshoot_counts*normalization = 428.5
original average = 3.13 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 159.3, reshoot_counts = 217.4
normalization = 0.688, reshoot_counts*normalization = 149.5
original average = 3.12 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
0
1
2
3
4
5
6



original_key=Phi_wide_2000_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 188.0, reshoot_counts = 275.3
normalization = 0.688, reshoot_counts*normalization = 189.4
original average = 3.14 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^3
3×10^3
2×10^3
10^3
6×10^2
4×10^2
0
1
2
3
4
5
6



original_key=Phi_wide_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 500.3, reshoot_counts = 709.8
normalization = 0.688, reshoot_counts*normalization = 488.2
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 425.2, reshoot_counts = 613.3
normalization = 0.688, reshoot_counts*normalization = 421.9
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 279.0, reshoot_counts = 437.9
normalization = 0.688, reshoot_counts*normalization = 301.2
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 165.0, reshoot_counts = 282.8
normalization = 0.688, reshoot_counts*normalization = 194.5
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
0
1
2
3
4
5
6



original_key=Phi_wide_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 377.2, reshoot_counts = 584.9
normalization = 0.688, reshoot_counts*normalization = 402.3
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 397.4, reshoot_counts = 598.6
normalization = 0.688, reshoot_counts*normalization = 411.7
original average = 3.12 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 545.0, reshoot_counts = 774.4
normalization = 0.688, reshoot_counts*normalization = 532.7
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 470.7, reshoot_counts = 683.6
normalization = 0.688, reshoot_counts*normalization = 470.3
original average = 3.12 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 750.0, reshoot_counts = 1128.8
normalization = 0.688, reshoot_counts*normalization = 776.5
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
10^4
6×10^3
4×10^3
3×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 607.3, reshoot_counts = 840.7
normalization = 0.688, reshoot_counts*normalization = 578.3
original average = 3.13 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 635.0, reshoot_counts = 905.8
normalization = 0.688, reshoot_counts*normalization = 623.1
original average = 3.13 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 710.7, reshoot_counts = 1031.1
normalization = 0.688, reshoot_counts*normalization = 709.3
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^4
6×10^3
4×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 841.7, reshoot_counts = 1234.8
normalization = 0.688, reshoot_counts*normalization = 849.4
original average = 3.12 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
10^4
6×10^3
4×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1106.2, reshoot_counts = 1631.8
normalization = 0.688, reshoot_counts*normalization = 1122.5
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^4
10^4
6×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1791.0, reshoot_counts = 2615.0
normalization = 0.688, reshoot_counts*normalization = 1798.8
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2398.5, reshoot_counts = 3416.2
normalization = 0.688, reshoot_counts*normalization = 2350.0
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4717.8, reshoot_counts = 6857.2
normalization = 0.688, reshoot_counts*normalization = 4717.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6853.3, reshoot_counts = 10219.5
normalization = 0.688, reshoot_counts*normalization = 7029.9
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10546.5, reshoot_counts = 15280.6
normalization = 0.688, reshoot_counts*normalization = 10511.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14727.2, reshoot_counts = 21147.4
normalization = 0.688, reshoot_counts*normalization = 14547.2
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
3×10^5
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 391593.3, reshoot_counts = 570642.6
normalization = 0.688, reshoot_counts*normalization = 392541.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3206603.9, reshoot_counts = 4670355.6
normalization = 0.688, reshoot_counts*normalization = 3212707.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.4
normalization = 0.688, reshoot_counts*normalization = 0.3
original average = 2.56 Phi [rad], reshoot average = 3.34 Phi [rad]
counts [1/rad]
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1217.2, reshoot_counts = 1721.4
normalization = 0.688, reshoot_counts*normalization = 1184.1
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^4
2 × 10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.1
normalization = 0.688, reshoot_counts*normalization = 0.1
original average = 2.43 Phi [rad], reshoot average = 1.84 Phi [rad]
counts [1/rad]
2×10^2
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.688, reshoot_counts*normalization = 0.0
original average = 1.13 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_wide_2000_pi-___reshoot_key=Phi_1_pi-
original counts = 0.3, reshoot_counts = 0.3
normalization = 0.688, reshoot_counts*normalization = 0.2
original average = 2.97 Phi [rad], reshoot average = 3.41 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.3
normalization = 0.688, reshoot_counts*normalization = 0.2
original average = 3.06 Phi [rad], reshoot average = 3.18 Phi [rad]
counts [1/rad]
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 845575.5, reshoot_counts = 1229584.5
normalization = 0.688, reshoot_counts*normalization = 845823.2
original average = 220.49 Ek [MeV/u], reshoot average = 220.58 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 613743.5, reshoot_counts = 892172.5
normalization = 0.688, reshoot_counts*normalization = 613719.7
original average = 211.09 Ek [MeV/u], reshoot average = 211.16 Ek [
counts [u/MeV]
Ek [MeV/u]



original_key=Ekin_wide_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 312348.0, reshoot_counts = 454317.0
normalization = 0.688, reshoot_counts*normalization = 312521.7
original average = 208.85 Ek [MeV/u], reshoot average = 208.74 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17972.5, reshoot_counts = 26188.5
normalization = 0.688, reshoot_counts*normalization = 18014.9
original average = 206.11 Ek [MeV/u], reshoot average = 205.16 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6946.0, reshoot_counts = 10059.0
normalization = 0.688, reshoot_counts*normalization = 6919.5
original average = 199.71 Ek [MeV/u], reshoot average = 200.04 Ek [
counts [u/MeV]
Ek [MeV/u]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8599.0, reshoot_counts = 12539.0
normalization = 0.688, reshoot_counts*normalization = 8625.5
original average = 199.70 Ek [MeV/u], reshoot average = 199.76 Ek [
counts [u/MeV]
Ek [MeV/u]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22293.0, reshoot_counts = 32690.0
normalization = 0.688, reshoot_counts*normalization = 22487.2
original average = 192.80 Ek [MeV/u], reshoot average = 192.86 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18609.0, reshoot_counts = 27216.0
normalization = 0.688, reshoot_counts*normalization = 18721.7
original average = 188.43 Ek [MeV/u], reshoot average = 188.37 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12923.0, reshoot_counts = 18940.0
normalization = 0.688, reshoot_counts*normalization = 13028.7
original average = 180.28 Ek [MeV/u], reshoot average = 180.39 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7849.0, reshoot_counts = 11508.0
normalization = 0.688, reshoot_counts*normalization = 7916.3
original average = 177.15 Ek [MeV/u], reshoot average = 177.05 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16992.0, reshoot_counts = 24792.0
normalization = 0.688, reshoot_counts*normalization = 17054.3
original average = 170.19 Ek [MeV/u], reshoot average = 170.32 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18372.0, reshoot_counts = 26770.0
normalization = 0.688, reshoot_counts*normalization = 18414.9
original average = 165.05 Ek [MeV/u], reshoot average = 164.78 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23526.0, reshoot_counts = 34378.0
normalization = 0.688, reshoot_counts*normalization = 23648.4
original average = 160.08 Ek [MeV/u], reshoot average = 160.03 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20434.0, reshoot_counts = 29896.5
normalization = 0.688, reshoot_counts*normalization = 20565.6
original average = 158.67 Ek [MeV/u], reshoot average = 158.33 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33323.0, reshoot_counts = 48874.0
normalization = 0.688, reshoot_counts*normalization = 33620.1
original average = 156.08 Ek [MeV/u], reshoot average = 156.33 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25582.0, reshoot_counts = 37233.5
normalization = 0.688, reshoot_counts*normalization = 25612.7
original average = 157.13 Ek [MeV/u], reshoot average = 156.76 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28059.5, reshoot_counts = 41075.0
normalization = 0.688, reshoot_counts*normalization = 28255.2
original average = 156.66 Ek [MeV/u], reshoot average = 156.25 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32006.5, reshoot_counts = 46475.0
normalization = 0.688, reshoot_counts*normalization = 31969.9
original average = 156.98 Ek [MeV/u], reshoot average = 157.08 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37459.5, reshoot_counts = 54953.0
normalization = 0.688, reshoot_counts*normalization = 37801.8
original average = 154.39 Ek [MeV/u], reshoot average = 154.51 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48015.0, reshoot_counts = 69763.5
normalization = 0.688, reshoot_counts*normalization = 47989.9
original average = 152.47 Ek [MeV/u], reshoot average = 152.51 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78060.0, reshoot_counts = 113420.5
normalization = 0.688, reshoot_counts*normalization = 78021.2
original average = 148.91 Ek [MeV/u], reshoot average = 148.99 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104872.0, reshoot_counts = 152510.0
normalization = 0.688, reshoot_counts*normalization = 104910.6
original average = 145.31 Ek [MeV/u], reshoot average = 145.25 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 208311.0, reshoot_counts = 302759.5
normalization = 0.688, reshoot_counts*normalization = 208266.3
original average = 138.27 Ek [MeV/u], reshoot average = 138.10 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 302751.5, reshoot_counts = 441553.5
normalization = 0.688, reshoot_counts*normalization = 303741.8
original average = 132.98 Ek [MeV/u], reshoot average = 132.90 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 460475.0, reshoot_counts = 670451.5
normalization = 0.688, reshoot_counts*normalization = 461199.2
original average = 128.48 Ek [MeV/u], reshoot average = 128.51 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 641409.0, reshoot_counts = 934233.5
normalization = 0.688, reshoot_counts*normalization = 642653.2
original average = 127.61 Ek [MeV/u], reshoot average = 127.72 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17163592.0, reshoot_counts = 24975556.0
normalization = 0.688, reshoot_counts*normalization = 17180523.2
original average = 143.73 Ek [MeV/u], reshoot average = 143.79 Ek [
counts [u/MeV]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9468876.1, reshoot_counts = 204193404.0
normalization = 0.688, reshoot_counts*normalization = 140463320.3
original average = 0.20 Ek [MeV/u], reshoot average = 0.50 Ek [MeV/u
counts [u/MeV]
10^8
10^6
10^4
10^2
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.3, reshoot_counts = 23.0
normalization = 0.688, reshoot_counts*normalization = 15.8
original average = 15.08 Ek [MeV/u], reshoot average = 11.97 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4419.4, reshoot_counts = 71864.0
normalization = 0.688, reshoot_counts*normalization = 49434.8
original average = 2.56 Ek [MeV/u], reshoot average = 3.98 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 7.0
normalization = 0.688, reshoot_counts*normalization = 4.8
original average = 67.58 Ek [MeV/u], reshoot average = 71.79 Ek [Me
counts [u/MeV]
10^1
6×10^0
4×10^0
3×10^0
2×10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.688, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31.2, reshoot_counts = 19.0
normalization = 0.688, reshoot_counts*normalization = 13.1
original average = 134.64 Ek [MeV/u], reshoot average = 122.24 Ek [
counts [u/MeV]
2×10^0
10^0
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23.4, reshoot_counts = 17.0
normalization = 0.688, reshoot_counts*normalization = 11.7
original average = 229.98 Ek [MeV/u], reshoot average = 218.56 Ek [
counts [u/MeV]
2×10^0
10^0
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 213926.9, reshoot_counts = 307438.5
normalization = 0.688, reshoot_counts*normalization = 211485.0
original average = 0.00 x pos [mm], reshoot average = -0.14 x pos [m
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 155293.0, reshoot_counts = 223064.5
normalization = 0.688, reshoot_counts*normalization = 153444.6
original average = -0.07 x pos [mm], reshoot average = -0.19 x pos [
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79018.9, reshoot_counts = 113622.8
normalization = 0.688, reshoot_counts*normalization = 78160.4
original average = -0.00 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4559.1, reshoot_counts = 6549.0
normalization = 0.688, reshoot_counts*normalization = 4505.0
original average = 0.09 x pos [mm], reshoot average = 0.28 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
−400
−200
0
200
400



original_key=X_wide_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1750.4, reshoot_counts = 2515.8
normalization = 0.688, reshoot_counts*normalization = 1730.6
original average = 0.39 x pos [mm], reshoot average = -0.04 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
−400
−200
0
200
400



original_key=X_wide_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2175.4, reshoot_counts = 3137.2
normalization = 0.688, reshoot_counts*normalization = 2158.1
original average = 0.44 x pos [mm], reshoot average = 0.60 x pos [m
counts [1/mm]
x pos [mm]
2 × 10^2
10^2
6 × 10^1
4 × 10^1
−400
−200
0
200
400



original_key=X_wide_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5647.9, reshoot_counts = 8176.2
normalization = 0.688, reshoot_counts*normalization = 5624.4
original average = -0.15 x pos [mm], reshoot average = -0.31 x pos [
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4700.0, reshoot_counts = 6806.0
normalization = 0.688, reshoot_counts*normalization = 4681.8
original average = 0.07 x pos [mm], reshoot average = -0.04 x pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3270.5, reshoot_counts = 4735.2
normalization = 0.688, reshoot_counts*normalization = 3257.3
original average = 0.11 x pos [mm], reshoot average = 0.25 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
−400
−200
0
200
400



original_key=X_wide_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1986.0, reshoot_counts = 2877.0
normalization = 0.688, reshoot_counts*normalization = 1979.1
original average = 0.25 x pos [mm], reshoot average = -0.09 x pos [m
2×10^2
10^2
6×10^1
4×10^1
3×10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4303.5, reshoot_counts = 6198.0
normalization = 0.688, reshoot_counts*normalization = 4263.6
original average = -0.34 x pos [mm], reshoot average = -0.65 x pos [
counts [1/mm]
x pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=X_wide_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4649.8, reshoot_counts = 6692.8
normalization = 0.688, reshoot_counts*normalization = 4603.9
original average = -0.24 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
x pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=X_wide_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5937.1, reshoot_counts = 8594.5
normalization = 0.688, reshoot_counts*normalization = 5912.1
original average = 0.07 x pos [mm], reshoot average = -0.04 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_wide_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5166.2, reshoot_counts = 7474.5
normalization = 0.688, reshoot_counts*normalization = 5141.7
original average = 0.21 x pos [mm], reshoot average = 0.30 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
−400
−200
0
200
400



original_key=X_wide_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8436.9, reshoot_counts = 12219.2
normalization = 0.688, reshoot_counts*normalization = 8405.5
original average = -0.08 x pos [mm], reshoot average = -0.40 x pos [
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6473.4, reshoot_counts = 9308.5
normalization = 0.688, reshoot_counts*normalization = 6403.3
original average = -0.14 x pos [mm], reshoot average = -0.10 x pos [
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7097.2, reshoot_counts = 10269.0
normalization = 0.688, reshoot_counts*normalization = 7064.0
original average = 0.08 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8097.8, reshoot_counts = 11619.2
normalization = 0.688, reshoot_counts*normalization = 7992.8
original average = 0.03 x pos [mm], reshoot average = -0.00 x pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9464.8, reshoot_counts = 13738.8
normalization = 0.688, reshoot_counts*normalization = 9450.8
original average = -0.03 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12130.0, reshoot_counts = 17441.2
normalization = 0.688, reshoot_counts*normalization = 11997.7
original average = 0.28 x pos [mm], reshoot average = 0.11 x pos [m
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19691.4, reshoot_counts = 28356.2
normalization = 0.688, reshoot_counts*normalization = 19506.1
original average = 0.09 x pos [mm], reshoot average = -0.08 x pos [m
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26434.4, reshoot_counts = 38131.0
normalization = 0.688, reshoot_counts*normalization = 26230.1
original average = 0.06 x pos [mm], reshoot average = 0.09 x pos [m
counts [1/mm]
2×10^3
10^3
6×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52488.9, reshoot_counts = 75698.0
normalization = 0.688, reshoot_counts*normalization = 52072.2
original average = 0.01 x pos [mm], reshoot average = -0.21 x pos [m
counts [1/mm]
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76243.1, reshoot_counts = 110406.0
normalization = 0.688, reshoot_counts*normalization = 75947.6
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 116010.5, reshoot_counts = 167661.8
normalization = 0.688, reshoot_counts*normalization = 115333.4
original average = 0.00 x pos [mm], reshoot average = -0.15 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 161490.2, reshoot_counts = 233643.2
normalization = 0.688, reshoot_counts*normalization = 160721.7
original average = 0.01 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4303929.0, reshoot_counts = 6245706.0
normalization = 0.688, reshoot_counts*normalization = 4296380.7
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
−400
−200
0
200
400



original_key=X_wide_2000_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29403196.8, reshoot_counts = 51048363.8
normalization = 0.688, reshoot_counts*normalization = 35115838.8
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
4 × 10^6
3 × 10^6
2 × 10^6
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 5.8
normalization = 0.688, reshoot_counts*normalization = 4.0
original average = 9.00 x pos [mm], reshoot average = 9.41 x pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10467.0, reshoot_counts = 19539.5
normalization = 0.688, reshoot_counts*normalization = 13441.1
original average = -0.08 x pos [mm], reshoot average = -0.23 x pos [
counts [1/mm]
10^3
6×10^2
4×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 1.8
normalization = 0.688, reshoot_counts*normalization = 1.2
original average = -10.21 x pos [mm], reshoot average = -12.55 x pos
counts [1/mm]
x pos [mm]
2×10^1
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400



original_key=X_wide_2000_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.688, reshoot_counts*normalization = 0.0
original average = 5.38 x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_wide_2000_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 4.8
normalization = 0.688, reshoot_counts*normalization = 3.3
original average = 6.81 x pos [mm], reshoot average = 13.61 x pos [r
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.4, reshoot_counts = 4.2
normalization = 0.688, reshoot_counts*normalization = 2.9
original average = 9.60 x pos [mm], reshoot average = 13.07 x pos [r
10^1
6×10^0
4×10^0
3×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 213910.1, reshoot_counts = 307438.5
normalization = 0.688, reshoot_counts*normalization = 211485.0
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 155277.9, reshoot_counts = 223064.5
normalization = 0.688, reshoot_counts*normalization = 153444.6
original average = 0.01 y pos [mm], reshoot average = -0.13 y pos [m
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79005.8, reshoot_counts = 113622.8
normalization = 0.688, reshoot_counts*normalization = 78160.4
original average = -0.03 y pos [mm], reshoot average = -0.24 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4543.5, reshoot_counts = 6549.0
normalization = 0.688, reshoot_counts*normalization = 4505.0
original average = 0.15 y pos [mm], reshoot average = -0.02 y pos [m
counts [1/mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1754.4, reshoot_counts = 2515.8
normalization = 0.688, reshoot_counts*normalization = 1730.6
original average = -0.08 y pos [mm], reshoot average = -0.64 y pos [
counts [1/mm]
y pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
−400
−200
0
200
400



original_key=Y_wide_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2167.5, reshoot_counts = 3137.2
normalization = 0.688, reshoot_counts*normalization = 2158.1
original average = 0.17 y pos [mm], reshoot average = -0.01 y pos [m
counts [1/mm]
y pos [mm]
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
−400
−200
0
200
400



original_key=Y_wide_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5646.5, reshoot_counts = 8176.2
normalization = 0.688, reshoot_counts*normalization = 5624.4
original average = 0.09 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
6 × 10²
4 × 10²
3 × 10²
2 × 10²
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4697.6, reshoot_counts = 6806.0
normalization = 0.688, reshoot_counts*normalization = 4681.8
original average = -0.16 y pos [mm], reshoot average = -0.30 y pos [
counts [1/mm]
y pos [mm]



original_key=Y_wide_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3277.5, reshoot_counts = 4735.2
normalization = 0.688, reshoot_counts*normalization = 3257.3
original average = 0.07 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
−400
−200
0
200
400



original_key=Y_wide_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1990.4, reshoot_counts = 2877.0
normalization = 0.688, reshoot_counts*normalization = 1979.1
original average = -0.07 y pos [mm], reshoot average = 0.09 y pos [m
counts [1/mm]
y pos [mm]
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
−400
−200
0
200
400



original_key=Y_wide_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4297.8, reshoot_counts = 6198.0
normalization = 0.688, reshoot_counts*normalization = 4263.6
original average = 0.16 y pos [mm], reshoot average = -0.19 y pos [m
counts [1/mm]
y pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=Y_wide_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4639.8, reshoot_counts = 6692.8
normalization = 0.688, reshoot_counts*normalization = 4603.9
original average = 0.03 y pos [mm], reshoot average = 0.08 y pos [m
counts [1/mm]
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5957.6, reshoot_counts = 8594.5
normalization = 0.688, reshoot_counts*normalization = 5912.1
original average = -0.07 y pos [mm], reshoot average = 0.02 y pos [m
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5164.1, reshoot_counts = 7474.5
normalization = 0.688, reshoot_counts*normalization = 5141.7
original average = 0.05 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
−400
−200
0
200
400



original_key=Y_wide_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8440.8, reshoot_counts = 12219.2
normalization = 0.688, reshoot_counts*normalization = 8405.5
original average = 0.22 y pos [mm], reshoot average = 0.13 y pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6476.8, reshoot_counts = 9308.5
normalization = 0.688, reshoot_counts*normalization = 6403.3
original average = 0.02 y pos [mm], reshoot average = -0.26 y pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7104.8, reshoot_counts = 10269.0
normalization = 0.688, reshoot_counts*normalization = 7064.0
original average = 0.22 y pos [mm], reshoot average = 0.18 y pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8093.1, reshoot_counts = 11619.2
normalization = 0.688, reshoot_counts*normalization = 7992.8
original average = -0.01 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9471.4, reshoot_counts = 13738.8
normalization = 0.688, reshoot_counts*normalization = 9450.8
original average = 0.18 y pos [mm], reshoot average = 0.01 y pos [m
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12120.9, reshoot_counts = 17441.2
normalization = 0.688, reshoot_counts*normalization = 11997.7
original average = 0.08 y pos [mm], reshoot average = -0.01 y pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19702.2, reshoot_counts = 28356.2
normalization = 0.688, reshoot_counts*normalization = 19506.1
original average = -0.01 y pos [mm], reshoot average = -0.05 y pos [
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26430.5, reshoot_counts = 38131.0
normalization = 0.688, reshoot_counts*normalization = 26230.1
original average = -0.02 y pos [mm], reshoot average = -0.09 y pos [
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52523.2, reshoot_counts = 75698.0
normalization = 0.688, reshoot_counts*normalization = 52072.2
original average = 0.00 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76259.0, reshoot_counts = 110406.0
normalization = 0.688, reshoot_counts*normalization = 75947.6
original average = -0.08 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_wide_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115922.1, reshoot_counts = 167661.8
normalization = 0.688, reshoot_counts*normalization = 115333.4
original average = 0.05 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 161437.4, reshoot_counts = 233643.2
normalization = 0.688, reshoot_counts*normalization = 160721.7
original average = -0.04 y pos [mm], reshoot average = -0.09 y pos [
counts [1/mm]
10^4
6×10^3
4×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4303937.5, reshoot_counts = 6245706.0
normalization = 0.688, reshoot_counts*normalization = 4296380.7
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
−400
−200
0
200
400



original_key=Y_wide_2000_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35395139.0, reshoot_counts = 51048363.8
normalization = 0.688, reshoot_counts*normalization = 35115838.8
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
2×10^6
10^6
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 5.8
normalization = 0.688, reshoot_counts*normalization = 4.0
original average = -1.59 y pos [mm], reshoot average = 1.93 y pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13545.4, reshoot_counts = 19539.5
normalization = 0.688, reshoot_counts*normalization = 13441.1
original average = -0.23 y pos [mm], reshoot average = -0.39 y pos [
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 1.8
normalization = 0.688, reshoot_counts*normalization = 1.2
original average = 25.38 y pos [mm], reshoot average = 33.48 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.688, reshoot_counts*normalization = 0.0
original average = 37.38 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400


original_key=Y_wide_2000_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 4.8
normalization = 0.688, reshoot_counts*normalization = 3.3
original average = 0.98 y pos [mm], reshoot average = 6.34 y pos [m
counts [1/mm]
y pos [mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400


original_key=Y_wide_2000_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 4.2
normalization = 0.688, reshoot_counts*normalization = 2.9
original average = 4.83 y pos [mm], reshoot average = 0.88 y pos [m
6×10^0
4×10^0
3×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]