






original_key=Theta_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 679591.0, reshoot_counts = 63913.2
normalization = 0.208, reshoot_counts*normalization = 13292.5
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 431730.8, reshoot_counts = 48285.9
normalization = 0.208, reshoot_counts*normalization = 10042.4
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 272111.3, reshoot_counts = 23710.3
normalization = 0.208, reshoot_counts*normalization = 4931.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17262.3, reshoot_counts = 1369.0
normalization = 0.208, reshoot_counts*normalization = 284.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7318.1, reshoot_counts = 570.4
normalization = 0.208, reshoot_counts*normalization = 118.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11829.2, reshoot_counts = 913.6
normalization = 0.208, reshoot_counts*normalization = 190.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31184.6, reshoot_counts = 2370.8
normalization = 0.208, reshoot_counts*normalization = 493.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23072.2, reshoot_counts = 1724.2
normalization = 0.208, reshoot_counts*normalization = 358.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12877.8, reshoot_counts = 954.0
normalization = 0.208, reshoot_counts*normalization = 198.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7734.3, reshoot_counts = 566.6
normalization = 0.208, reshoot_counts*normalization = 117.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15689.5, reshoot_counts = 1164.5
normalization = 0.208, reshoot_counts*normalization = 242.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17340.2, reshoot_counts = 1276.6
normalization = 0.208, reshoot_counts*normalization = 265.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23600.4, reshoot_counts = 1730.0
normalization = 0.208, reshoot_counts*normalization = 359.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22479.3, reshoot_counts = 1627.3
normalization = 0.208, reshoot_counts*normalization = 338.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41756.8, reshoot_counts = 2887.5
normalization = 0.208, reshoot_counts*normalization = 600.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37388.5, reshoot_counts = 2452.3
normalization = 0.208, reshoot_counts*normalization = 510.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46614.4, reshoot_counts = 2927.4
normalization = 0.208, reshoot_counts*normalization = 608.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 55788.5, reshoot_counts = 3295.5
normalization = 0.208, reshoot_counts*normalization = 685.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65843.4, reshoot_counts = 3713.8
normalization = 0.208, reshoot_counts*normalization = 772.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81438.5, reshoot_counts = 4378.7
normalization = 0.208, reshoot_counts*normalization = 910.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 119145.9, reshoot_counts = 6146.0
normalization = 0.208, reshoot_counts*normalization = 1278.2
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138336.9, reshoot_counts = 6870.5
normalization = 0.208, reshoot_counts*normalization = 1428.9
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 232240.5, reshoot_counts = 11166.6
normalization = 0.208, reshoot_counts*normalization = 2322.4
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 296153.6, reshoot_counts = 13817.5
normalization = 0.208, reshoot_counts*normalization = 2873.7
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 430323.2, reshoot_counts = 19579.9
normalization = 0.208, reshoot_counts*normalization = 4072.2
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 632089.5, reshoot_counts = 27821.2
normalization = 0.208, reshoot_counts*normalization = 5786.2
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8168649.6, reshoot_counts = 343368.7
normalization = 0.208, reshoot_counts*normalization = 71413.0
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 627465.0, reshoot_counts = 2940337.0
normalization = 0.208, reshoot_counts*normalization = 611524.4
original average = 0.74 Theta [rad], reshoot average = 0.73 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85.1, reshoot_counts = 19.7
normalization = 0.208, reshoot_counts*normalization = 4.1
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18811.9, reshoot_counts = 3594.7
normalization = 0.208, reshoot_counts*normalization = 747.6
original average = 0.22 Theta [rad], reshoot average = 0.22 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42.5, reshoot_counts = 32.7
normalization = 0.208, reshoot_counts*normalization = 6.8
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41.7, reshoot_counts = 18.8
normalization = 0.208, reshoot_counts*normalization = 3.9
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1197.2, reshoot_counts = 238.7
normalization = 0.208, reshoot_counts*normalization = 49.7
original average = 0.21 Theta [rad], reshoot average = 0.21 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 980.0, reshoot_counts = 183.1
normalization = 0.208, reshoot_counts*normalization = 38.1
original average = 0.21 Theta [rad], reshoot average = 0.21 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29827.5, reshoot_counts = 144203.4
normalization = 0.208, reshoot_counts*normalization = 29991.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^6
10^6
6×10^5
4×10^5
3×10^5
2×10^5
0
1
2
3
4
5
6



original_key=Phi_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20992.5, reshoot_counts = 101573.6
normalization = 0.208, reshoot_counts*normalization = 21125.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
6×10^5
4×10^5
3×10^5
2×10^5
0
1
2
3
4
5
6



original_key=Phi_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11596.0, reshoot_counts = 55827.0
normalization = 0.208, reshoot_counts*normalization = 11610.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 670.9, reshoot_counts = 3347.8
normalization = 0.208, reshoot_counts*normalization = 696.3
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 284.5, reshoot_counts = 1412.3
normalization = 0.208, reshoot_counts*normalization = 293.7
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 461.7, reshoot_counts = 2252.4
normalization = 0.208, reshoot_counts*normalization = 468.5
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1231.7, reshoot_counts = 5821.5
normalization = 0.208, reshoot_counts*normalization = 1210.7
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 900.6, reshoot_counts = 4328.8
normalization = 0.208, reshoot_counts*normalization = 900.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 495.5, reshoot_counts = 2314.2
normalization = 0.208, reshoot_counts*normalization = 481.3
original average = 3.13 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 293.4, reshoot_counts = 1406.1
normalization = 0.208, reshoot_counts*normalization = 292.4
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 618.9, reshoot_counts = 3026.2
normalization = 0.208, reshoot_counts*normalization = 629.4
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^4
3×10^4
2×10^4
10^4
6×10^3
4×10^3
3×10^3
0
1
2
3
4
5
6



original_key=Phi_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 697.9, reshoot_counts = 3181.8
normalization = 0.208, reshoot_counts*normalization = 661.7
original average = 3.15 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 936.3, reshoot_counts = 4490.1
normalization = 0.208, reshoot_counts*normalization = 933.8
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 852.1, reshoot_counts = 4050.7
normalization = 0.208, reshoot_counts*normalization = 842.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1510.8, reshoot_counts = 7548.4
normalization = 0.208, reshoot_counts*normalization = 1569.9
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
10^4
0
1
2
3
4
5
6



original_key=Phi_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1313.6, reshoot_counts = 6223.5
normalization = 0.208, reshoot_counts*normalization = 1294.3
original average = 3.15 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
10^4
0
1
2
3
4
5
6



original_key=Phi_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1584.7, reshoot_counts = 7616.2
normalization = 0.208, reshoot_counts*normalization = 1584.0
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
10^5
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1778.5, reshoot_counts = 8711.2
normalization = 0.208, reshoot_counts*normalization = 1811.7
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2027.4, reshoot_counts = 9845.6
normalization = 0.208, reshoot_counts*normalization = 2047.7
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
10^4
0
1
2
3
4
5
6



original_key=Phi_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2404.3, reshoot_counts = 11484.0
normalization = 0.208, reshoot_counts*normalization = 2388.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3358.5, reshoot_counts = 16017.1
normalization = 0.208, reshoot_counts*normalization = 3331.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3798.5, reshoot_counts = 18046.8
normalization = 0.208, reshoot_counts*normalization = 3753.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6145.7, reshoot_counts = 29783.7
normalization = 0.208, reshoot_counts*normalization = 6194.3
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^5
3×10^5
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7602.6, reshoot_counts = 36417.7
normalization = 0.208, reshoot_counts*normalization = 7574.1
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10807.8, reshoot_counts = 51637.3
normalization = 0.208, reshoot_counts*normalization = 10739.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15212.9, reshoot_counts = 73488.5
normalization = 0.208, reshoot_counts*normalization = 15284.0
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 187204.7, reshoot_counts = 902672.5
normalization = 0.208, reshoot_counts*normalization = 187735.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^7
6×10^6
4×10^6
3×10^6
2×10^6
0
1
2
3
4
5
6



original_key=Phi_2000_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 802304.7, reshoot_counts = 3862704.2
normalization = 0.208, reshoot_counts*normalization = 803356.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^7
4 × 10^7
3 × 10^7
2 × 10^7
10^7
6 × 10^6
0
1
2
3
4
5
6



original_key=Phi_2000_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.3, reshoot_counts = 49.5
normalization = 0.208, reshoot_counts*normalization = 10.3
original average = 3.21 Phi [rad], reshoot average = 3.11 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_2000_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1204.5, reshoot_counts = 6264.1
normalization = 0.208, reshoot_counts*normalization = 1302.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
10^4
0
1
2
3
4
5
6



original_key=Phi_2000_mu-___reshoot_key=Phi_1_mu-
original counts = 6.7, reshoot_counts = 67.6
normalization = 0.208, reshoot_counts*normalization = 14.1
original average = 3.07 Phi [rad], reshoot average = 3.05 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_2000_mu+___reshoot_key=Phi_1_mu+
original counts = 3.8, reshoot_counts = 46.4
normalization = 0.208, reshoot_counts*normalization = 9.6
original average = 3.03 Phi [rad], reshoot average = 3.00 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_2000_pi-___reshoot_key=Phi_1_pi-
original counts = 85.9, reshoot_counts = 377.4
normalization = 0.208, reshoot_counts*normalization = 78.5
original average = 3.20 Phi [rad], reshoot average = 3.20 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_2000_pi+___reshoot_key=Phi_1_pi+
original counts = 60.7, reshoot_counts = 327.8
normalization = 0.208, reshoot_counts*normalization = 68.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Ekin_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1299244.5, reshoot_counts = 6250809.5
normalization = 0.208, reshoot_counts*normalization = 1300028.6
original average = 545.99 Ek [MeV/u], reshoot average = 546.18 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 919528.0, reshoot_counts = 4421267.5
normalization = 0.208, reshoot_counts*normalization = 919524.8
original average = 527.22 Ek [MeV/u], reshoot average = 527.33 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 505904.5, reshoot_counts = 2433330.5
normalization = 0.208, reshoot_counts*normalization = 506078.3
original average = 520.87 Ek [MeV/u], reshoot average = 520.90 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30314.0, reshoot_counts = 145645.0
normalization = 0.208, reshoot_counts*normalization = 30290.9
original average = 513.70 Ek [MeV/u], reshoot average = 513.57 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12670.0, reshoot_counts = 61225.5
normalization = 0.208, reshoot_counts*normalization = 12733.5
original average = 503.97 Ek [MeV/u], reshoot average = 504.91 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20319.0, reshoot_counts = 97884.0
normalization = 0.208, reshoot_counts*normalization = 20357.7
original average = 487.03 Ek [MeV/u], reshoot average = 486.93 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53200.5, reshoot_counts = 254839.0
normalization = 0.208, reshoot_counts*normalization = 53000.8
original average = 474.44 Ek [MeV/u], reshoot average = 474.46 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38998.5, reshoot_counts = 187487.5
normalization = 0.208, reshoot_counts*normalization = 38993.2
original average = 469.60 Ek [MeV/u], reshoot average = 469.80 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21759.0, reshoot_counts = 104577.0
normalization = 0.208, reshoot_counts*normalization = 21749.7
original average = 471.61 Ek [MeV/u], reshoot average = 471.20 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13017.0, reshoot_counts = 62384.0
normalization = 0.208, reshoot_counts*normalization = 12974.5
original average = 471.19 Ek [MeV/u], reshoot average = 471.02 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26526.0, reshoot_counts = 128089.0
normalization = 0.208, reshoot_counts*normalization = 26639.6
original average = 466.78 Ek [MeV/u], reshoot average = 466.80 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29194.0, reshoot_counts = 140572.0
normalization = 0.208, reshoot_counts*normalization = 29235.8
original average = 464.00 Ek [MeV/u], reshoot average = 464.01 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39749.0, reshoot_counts = 191461.0
normalization = 0.208, reshoot_counts*normalization = 39819.6
original average = 461.69 Ek [MeV/u], reshoot average = 461.64 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37501.0, reshoot_counts = 180386.0
normalization = 0.208, reshoot_counts*normalization = 37516.3
original average = 461.26 Ek [MeV/u], reshoot average = 461.26 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67006.0, reshoot_counts = 322166.5
normalization = 0.208, reshoot_counts*normalization = 67003.4
original average = 459.42 Ek [MeV/u], reshoot average = 459.39 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57358.0, reshoot_counts = 274748.0
normalization = 0.208, reshoot_counts*normalization = 57141.4
original average = 459.10 Ek [MeV/u], reshoot average = 459.16 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68484.0, reshoot_counts = 329333.0
normalization = 0.208, reshoot_counts*normalization = 68493.9
original average = 455.76 Ek [MeV/u], reshoot average = 455.77 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77361.0, reshoot_counts = 372718.0
normalization = 0.208, reshoot_counts*normalization = 77517.0
original average = 453.90 Ek [MeV/u], reshoot average = 453.79 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 87686.0, reshoot_counts = 420919.0
normalization = 0.208, reshoot_counts*normalization = 87541.7
original average = 449.20 Ek [MeV/u], reshoot average = 449.12 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 103635.0, reshoot_counts = 497589.0
normalization = 0.208, reshoot_counts*normalization = 103487.4
original average = 445.95 Ek [MeV/u], reshoot average = 445.94 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 145685.0, reshoot_counts = 699924.0
normalization = 0.208, reshoot_counts*normalization = 145568.5
original average = 442.46 Ek [MeV/u], reshoot average = 442.31 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 163178.0, reshoot_counts = 784099.0
normalization = 0.208, reshoot_counts*normalization = 163075.1
original average = 439.77 Ek [MeV/u], reshoot average = 439.69 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 265115.0, reshoot_counts = 1275770.0
normalization = 0.208, reshoot_counts*normalization = 265331.6
original average = 434.77 Ek [MeV/u], reshoot average = 434.71 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 328654.0, reshoot_counts = 1580401.0
normalization = 0.208, reshoot_counts*normalization = 328688.1
original average = 432.17 Ek [MeV/u], reshoot average = 432.24 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 465544.0, reshoot_counts = 2241416.0
normalization = 0.208, reshoot_counts*normalization = 466164.4
original average = 428.58 Ek [MeV/u], reshoot average = 428.63 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 662768.0, reshoot_counts = 3186836.0
normalization = 0.208, reshoot_counts*normalization = 662790.6
original average = 428.06 Ek [MeV/u], reshoot average = 428.12 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8185748.0, reshoot_counts = 39346553.5
normalization = 0.208, reshoot_counts*normalization = 8183203.6
original average = 470.81 Ek [MeV/u], reshoot average = 470.82 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2785027.3, reshoot_counts = 162084658.5
normalization = 0.208, reshoot_counts*normalization = 33709985.7
original average = 0.38 Ek [MeV/u], reshoot average = 0.65 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^6
10^4
10^2
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14.3, reshoot_counts = 1703.5
normalization = 0.208, reshoot_counts*normalization = 354.3
original average = 39.91 Ek [MeV/u], reshoot average = 39.48 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4249.0, reshoot_counts = 261275.5
normalization = 0.208, reshoot_counts*normalization = 54339.5
original average = 4.32 Ek [MeV/u], reshoot average = 6.46 Ek [MeV/u]
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.3, reshoot_counts = 2364.0
normalization = 0.208, reshoot_counts*normalization = 491.7
original average = 56.22 Ek [MeV/u], reshoot average = 57.04 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 1473.5
normalization = 0.208, reshoot_counts*normalization = 306.5
original average = 46.35 Ek [MeV/u], reshoot average = 46.65 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7105.5, reshoot_counts = 17803.0
normalization = 0.208, reshoot_counts*normalization = 3702.6
original average = 266.71 Ek [MeV/u], reshoot average = 267.12 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5595.7, reshoot_counts = 13703.0
normalization = 0.208, reshoot_counts*normalization = 2849.9
original average = 330.57 Ek [MeV/u], reshoot average = 330.61 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 330219.1, reshoot_counts = 1562764.0
normalization = 0.208, reshoot_counts*normalization = 325020.0
original average = -0.04 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233724.1, reshoot_counts = 1105341.8
normalization = 0.208, reshoot_counts*normalization = 229886.4
original average = 0.01 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128563.9, reshoot_counts = 608420.2
normalization = 0.208, reshoot_counts*normalization = 126537.8
original average = 0.04 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7688.1, reshoot_counts = 36417.5
normalization = 0.208, reshoot_counts*normalization = 7574.0
original average = 0.08 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
x pos [mm]
2×10^3
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400



original_key=X_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3210.0, reshoot_counts = 15309.2
normalization = 0.208, reshoot_counts*normalization = 3184.0
original average = -0.21 x pos [mm], reshoot average = -0.15 x pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5159.4, reshoot_counts = 24472.8
normalization = 0.208, reshoot_counts*normalization = 5089.8
original average = -0.06 x pos [mm], reshoot average = -0.10 x pos [
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13512.4, reshoot_counts = 63721.2
normalization = 0.208, reshoot_counts*normalization = 13252.6
original average = 0.03 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9897.4, reshoot_counts = 46876.8
normalization = 0.208, reshoot_counts*normalization = 9749.3
original average = -0.04 x pos [mm], reshoot average = -0.21 x pos [
counts [1/mm]
x pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=X_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5530.0, reshoot_counts = 26145.0
normalization = 0.208, reshoot_counts*normalization = 5437.6
original average = 0.18 x pos [mm], reshoot average = 0.08 x pos [m
counts [1/mm]
x pos [mm]
2×10^3
10^3
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400



original_key=X_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3309.9, reshoot_counts = 15596.0
normalization = 0.208, reshoot_counts*normalization = 3243.6
original average = 0.11 x pos [mm], reshoot average = -0.06 x pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6730.6, reshoot_counts = 32022.2
normalization = 0.208, reshoot_counts*normalization = 6659.9
original average = -0.03 x pos [mm], reshoot average = -0.19 x pos [
2×10^3
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7409.0, reshoot_counts = 35143.0
normalization = 0.208, reshoot_counts*normalization = 7309.0
original average = -0.02 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
x pos [mm]
2×10^3
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400



original_key=X_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10084.0, reshoot_counts = 47865.2
normalization = 0.208, reshoot_counts*normalization = 9954.9
original average = -0.00 x pos [mm], reshoot average = -0.04 x pos [
counts [1/mm]
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9533.2, reshoot_counts = 45096.5
normalization = 0.208, reshoot_counts*normalization = 9379.1
original average = -0.01 x pos [mm], reshoot average = -0.21 x pos [
counts [1/mm]
x pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=X_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16988.4, reshoot_counts = 80541.8
normalization = 0.208, reshoot_counts*normalization = 16750.9
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14584.1, reshoot_counts = 68687.0
normalization = 0.208, reshoot_counts*normalization = 14285.4
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17375.5, reshoot_counts = 82333.2
normalization = 0.208, reshoot_counts*normalization = 17123.5
original average = -0.02 x pos [mm], reshoot average = -0.10 x pos [
counts [1/mm]
x pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
6×10^2
−400
−200
0
200
400



original_key=X_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19640.8, reshoot_counts = 93179.8
normalization = 0.208, reshoot_counts*normalization = 19379.3
original average = -0.05 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22216.2, reshoot_counts = 105229.8
normalization = 0.208, reshoot_counts*normalization = 21885.4
original average = -0.05 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26233.4, reshoot_counts = 124397.2
normalization = 0.208, reshoot_counts*normalization = 25871.8
original average = -0.11 x pos [mm], reshoot average = -0.22 x pos [
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36883.5, reshoot_counts = 174981.0
normalization = 0.208, reshoot_counts*normalization = 36392.1
original average = 0.04 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41316.2, reshoot_counts = 196024.8
normalization = 0.208, reshoot_counts*normalization = 40768.8
original average = 0.14 x pos [mm], reshoot average = 0.02 x pos [m
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67086.6, reshoot_counts = 318942.5
normalization = 0.208, reshoot_counts*normalization = 66332.9
original average = 0.05 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
x pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=X_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83190.4, reshoot_counts = 395100.2
normalization = 0.208, reshoot_counts*normalization = 82172.0
original average = -0.04 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 117762.0, reshoot_counts = 560354.0
normalization = 0.208, reshoot_counts*normalization = 116541.1
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 167591.1, reshoot_counts = 796709.0
normalization = 0.208, reshoot_counts*normalization = 165697.7
original average = 0.01 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2070705.8, reshoot_counts = 9836639.0
normalization = 0.208, reshoot_counts*normalization = 2045801.0
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8954017.5, reshoot_counts = 42173711.5
normalization = 0.208, reshoot_counts*normalization = 8771189.2
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63.9, reshoot_counts = 428.2
normalization = 0.208, reshoot_counts*normalization = 89.1
original average = 2.96 x pos [mm], reshoot average = 2.62 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13500.4, reshoot_counts = 68711.5
normalization = 0.208, reshoot_counts*normalization = 14290.5
original average = -0.03 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_2000_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70.5, reshoot_counts = 591.0
normalization = 0.208, reshoot_counts*normalization = 122.9
original average = 2.42 x pos [mm], reshoot average = 2.50 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40.8, reshoot_counts = 370.5
normalization = 0.208, reshoot_counts*normalization = 77.1
original average = 2.23 x pos [mm], reshoot average = 2.67 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 920.5, reshoot_counts = 4450.8
normalization = 0.208, reshoot_counts*normalization = 925.7
original average = 0.03 x pos [mm], reshoot average = -0.22 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
−400
−200
0
200
400



original_key=X_2000_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 728.6, reshoot_counts = 3425.8
normalization = 0.208, reshoot_counts*normalization = 712.5
original average = 0.14 x pos [mm], reshoot average = -0.10 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 330179.0, reshoot_counts = 1562764.0
normalization = 0.208, reshoot_counts*normalization = 325020.0
original average = -0.03 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233654.9, reshoot_counts = 1105341.8
normalization = 0.208, reshoot_counts*normalization = 229886.4
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128530.5, reshoot_counts = 608420.2
normalization = 0.208, reshoot_counts*normalization = 126537.8
original average = 0.00 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7687.5, reshoot_counts = 36417.5
normalization = 0.208, reshoot_counts*normalization = 7574.0
original average = 0.06 y pos [mm], reshoot average = -0.18 y pos [m
counts [1/mm]
y pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=Y_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3221.0, reshoot_counts = 15309.2
normalization = 0.208, reshoot_counts*normalization = 3184.0
original average = -0.20 y pos [mm], reshoot average = -0.36 y pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5164.1, reshoot_counts = 24472.8
normalization = 0.208, reshoot_counts*normalization = 5089.8
original average = 0.01 y pos [mm], reshoot average = -0.07 y pos [m
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13508.4, reshoot_counts = 63721.2
normalization = 0.208, reshoot_counts*normalization = 13252.6
original average = -0.05 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9902.1, reshoot_counts = 46876.8
normalization = 0.208, reshoot_counts*normalization = 9749.3
original average = -0.05 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=Y_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5546.9, reshoot_counts = 26145.0
normalization = 0.208, reshoot_counts*normalization = 5437.6
original average = 0.17 y pos [mm], reshoot average = -0.04 y pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3316.4, reshoot_counts = 15596.0
normalization = 0.208, reshoot_counts*normalization = 3243.6
original average = 0.02 y pos [mm], reshoot average = -0.03 y pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6731.0, reshoot_counts = 32022.2
normalization = 0.208, reshoot_counts*normalization = 6659.9
original average = 0.02 y pos [mm], reshoot average = -0.07 y pos [m
2×10^3
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7429.0, reshoot_counts = 35143.0
normalization = 0.208, reshoot_counts*normalization = 7309.0
original average = -0.07 y pos [mm], reshoot average = -0.22 y pos [
counts [1/mm]
y pos [mm]
2×10^3
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400



original_key=Y_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10089.9, reshoot_counts = 47865.2
normalization = 0.208, reshoot_counts*normalization = 9954.9
original average = -0.12 y pos [mm], reshoot average = -0.24 y pos [
counts [1/mm]
y pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=Y_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9513.9, reshoot_counts = 45096.5
normalization = 0.208, reshoot_counts*normalization = 9379.1
original average = -0.07 y pos [mm], reshoot average = -0.24 y pos [
counts [1/mm]
y pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=Y_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16997.4, reshoot_counts = 80541.8
normalization = 0.208, reshoot_counts*normalization = 16750.9
original average = 0.01 y pos [mm], reshoot average = -0.08 y pos [m
counts [1/mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14515.2, reshoot_counts = 68687.0
normalization = 0.208, reshoot_counts*normalization = 14285.4
original average = -0.06 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17363.4, reshoot_counts = 82333.2
normalization = 0.208, reshoot_counts*normalization = 17123.5
original average = -0.07 y pos [mm], reshoot average = -0.23 y pos [
counts [1/mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19578.9, reshoot_counts = 93179.8
normalization = 0.208, reshoot_counts*normalization = 19379.3
original average = 0.09 y pos [mm], reshoot average = -0.04 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=Y_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22194.2, reshoot_counts = 105229.8
normalization = 0.208, reshoot_counts*normalization = 21885.4
original average = -0.06 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26276.5, reshoot_counts = 124397.2
normalization = 0.208, reshoot_counts*normalization = 25871.8
original average = 0.04 y pos [mm], reshoot average = -0.05 y pos [m
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36877.1, reshoot_counts = 174981.0
normalization = 0.208, reshoot_counts*normalization = 36392.1
original average = -0.03 y pos [mm], reshoot average = -0.15 y pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41273.1, reshoot_counts = 196024.8
normalization = 0.208, reshoot_counts*normalization = 40768.8
original average = -0.05 y pos [mm], reshoot average = -0.17 y pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67088.2, reshoot_counts = 318942.5
normalization = 0.208, reshoot_counts*normalization = 66332.9
original average = -0.03 y pos [mm], reshoot average = -0.17 y pos [
2×10^4
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83154.2, reshoot_counts = 395100.2
normalization = 0.208, reshoot_counts*normalization = 82172.0
original average = -0.04 y pos [mm], reshoot average = -0.20 y pos [
counts [1/mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 117702.2, reshoot_counts = 560354.0
normalization = 0.208, reshoot_counts*normalization = 116541.1
original average = -0.04 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
y pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400



original_key=Y_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 167537.4, reshoot_counts = 796709.0
normalization = 0.208, reshoot_counts*normalization = 165697.7
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=Y_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2070422.5, reshoot_counts = 9836639.0
normalization = 0.208, reshoot_counts*normalization = 2045801.0
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8954194.6, reshoot_counts = 42173711.5
normalization = 0.208, reshoot_counts*normalization = 8771189.2
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61.8, reshoot_counts = 428.2
normalization = 0.208, reshoot_counts*normalization = 89.1
original average = 0.15 y pos [mm], reshoot average = -0.08 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13509.5, reshoot_counts = 68711.5
normalization = 0.208, reshoot_counts*normalization = 14290.5
original average = 0.10 y pos [mm], reshoot average = -0.06 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400


original_key=Y_2000_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 591.0
normalization = 0.208, reshoot_counts*normalization = 122.9
original average = -0.53 y pos [mm], reshoot average = -0.90 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41.4, reshoot_counts = 370.5
normalization = 0.208, reshoot_counts*normalization = 77.1
original average = 0.59 y pos [mm], reshoot average = 0.49 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 932.5, reshoot_counts = 4450.8
normalization = 0.208, reshoot_counts*normalization = 925.7
original average = -0.38 y pos [mm], reshoot average = -0.24 y pos [
counts [1/mm]
y pos [mm]
4×10^2
3×10^2
2×10^2
10^2
6×10^1
4×10^1
3×10^1
2×10^1
−400
−200
0
200
400


original_key=Y_2000_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 726.2, reshoot_counts = 3425.8
normalization = 0.208, reshoot_counts*normalization = 712.5
original average = 0.43 y pos [mm], reshoot average = 0.31 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]