






original_key=Theta_very_wide_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1812430.0, reshoot_counts = 561332.1
normalization = 0.953, reshoot_counts*normalization = 535148.1
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1388615.8, reshoot_counts = 602771.4
normalization = 0.953, reshoot_counts*normalization = 574654.4
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 653163.6, reshoot_counts = 150073.9
normalization = 0.953, reshoot_counts*normalization = 143073.5
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37653.3, reshoot_counts = 5789.0
normalization = 0.953, reshoot_counts*normalization = 5519.0
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15565.0, reshoot_counts = 2111.6
normalization = 0.953, reshoot_counts*normalization = 2013.1
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24991.5, reshoot_counts = 3459.8
normalization = 0.953, reshoot_counts*normalization = 3298.4
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64818.9, reshoot_counts = 7986.4
normalization = 0.953, reshoot_counts*normalization = 7613.9
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47390.8, reshoot_counts = 5043.1
normalization = 0.953, reshoot_counts*normalization = 4807.9
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26491.8, reshoot_counts = 2558.6
normalization = 0.953, reshoot_counts*normalization = 2439.3
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15603.7, reshoot_counts = 1405.7
normalization = 0.953, reshoot_counts*normalization = 1340.2
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32225.1, reshoot_counts = 2816.4
normalization = 0.953, reshoot_counts*normalization = 2685.0
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34905.9, reshoot_counts = 2902.3
normalization = 0.953, reshoot_counts*normalization = 2767.0
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47452.3, reshoot_counts = 3666.3
normalization = 0.953, reshoot_counts*normalization = 3495.2
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44969.2, reshoot_counts = 3157.0
normalization = 0.953, reshoot_counts*normalization = 3009.7
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81526.8, reshoot_counts = 4910.7
normalization = 0.953, reshoot_counts*normalization = 4681.7
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71539.2, reshoot_counts = 3574.3
normalization = 0.953, reshoot_counts*normalization = 3407.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 87942.7, reshoot_counts = 3692.7
normalization = 0.953, reshoot_counts*normalization = 3520.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 102562.9, reshoot_counts = 3494.7
normalization = 0.953, reshoot_counts*normalization = 3331.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 119341.2, reshoot_counts = 3441.6
normalization = 0.953, reshoot_counts*normalization = 3281.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 144419.9, reshoot_counts = 3490.1
normalization = 0.953, reshoot_counts*normalization = 3327.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 206974.9, reshoot_counts = 4250.4
normalization = 0.953, reshoot_counts*normalization = 4052.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 235120.8, reshoot_counts = 4101.2
normalization = 0.953, reshoot_counts*normalization = 3909.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 386598.5, reshoot_counts = 5888.0
normalization = 0.953, reshoot_counts*normalization = 5613.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 479649.3, reshoot_counts = 6403.2
normalization = 0.953, reshoot_counts*normalization = 6104.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 680574.1, reshoot_counts = 8197.1
normalization = 0.953, reshoot_counts*normalization = 7814.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 958136.9, reshoot_counts = 10220.6
normalization = 0.953, reshoot_counts*normalization = 9743.9
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10266545.9, reshoot_counts = 94733.4
normalization = 0.953, reshoot_counts*normalization = 90314.4
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2180829.9, reshoot_counts = 2223297.0
normalization = 0.953, reshoot_counts*normalization = 2119588.7
original average = 0.74 Theta [rad], reshoot average = 0.73 Theta [ra
counts [1/rad]
Theta [rad]



original_key=Theta_very_wide_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 577.9, reshoot_counts = 495.2
normalization = 0.953, reshoot_counts*normalization = 472.1
original average = 0.12 Theta [rad], reshoot average = 0.11 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84085.1, reshoot_counts = 53894.7
normalization = 0.953, reshoot_counts*normalization = 51380.8
original average = 0.14 Theta [rad], reshoot average = 0.13 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 192.9, reshoot_counts = 214.8
normalization = 0.953, reshoot_counts*normalization = 204.8
original average = 0.14 Theta [rad], reshoot average = 0.13 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 151.1, reshoot_counts = 154.1
normalization = 0.953, reshoot_counts*normalization = 146.9
original average = 0.13 Theta [rad], reshoot average = 0.12 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5611.0, reshoot_counts = 6055.1
normalization = 0.953, reshoot_counts*normalization = 5772.7
original average = 0.13 Theta [rad], reshoot average = 0.12 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4571.7, reshoot_counts = 5365.8
normalization = 0.953, reshoot_counts*normalization = 5115.5
original average = 0.13 Theta [rad], reshoot average = 0.12 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_very_wide_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 766458.5, reshoot_counts = 804529.2
normalization = 0.953, reshoot_counts*normalization = 767001.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 795075.8, reshoot_counts = 834215.9
normalization = 0.953, reshoot_counts*normalization = 795302.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 218968.6, reshoot_counts = 230343.2
normalization = 0.953, reshoot_counts*normalization = 219598.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
3×10^6
2×10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8980.2, reshoot_counts = 9384.2
normalization = 0.953, reshoot_counts*normalization = 8946.5
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3341.3, reshoot_counts = 3508.5
normalization = 0.953, reshoot_counts*normalization = 3344.8
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5448.5, reshoot_counts = 5769.9
normalization = 0.953, reshoot_counts*normalization = 5500.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12781.4, reshoot_counts = 13519.7
normalization = 0.953, reshoot_counts*normalization = 12889.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
9×10^4
8×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8401.2, reshoot_counts = 8771.8
normalization = 0.953, reshoot_counts*normalization = 8362.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4372.1, reshoot_counts = 4602.2
normalization = 0.953, reshoot_counts*normalization = 4387.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2454.9, reshoot_counts = 2586.1
normalization = 0.953, reshoot_counts*normalization = 2465.4
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
3×10^4
2×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5020.1, reshoot_counts = 5182.7
normalization = 0.953, reshoot_counts*normalization = 4940.9
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5224.8, reshoot_counts = 5399.9
normalization = 0.953, reshoot_counts*normalization = 5148.1
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6676.2, reshoot_counts = 7069.7
normalization = 0.953, reshoot_counts*normalization = 6739.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5920.2, reshoot_counts = 6165.0
normalization = 0.953, reshoot_counts*normalization = 5877.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9350.0, reshoot_counts = 9906.3
normalization = 0.953, reshoot_counts*normalization = 9444.2
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7041.0, reshoot_counts = 7453.9
normalization = 0.953, reshoot_counts*normalization = 7106.2
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7504.2, reshoot_counts = 7886.2
normalization = 0.953, reshoot_counts*normalization = 7518.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7312.2, reshoot_counts = 7673.2
normalization = 0.953, reshoot_counts*normalization = 7315.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7359.2, reshoot_counts = 7720.9
normalization = 0.953, reshoot_counts*normalization = 7360.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7769.7, reshoot_counts = 8048.4
normalization = 0.953, reshoot_counts*normalization = 7672.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9551.2, reshoot_counts = 10043.1
normalization = 0.953, reshoot_counts*normalization = 9574.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9452.3, reshoot_counts = 9968.6
normalization = 0.953, reshoot_counts*normalization = 9503.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13933.2, reshoot_counts = 14671.1
normalization = 0.953, reshoot_counts*normalization = 13986.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
9×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15412.2, reshoot_counts = 16219.9
normalization = 0.953, reshoot_counts*normalization = 15463.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20069.0, reshoot_counts = 20812.1
normalization = 0.953, reshoot_counts*normalization = 19841.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25315.0, reshoot_counts = 26569.7
normalization = 0.953, reshoot_counts*normalization = 25330.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236219.2, reshoot_counts = 248359.3
normalization = 0.953, reshoot_counts*normalization = 236774.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^6
2×10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2770364.3, reshoot_counts = 2911426.2
normalization = 0.953, reshoot_counts*normalization = 2775619.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4×10^7
3×10^7
2×10^7
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_e+___reshoot_key=Phi_1_e+
original counts = 456.6, reshoot_counts = 640.0
normalization = 0.953, reshoot_counts*normalization = 610.1
original average = 3.16 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_very_wide_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 62779.2, reshoot_counts = 70179.9
normalization = 0.953, reshoot_counts*normalization = 66906.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 153.4, reshoot_counts = 282.5
normalization = 0.953, reshoot_counts*normalization = 269.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^3
3×10^3
2×10^3
10^3
6×10^2
4×10^2
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_mu+___reshoot_key=Phi_1_mu+
original counts = 102.3, reshoot_counts = 206.8
normalization = 0.953, reshoot_counts*normalization = 197.2
original average = 3.11 Phi [rad], reshoot average = 3.17 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4008.4, reshoot_counts = 7938.1
normalization = 0.953, reshoot_counts*normalization = 7567.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3372.6, reshoot_counts = 7062.0
normalization = 0.953, reshoot_counts*normalization = 6732.6
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Ekin_very_wide_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34100185.5, reshoot_counts = 35773671.5
normalization = 0.953, reshoot_counts*normalization = 34104966.0
original average = 538.47 Ek [MeV/u], reshoot average = 538.62 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35427251.5, reshoot_counts = 37160648.5
normalization = 0.953, reshoot_counts*normalization = 35427245.8
original average = 528.14 Ek [MeV/u], reshoot average = 528.16 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9625563.0, reshoot_counts = 10107479.0
normalization = 0.953, reshoot_counts*normalization = 9636003.6
original average = 518.31 Ek [MeV/u], reshoot average = 518.35 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 393891.0, reshoot_counts = 413303.5
normalization = 0.953, reshoot_counts*normalization = 394024.5
original average = 510.14 Ek [MeV/u], reshoot average = 510.28 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 147347.5, reshoot_counts = 154171.5
normalization = 0.953, reshoot_counts*normalization = 146980.0
original average = 499.16 Ek [MeV/u], reshoot average = 499.11 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 238330.5, reshoot_counts = 250254.0
normalization = 0.953, reshoot_counts*normalization = 238580.6
original average = 482.74 Ek [MeV/u], reshoot average = 482.66 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 562932.5, reshoot_counts = 591537.0
normalization = 0.953, reshoot_counts*normalization = 563944.1
original average = 470.64 Ek [MeV/u], reshoot average = 470.60 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 367023.5, reshoot_counts = 385468.0
normalization = 0.953, reshoot_counts*normalization = 367487.4
original average = 466.54 Ek [MeV/u], reshoot average = 466.63 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 191717.0, reshoot_counts = 201241.5
normalization = 0.953, reshoot_counts*normalization = 191854.4
original average = 468.48 Ek [MeV/u], reshoot average = 468.84 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 107731.5, reshoot_counts = 112496.5
normalization = 0.953, reshoot_counts*normalization = 107249.0
original average = 467.62 Ek [MeV/u], reshoot average = 467.56 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 217591.0, reshoot_counts = 228543.5
normalization = 0.953, reshoot_counts*normalization = 217882.8
original average = 462.97 Ek [MeV/u], reshoot average = 463.07 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 229018.0, reshoot_counts = 239851.0
normalization = 0.953, reshoot_counts*normalization = 228662.9
original average = 460.49 Ek [MeV/u], reshoot average = 460.40 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 294029.0, reshoot_counts = 308042.0
normalization = 0.953, reshoot_counts*normalization = 293673.0
original average = 456.94 Ek [MeV/u], reshoot average = 457.05 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 258383.0, reshoot_counts = 271306.5
normalization = 0.953, reshoot_counts*normalization = 258651.1
original average = 455.39 Ek [MeV/u], reshoot average = 455.34 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 413278.0, reshoot_counts = 433108.5
normalization = 0.953, reshoot_counts*normalization = 412905.6
original average = 452.10 Ek [MeV/u], reshoot average = 452.27 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 310193.0, reshoot_counts = 324667.0
normalization = 0.953, reshoot_counts*normalization = 309522.5
original average = 451.48 Ek [MeV/u], reshoot average = 451.59 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 327563.0, reshoot_counts = 344121.0
normalization = 0.953, reshoot_counts*normalization = 328069.1
original average = 448.51 Ek [MeV/u], reshoot average = 448.63 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 319916.0, reshoot_counts = 335793.0
normalization = 0.953, reshoot_counts*normalization = 320129.5
original average = 446.71 Ek [MeV/u], reshoot average = 446.68 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 323030.0, reshoot_counts = 337967.0
normalization = 0.953, reshoot_counts*normalization = 322202.1
original average = 442.81 Ek [MeV/u], reshoot average = 442.71 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 336365.0, reshoot_counts = 352590.0
normalization = 0.953, reshoot_counts*normalization = 336143.0
original average = 440.58 Ek [MeV/u], reshoot average = 440.58 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 418914.0, reshoot_counts = 439449.0
normalization = 0.953, reshoot_counts*normalization = 418950.4
original average = 437.99 Ek [MeV/u], reshoot average = 437.95 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 414825.0, reshoot_counts = 435540.0
normalization = 0.953, reshoot_counts*normalization = 415223.7
original average = 436.71 Ek [MeV/u], reshoot average = 436.52 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 608538.0, reshoot_counts = 637766.0
normalization = 0.953, reshoot_counts*normalization = 608016.6
original average = 432.80 Ek [MeV/u], reshoot average = 432.83 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 675896.0, reshoot_counts = 708179.0
normalization = 0.953, reshoot_counts*normalization = 675145.1
original average = 431.30 Ek [MeV/u], reshoot average = 431.38 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 875699.0, reshoot_counts = 919562.0
normalization = 0.953, reshoot_counts*normalization = 876667.9
original average = 428.76 Ek [MeV/u], reshoot average = 428.55 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1107565.0, reshoot_counts = 1161117.0
normalization = 0.953, reshoot_counts*normalization = 1106955.3
original average = 429.00 Ek [MeV/u], reshoot average = 429.02 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10343604.0, reshoot_counts = 10851245.0
normalization = 0.953, reshoot_counts*normalization = 10345075.8
original average = 473.54 Ek [MeV/u], reshoot average = 473.54 Ek [
counts [u/MeV]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9806241.7, reshoot_counts = 123038549.5
normalization = 0.953, reshoot_counts*normalization = 117299269.8
original average = 0.39 Ek [MeV/u], reshoot average = 0.64 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1148.2, reshoot_counts = 29095.0
normalization = 0.953, reshoot_counts*normalization = 27737.8
original average = 35.85 Ek [MeV/u], reshoot average = 35.89 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 226220.3, reshoot_counts = 3078128.5
normalization = 0.953, reshoot_counts*normalization = 2934545.5
original average = 4.00 Ek [MeV/u], reshoot average = 6.38 Ek [MeV/u]
counts [u/MeV]
Ek [MeV/u]
10^7
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 195.8, reshoot_counts = 12726.5
normalization = 0.953, reshoot_counts*normalization = 12132.9
original average = 54.21 Ek [MeV/u], reshoot average = 54.55 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60.4, reshoot_counts = 9160.5
normalization = 0.953, reshoot_counts*normalization = 8733.2
original average = 48.74 Ek [MeV/u], reshoot average = 48.81 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1894.7, reshoot_counts = 361630.0
normalization = 0.953, reshoot_counts*normalization = 344761.3
original average = 63.56 Ek [MeV/u], reshoot average = 63.59 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 485.7, reshoot_counts = 319680.5
normalization = 0.953, reshoot_counts*normalization = 304768.6
original average = 58.34 Ek [MeV/u], reshoot average = 58.41 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_very_wide_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8553291.9, reshoot_counts = 8944050.2
normalization = 0.953, reshoot_counts*normalization = 8526844.4
original average = -0.01 x pos [mm], reshoot average = -0.15 x pos [
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8886709.5, reshoot_counts = 9290228.0
normalization = 0.953, reshoot_counts*normalization = 8856874.2
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2408736.4, reshoot_counts = 2527028.2
normalization = 0.953, reshoot_counts*normalization = 2409152.0
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98549.5, reshoot_counts = 103335.8
normalization = 0.953, reshoot_counts*normalization = 98515.5
original average = -0.03 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_very_wide_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36864.8, reshoot_counts = 38547.0
normalization = 0.953, reshoot_counts*normalization = 36748.9
original average = -0.06 x pos [mm], reshoot average = -0.22 x pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 59624.5, reshoot_counts = 62570.8
normalization = 0.953, reshoot_counts*normalization = 59652.1
original average = -0.02 x pos [mm], reshoot average = -0.11 x pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 140800.6, reshoot_counts = 147895.8
normalization = 0.953, reshoot_counts*normalization = 140997.0
original average = 0.09 x pos [mm], reshoot average = -0.00 x pos [m
counts [1/mm]
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91778.4, reshoot_counts = 96372.8
normalization = 0.953, reshoot_counts*normalization = 91877.3
original average = -0.08 x pos [mm], reshoot average = -0.25 x pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47937.6, reshoot_counts = 50310.8
normalization = 0.953, reshoot_counts*normalization = 47963.9
original average = 0.04 x pos [mm], reshoot average = 0.06 x pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26935.8, reshoot_counts = 28124.2
normalization = 0.953, reshoot_counts*normalization = 26812.4
original average = 0.01 x pos [mm], reshoot average = -0.30 x pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54405.8, reshoot_counts = 57136.0
normalization = 0.953, reshoot_counts*normalization = 54470.8
original average = -0.02 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57259.5, reshoot_counts = 59962.8
normalization = 0.953, reshoot_counts*normalization = 57165.7
original average = 0.01 x pos [mm], reshoot average = -0.19 x pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73515.6, reshoot_counts = 77010.5
normalization = 0.953, reshoot_counts*normalization = 73418.3
original average = -0.04 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64598.8, reshoot_counts = 67826.8
normalization = 0.953, reshoot_counts*normalization = 64662.9
original average = -0.02 x pos [mm], reshoot average = -0.05 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 103325.4, reshoot_counts = 108277.2
normalization = 0.953, reshoot_counts*normalization = 103226.5
original average = -0.07 x pos [mm], reshoot average = -0.24 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77550.4, reshoot_counts = 81166.8
normalization = 0.953, reshoot_counts*normalization = 77380.6
original average = 0.07 x pos [mm], reshoot average = 0.00 x pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81892.1, reshoot_counts = 86030.2
normalization = 0.953, reshoot_counts*normalization = 82017.3
original average = -0.10 x pos [mm], reshoot average = -0.26 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79980.5, reshoot_counts = 83948.2
normalization = 0.953, reshoot_counts*normalization = 80032.4
original average = -0.06 x pos [mm], reshoot average = -0.11 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80759.4, reshoot_counts = 84491.8
normalization = 0.953, reshoot_counts*normalization = 80550.5
original average = -0.07 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84092.0, reshoot_counts = 88147.5
normalization = 0.953, reshoot_counts*normalization = 84035.8
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104729.1, reshoot_counts = 109862.2
normalization = 0.953, reshoot_counts*normalization = 104737.6
original average = -0.02 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 103706.1, reshoot_counts = 108885.0
normalization = 0.953, reshoot_counts*normalization = 103805.9
original average = 0.05 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 152134.5, reshoot_counts = 159441.5
normalization = 0.953, reshoot_counts*normalization = 152004.2
original average = 0.04 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_very_wide_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 168973.9, reshoot_counts = 177044.8
normalization = 0.953, reshoot_counts*normalization = 168786.3
original average = 0.03 x pos [mm], reshoot average = -0.15 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 218924.8, reshoot_counts = 229890.5
normalization = 0.953, reshoot_counts*normalization = 219167.0
original average = 0.03 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 276891.2, reshoot_counts = 290279.2
normalization = 0.953, reshoot_counts*normalization = 276738.8
original average = 0.04 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2585901.0, reshoot_counts = 2712811.5
normalization = 0.953, reshoot_counts*normalization = 2586269.2
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30498406.6, reshoot_counts = 31893832.5
normalization = 0.953, reshoot_counts*normalization = 30406106.7
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
10^6
6×10^5
4×10^5
3×10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4979.2, reshoot_counts = 7368.8
normalization = 0.953, reshoot_counts*normalization = 7025.0
original average = -0.70 x pos [mm], reshoot average = -0.86 x pos [
counts [1/mm]
x pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
−400
−200
0
200
400



original_key=X_very_wide_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 720021.5, reshoot_counts = 802272.2
normalization = 0.953, reshoot_counts*normalization = 764849.3
original average = -0.06 x pos [mm], reshoot average = -0.21 x pos [
counts [1/mm]
3 × 10^4
2 × 10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1761.0, reshoot_counts = 3182.2
normalization = 0.953, reshoot_counts*normalization = 3033.8
original average = 0.05 x pos [mm], reshoot average = -0.26 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1181.6, reshoot_counts = 2293.2
normalization = 0.953, reshoot_counts*normalization = 2186.3
original average = 0.62 x pos [mm], reshoot average = 0.04 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45875.4, reshoot_counts = 90424.5
normalization = 0.953, reshoot_counts*normalization = 86206.5
original average = 0.09 x pos [mm], reshoot average = -0.15 x pos [m
4 × 10^3
3 × 10^3
2 × 10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38964.6, reshoot_counts = 79950.5
normalization = 0.953, reshoot_counts*normalization = 76221.1
original average = -0.01 x pos [mm], reshoot average = -0.11 x pos [
3×10^3
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_very_wide_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8553200.4, reshoot_counts = 8944050.2
normalization = 0.953, reshoot_counts*normalization = 8526844.4
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8886565.4, reshoot_counts = 9290228.0
normalization = 0.953, reshoot_counts*normalization = 8856874.2
original average = -0.03 y pos [mm], reshoot average = -0.16 y pos [
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2408781.0, reshoot_counts = 2527028.2
normalization = 0.953, reshoot_counts*normalization = 2409152.0
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98544.9, reshoot_counts = 103335.8
normalization = 0.953, reshoot_counts*normalization = 98515.5
original average = 0.01 y pos [mm], reshoot average = -0.18 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_very_wide_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36855.1, reshoot_counts = 38547.0
normalization = 0.953, reshoot_counts*normalization = 36748.9
original average = -0.08 y pos [mm], reshoot average = -0.10 y pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 59621.6, reshoot_counts = 62570.8
normalization = 0.953, reshoot_counts*normalization = 59652.1
original average = 0.10 y pos [mm], reshoot average = -0.06 y pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 140798.4, reshoot_counts = 147895.8
normalization = 0.953, reshoot_counts*normalization = 140997.0
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_very_wide_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91773.9, reshoot_counts = 96372.8
normalization = 0.953, reshoot_counts*normalization = 91877.3
original average = -0.01 y pos [mm], reshoot average = -0.12 y pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47939.4, reshoot_counts = 50310.8
normalization = 0.953, reshoot_counts*normalization = 47963.9
original average = -0.01 y pos [mm], reshoot average = -0.10 y pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26933.1, reshoot_counts = 28124.2
normalization = 0.953, reshoot_counts*normalization = 26812.4
original average = -0.08 y pos [mm], reshoot average = -0.26 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54406.5, reshoot_counts = 57136.0
normalization = 0.953, reshoot_counts*normalization = 54470.8
original average = -0.04 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57260.6, reshoot_counts = 59962.8
normalization = 0.953, reshoot_counts*normalization = 57165.7
original average = -0.02 y pos [mm], reshoot average = -0.20 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73513.2, reshoot_counts = 77010.5
normalization = 0.953, reshoot_counts*normalization = 73418.3
original average = -0.09 y pos [mm], reshoot average = -0.28 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64597.4, reshoot_counts = 67826.8
normalization = 0.953, reshoot_counts*normalization = 64662.9
original average = -0.01 y pos [mm], reshoot average = -0.05 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 103331.4, reshoot_counts = 108277.2
normalization = 0.953, reshoot_counts*normalization = 103226.5
original average = 0.03 y pos [mm], reshoot average = -0.08 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77550.1, reshoot_counts = 81166.8
normalization = 0.953, reshoot_counts*normalization = 77380.6
original average = -0.05 y pos [mm], reshoot average = -0.09 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81893.6, reshoot_counts = 86030.2
normalization = 0.953, reshoot_counts*normalization = 82017.3
original average = 0.04 y pos [mm], reshoot average = -0.03 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79979.6, reshoot_counts = 83948.2
normalization = 0.953, reshoot_counts*normalization = 80032.4
original average = 0.00 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80757.5, reshoot_counts = 84491.8
normalization = 0.953, reshoot_counts*normalization = 80550.5
original average = 0.04 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84091.2, reshoot_counts = 88147.5
normalization = 0.953, reshoot_counts*normalization = 84035.8
original average = 0.01 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104729.0, reshoot_counts = 109862.2
normalization = 0.953, reshoot_counts*normalization = 104737.6
original average = -0.00 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 103706.2, reshoot_counts = 108885.0
normalization = 0.953, reshoot_counts*normalization = 103805.9
original average = -0.05 y pos [mm], reshoot average = -0.23 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 152134.4, reshoot_counts = 159441.5
normalization = 0.953, reshoot_counts*normalization = 152004.2
original average = 0.04 y pos [mm], reshoot average = -0.07 y pos [m
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_very_wide_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 168974.0, reshoot_counts = 177044.8
normalization = 0.953, reshoot_counts*normalization = 168786.3
original average = -0.02 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_very_wide_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 218924.8, reshoot_counts = 229890.5
normalization = 0.953, reshoot_counts*normalization = 219167.0
original average = -0.04 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_very_wide_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 276891.2, reshoot_counts = 290279.2
normalization = 0.953, reshoot_counts*normalization = 276738.8
original average = 0.03 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_very_wide_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2585901.0, reshoot_counts = 2712811.5
normalization = 0.953, reshoot_counts*normalization = 2586269.2
original average = 0.00 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30498468.0, reshoot_counts = 31893832.5
normalization = 0.953, reshoot_counts*normalization = 30406106.7
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
10^6
6×10^5
4×10^5
3×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4980.5, reshoot_counts = 7368.8
normalization = 0.953, reshoot_counts*normalization = 7025.0
original average = -0.33 y pos [mm], reshoot average = -0.35 y pos [
counts [1/mm]
y pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
−400
−200
0
200
400


original_key=Y_very_wide_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 719949.0, reshoot_counts = 802272.2
normalization = 0.953, reshoot_counts*normalization = 764849.3
original average = -0.02 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
3 × 10^4
2 × 10^4
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1765.8, reshoot_counts = 3182.2
normalization = 0.953, reshoot_counts*normalization = 3033.8
original average = -0.48 y pos [mm], reshoot average = -0.21 y pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1176.8, reshoot_counts = 2293.2
normalization = 0.953, reshoot_counts*normalization = 2186.3
original average = -1.04 y pos [mm], reshoot average = -1.59 y pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45897.8, reshoot_counts = 90424.5
normalization = 0.953, reshoot_counts*normalization = 86206.5
original average = 0.16 y pos [mm], reshoot average = 0.22 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400


original_key=Y_very_wide_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38990.5, reshoot_counts = 79950.5
normalization = 0.953, reshoot_counts*normalization = 76221.1
original average = 0.08 y pos [mm], reshoot average = 0.03 y pos [m
counts [1/mm]
y pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400