






original_key=Theta_very_wide_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1412837.0, reshoot_counts = 191808.3
normalization = 0.662, reshoot_counts*normalization = 126991.0
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 925730.3, reshoot_counts = 160122.8
normalization = 0.662, reshoot_counts*normalization = 106012.9
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 565725.3, reshoot_counts = 77148.0
normalization = 0.662, reshoot_counts*normalization = 51077.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34886.5, reshoot_counts = 3740.5
normalization = 0.662, reshoot_counts*normalization = 2476.5
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14664.1, reshoot_counts = 1480.4
normalization = 0.662, reshoot_counts*normalization = 980.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23484.7, reshoot_counts = 2323.6
normalization = 0.662, reshoot_counts*normalization = 1538.4
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61855.4, reshoot_counts = 5845.8
normalization = 0.662, reshoot_counts*normalization = 3870.3
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45758.0, reshoot_counts = 4065.1
normalization = 0.662, reshoot_counts*normalization = 2691.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25720.8, reshoot_counts = 2227.4
normalization = 0.662, reshoot_counts*normalization = 1474.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15216.3, reshoot_counts = 1287.8
normalization = 0.662, reshoot_counts*normalization = 852.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31533.3, reshoot_counts = 2655.3
normalization = 0.662, reshoot_counts*normalization = 1758.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34273.5, reshoot_counts = 2849.3
normalization = 0.662, reshoot_counts*normalization = 1886.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46743.8, reshoot_counts = 3724.0
normalization = 0.662, reshoot_counts*normalization = 2465.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44579.7, reshoot_counts = 3335.1
normalization = 0.662, reshoot_counts*normalization = 2208.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80939.6, reshoot_counts = 5434.8
normalization = 0.662, reshoot_counts*normalization = 3598.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71264.3, reshoot_counts = 4141.3
normalization = 0.662, reshoot_counts*normalization = 2741.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 87622.2, reshoot_counts = 4410.3
normalization = 0.662, reshoot_counts*normalization = 2920.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 102493.7, reshoot_counts = 4343.2
normalization = 0.662, reshoot_counts*normalization = 2875.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 119198.9, reshoot_counts = 4391.6
normalization = 0.662, reshoot_counts*normalization = 2907.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 144303.0, reshoot_counts = 4590.1
normalization = 0.662, reshoot_counts*normalization = 3039.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 206662.3, reshoot_counts = 5698.2
normalization = 0.662, reshoot_counts*normalization = 3772.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 234470.5, reshoot_counts = 5638.2
normalization = 0.662, reshoot_counts*normalization = 3732.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 385638.0, reshoot_counts = 8223.3
normalization = 0.662, reshoot_counts*normalization = 5444.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 478389.1, reshoot_counts = 9088.8
normalization = 0.662, reshoot_counts*normalization = 6017.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 679566.1, reshoot_counts = 11692.2
normalization = 0.662, reshoot_counts*normalization = 7741.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 957779.9, reshoot_counts = 14717.6
normalization = 0.662, reshoot_counts*normalization = 9744.1
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10158208.6, reshoot_counts = 135039.3
normalization = 0.662, reshoot_counts*normalization = 89405.8
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2036037.2, reshoot_counts = 2997138.3
normalization = 0.662, reshoot_counts*normalization = 1984323.5
original average = 0.75 Theta [rad], reshoot average = 0.74 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 253.9, reshoot_counts = 69.7
normalization = 0.662, reshoot_counts*normalization = 46.1
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41570.7, reshoot_counts = 9388.9
normalization = 0.662, reshoot_counts*normalization = 6216.1
original average = 0.18 Theta [rad], reshoot average = 0.17 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 158.2, reshoot_counts = 87.5
normalization = 0.662, reshoot_counts*normalization = 57.9
original average = 0.08 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 159.4, reshoot_counts = 65.8
normalization = 0.662, reshoot_counts*normalization = 43.6
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2685.8, reshoot_counts = 1027.5
normalization = 0.662, reshoot_counts*normalization = 680.3
original average = 0.14 Theta [rad], reshoot average = 0.13 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_1500_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2131.1, reshoot_counts = 873.3
normalization = 0.662, reshoot_counts*normalization = 578.2
original average = 0.14 Theta [rad], reshoot average = 0.13 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_very_wide_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 231802.8, reshoot_counts = 350780.4
normalization = 0.662, reshoot_counts*normalization = 232242.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4 × 10^6
3 × 10^6
2 × 10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 183513.7, reshoot_counts = 276921.3
normalization = 0.662, reshoot_counts*normalization = 183342.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^6
2×10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 94009.1, reshoot_counts = 141598.3
normalization = 0.662, reshoot_counts*normalization = 93748.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^6
6×10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4775.5, reshoot_counts = 7139.9
normalization = 0.662, reshoot_counts*normalization = 4727.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_1500_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1873.9, reshoot_counts = 2903.7
normalization = 0.662, reshoot_counts*normalization = 1922.4
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_very_wide_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3014.3, reshoot_counts = 4655.5
normalization = 0.662, reshoot_counts*normalization = 3082.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_very_wide_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7725.8, reshoot_counts = 11526.7
normalization = 0.662, reshoot_counts*normalization = 7631.5
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5487.5, reshoot_counts = 8115.6
normalization = 0.662, reshoot_counts*normalization = 5373.1
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3015.3, reshoot_counts = 4587.3
normalization = 0.662, reshoot_counts*normalization = 3037.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_very_wide_1500_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1753.2, reshoot_counts = 2621.7
normalization = 0.662, reshoot_counts*normalization = 1735.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^4
2×10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_very_wide_1500_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3636.1, reshoot_counts = 5582.9
normalization = 0.662, reshoot_counts*normalization = 3696.3
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_very_wide_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3966.9, reshoot_counts = 5848.2
normalization = 0.662, reshoot_counts*normalization = 3871.9
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5205.4, reshoot_counts = 7859.5
normalization = 0.662, reshoot_counts*normalization = 5203.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_very_wide_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4704.2, reshoot_counts = 6990.1
normalization = 0.662, reshoot_counts*normalization = 4627.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7747.3, reshoot_counts = 11732.3
normalization = 0.662, reshoot_counts*normalization = 7767.6
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6019.3, reshoot_counts = 9234.5
normalization = 0.662, reshoot_counts*normalization = 6113.9
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6538.9, reshoot_counts = 9983.6
normalization = 0.662, reshoot_counts*normalization = 6609.9
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6678.1, reshoot_counts = 10001.4
normalization = 0.662, reshoot_counts*normalization = 6621.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
4×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6785.8, reshoot_counts = 10172.4
normalization = 0.662, reshoot_counts*normalization = 6734.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7225.1, reshoot_counts = 10902.0
normalization = 0.662, reshoot_counts*normalization = 7217.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9112.0, reshoot_counts = 13897.4
normalization = 0.662, reshoot_counts*normalization = 9201.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9157.6, reshoot_counts = 13914.6
normalization = 0.662, reshoot_counts*normalization = 9212.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_very_wide_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13635.8, reshoot_counts = 20688.3
normalization = 0.662, reshoot_counts*normalization = 13697.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_very_wide_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15315.5, reshoot_counts = 23094.8
normalization = 0.662, reshoot_counts*normalization = 15290.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19960.0, reshoot_counts = 30122.5
normalization = 0.662, reshoot_counts*normalization = 19943.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4×10^5
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25309.3, reshoot_counts = 38299.2
normalization = 0.662, reshoot_counts*normalization = 25356.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
4×10^5
3×10^5
2×10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 234316.2, reshoot_counts = 353849.5
normalization = 0.662, reshoot_counts*normalization = 234274.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2593614.5, reshoot_counts = 3923366.3
normalization = 0.662, reshoot_counts*normalization = 2597553.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
4×10^7
3×10^7
2×10^7
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 55.7, reshoot_counts = 118.4
normalization = 0.662, reshoot_counts*normalization = 78.4
original average = 3.19 Phi [rad], reshoot average = 3.11 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9376.2, reshoot_counts = 15188.7
normalization = 0.662, reshoot_counts*normalization = 10056.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53.6, reshoot_counts = 137.1
normalization = 0.662, reshoot_counts*normalization = 90.7
original average = 3.13 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.6, reshoot_counts = 112.2
normalization = 0.662, reshoot_counts*normalization = 74.3
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_1500_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 596.5, reshoot_counts = 1703.7
normalization = 0.662, reshoot_counts*normalization = 1128.0
original average = 3.16 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^4
10^4
6×10^3
4×10^3
3×10^3
0
1
2
3
4
5
6



original_key=Phi_very_wide_1500_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 492.1, reshoot_counts = 1487.8
normalization = 0.662, reshoot_counts*normalization = 985.0
original average = 3.15 Phi [rad], reshoot average = 3.17 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Ekin_very_wide_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10469406.0, reshoot_counts = 15814803.0
normalization = 0.662, reshoot_counts*normalization = 10470549.7
original average = 554.43 Ek [MeV/u], reshoot average = 554.49 Ek [
counts [u/MeV]
Ek [MeV/u]



original_key=Ekin_very_wide_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8337620.0, reshoot_counts = 12593213.5
normalization = 0.662, reshoot_counts*normalization = 8337623.1
original average = 542.06 Ek [MeV/u], reshoot average = 542.06 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4245466.5, reshoot_counts = 6412534.5
normalization = 0.662, reshoot_counts*normalization = 4245564.2
original average = 527.19 Ek [MeV/u], reshoot average = 527.28 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 214637.0, reshoot_counts = 325498.5
normalization = 0.662, reshoot_counts*normalization = 215503.7
original average = 515.24 Ek [MeV/u], reshoot average = 515.23 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85946.0, reshoot_counts = 130431.0
normalization = 0.662, reshoot_counts*normalization = 86354.8
original average = 505.11 Ek [MeV/u], reshoot average = 505.29 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 135538.0, reshoot_counts = 204093.0
normalization = 0.662, reshoot_counts*normalization = 135124.4
original average = 487.38 Ek [MeV/u], reshoot average = 487.50 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 343115.5, reshoot_counts = 518482.0
normalization = 0.662, reshoot_counts*normalization = 343272.8
original average = 474.09 Ek [MeV/u], reshoot average = 474.01 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 242010.0, reshoot_counts = 365655.5
normalization = 0.662, reshoot_counts*normalization = 242090.5
original average = 468.68 Ek [MeV/u], reshoot average = 468.57 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 134434.5, reshoot_counts = 202767.0
normalization = 0.662, reshoot_counts*normalization = 134246.5
original average = 469.16 Ek [MeV/u], reshoot average = 469.09 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77856.0, reshoot_counts = 117966.5
normalization = 0.662, reshoot_counts*normalization = 78102.4
original average = 467.82 Ek [MeV/u], reshoot average = 467.82 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 161629.5, reshoot_counts = 244084.0
normalization = 0.662, reshoot_counts*normalization = 161601.4
original average = 463.10 Ek [MeV/u], reshoot average = 462.85 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 174900.0, reshoot_counts = 264451.0
normalization = 0.662, reshoot_counts*normalization = 175085.8
original average = 460.38 Ek [MeV/u], reshoot average = 460.31 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 230467.0, reshoot_counts = 348741.0
normalization = 0.662, reshoot_counts*normalization = 230891.9
original average = 456.77 Ek [MeV/u], reshoot average = 456.92 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 209153.0, reshoot_counts = 315851.0
normalization = 0.662, reshoot_counts*normalization = 209116.3
original average = 454.94 Ek [MeV/u], reshoot average = 454.87 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 345971.0, reshoot_counts = 523079.0
normalization = 0.662, reshoot_counts*normalization = 346316.3
original average = 451.68 Ek [MeV/u], reshoot average = 451.75 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 268266.0, reshoot_counts = 405472.0
normalization = 0.662, reshoot_counts*normalization = 268452.0
original average = 450.91 Ek [MeV/u], reshoot average = 450.78 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 290442.0, reshoot_counts = 439035.0
normalization = 0.662, reshoot_counts*normalization = 290673.1
original average = 447.41 Ek [MeV/u], reshoot average = 447.28 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 291557.0, reshoot_counts = 440760.0
normalization = 0.662, reshoot_counts*normalization = 291815.2
original average = 445.27 Ek [MeV/u], reshoot average = 445.13 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 299778.0, reshoot_counts = 451874.0
normalization = 0.662, reshoot_counts*normalization = 299173.4
original average = 441.05 Ek [MeV/u], reshoot average = 440.99 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 318451.0, reshoot_counts = 481394.0
normalization = 0.662, reshoot_counts*normalization = 318717.8
original average = 438.31 Ek [MeV/u], reshoot average = 438.53 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 401929.0, reshoot_counts = 606843.5
normalization = 0.662, reshoot_counts*normalization = 401774.5
original average = 435.41 Ek [MeV/u], reshoot average = 435.56 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 403936.0, reshoot_counts = 610667.0
normalization = 0.662, reshoot_counts*normalization = 404306.0
original average = 433.59 Ek [MeV/u], reshoot average = 433.78 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 597947.0, reshoot_counts = 903703.0
normalization = 0.662, reshoot_counts*normalization = 598317.1
original average = 429.29 Ek [MeV/u], reshoot average = 429.10 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 669685.0, reshoot_counts = 1013137.0
normalization = 0.662, reshoot_counts*normalization = 670770.4
original average = 427.37 Ek [MeV/u], reshoot average = 427.32 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 872091.0, reshoot_counts = 1317793.0
normalization = 0.662, reshoot_counts*normalization = 872474.8
original average = 424.41 Ek [MeV/u], reshoot average = 424.32 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1107195.0, reshoot_counts = 1674874.0
normalization = 0.662, reshoot_counts*normalization = 1108888.4
original average = 424.36 Ek [MeV/u], reshoot average = 424.40 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10235825.0, reshoot_counts = 15469049.5
normalization = 0.662, reshoot_counts*normalization = 10241635.7
original average = 468.26 Ek [MeV/u], reshoot average = 468.31 Ek [
counts [u/MeV]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9109622.1, reshoot_counts = 165983246.0
normalization = 0.662, reshoot_counts*normalization = 109892979.5
original average = 0.38 Ek [MeV/u], reshoot average = 0.63 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_1500_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 133.1, reshoot_counts = 5191.5
normalization = 0.662, reshoot_counts*normalization = 3437.2
original average = 38.86 Ek [MeV/u], reshoot average = 38.62 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33942.7, reshoot_counts = 660940.0
normalization = 0.662, reshoot_counts*normalization = 437590.3
original average = 4.15 Ek [MeV/u], reshoot average = 6.49 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^6
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_1500_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.6, reshoot_counts = 5962.0
normalization = 0.662, reshoot_counts*normalization = 3947.3
original average = 58.27 Ek [MeV/u], reshoot average = 58.09 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.5, reshoot_counts = 4679.5
normalization = 0.662, reshoot_counts*normalization = 3098.2
original average = 54.14 Ek [MeV/u], reshoot average = 54.24 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 336.1, reshoot_counts = 76267.0
normalization = 0.662, reshoot_counts*normalization = 50494.3
original average = 63.59 Ek [MeV/u], reshoot average = 63.61 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_1500_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98.5, reshoot_counts = 64712.0
normalization = 0.662, reshoot_counts*normalization = 42844.1
original average = 59.51 Ek [MeV/u], reshoot average = 59.60 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_very_wide_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2631372.9, reshoot_counts = 3953858.2
normalization = 0.662, reshoot_counts*normalization = 2617741.7
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^5
6×10^4
4×10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2097822.2, reshoot_counts = 3148347.5
normalization = 0.662, reshoot_counts*normalization = 2084435.0
original average = 0.00 x pos [mm], reshoot average = -0.11 x pos [m
10^5
6×10^4
4×10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1066965.0, reshoot_counts = 1603254.8
normalization = 0.662, reshoot_counts*normalization = 1061471.2
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
4 × 10^4
3 × 10^4
2 × 10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53882.9, reshoot_counts = 81382.5
normalization = 0.662, reshoot_counts*normalization = 53881.1
original average = 0.17 x pos [mm], reshoot average = -0.03 x pos [m
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21582.4, reshoot_counts = 32613.5
normalization = 0.662, reshoot_counts*normalization = 21592.5
original average = -0.03 x pos [mm], reshoot average = 0.04 x pos [m
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34022.0, reshoot_counts = 51027.8
normalization = 0.662, reshoot_counts*normalization = 33784.1
original average = -0.21 x pos [mm], reshoot average = -0.28 x pos [
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 86140.6, reshoot_counts = 129629.5
normalization = 0.662, reshoot_counts*normalization = 85824.2
original average = 0.05 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_very_wide_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60723.2, reshoot_counts = 91418.0
normalization = 0.662, reshoot_counts*normalization = 60525.4
original average = -0.12 x pos [mm], reshoot average = -0.37 x pos [
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33729.4, reshoot_counts = 50692.5
normalization = 0.662, reshoot_counts*normalization = 33562.1
original average = 0.10 x pos [mm], reshoot average = 0.13 x pos [m
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19527.1, reshoot_counts = 29491.8
normalization = 0.662, reshoot_counts*normalization = 19525.7
original average = 0.14 x pos [mm], reshoot average = 0.01 x pos [m
counts [1/mm]
x pos [mm]
10^3
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400



original_key=X_very_wide_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40525.8, reshoot_counts = 61021.0
normalization = 0.662, reshoot_counts*normalization = 40400.3
original average = -0.20 x pos [mm], reshoot average = -0.43 x pos [
2×10^3
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43842.5, reshoot_counts = 66112.8
normalization = 0.662, reshoot_counts*normalization = 43771.4
original average = -0.12 x pos [mm], reshoot average = -0.47 x pos [
counts [1/mm]
x pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=X_very_wide_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57775.1, reshoot_counts = 87185.2
normalization = 0.662, reshoot_counts*normalization = 57723.0
original average = -0.12 x pos [mm], reshoot average = -0.33 x pos [
counts [1/mm]
x pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=X_very_wide_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52448.5, reshoot_counts = 78962.8
normalization = 0.662, reshoot_counts*normalization = 52279.1
original average = -0.04 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
x pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=X_very_wide_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 86686.1, reshoot_counts = 130769.8
normalization = 0.662, reshoot_counts*normalization = 86579.1
original average = -0.21 x pos [mm], reshoot average = -0.33 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_very_wide_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67204.4, reshoot_counts = 101368.0
normalization = 0.662, reshoot_counts*normalization = 67113.0
original average = 0.13 x pos [mm], reshoot average = -0.04 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=X_very_wide_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72742.9, reshoot_counts = 109758.8
normalization = 0.662, reshoot_counts*normalization = 72668.3
original average = -0.12 x pos [mm], reshoot average = -0.30 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=X_very_wide_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73015.4, reshoot_counts = 110190.0
normalization = 0.662, reshoot_counts*normalization = 72953.8
original average = -0.11 x pos [mm], reshoot average = -0.22 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=X_very_wide_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75046.9, reshoot_counts = 112968.5
normalization = 0.662, reshoot_counts*normalization = 74793.4
original average = 0.04 x pos [mm], reshoot average = -0.17 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=X_very_wide_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79712.9, reshoot_counts = 120348.5
normalization = 0.662, reshoot_counts*normalization = 79679.5
original average = 0.03 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_very_wide_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100570.5, reshoot_counts = 151711.0
normalization = 0.662, reshoot_counts*normalization = 100443.7
original average = 0.00 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_very_wide_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 101028.1, reshoot_counts = 152666.8
normalization = 0.662, reshoot_counts*normalization = 101076.5
original average = -0.03 x pos [mm], reshoot average = -0.20 x pos [
counts [1/mm]
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 149548.0, reshoot_counts = 225925.8
normalization = 0.662, reshoot_counts*normalization = 149579.3
original average = 0.05 x pos [mm], reshoot average = -0.13 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 167461.1, reshoot_counts = 253284.2
normalization = 0.662, reshoot_counts*normalization = 167692.6
original average = 0.04 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 218057.8, reshoot_counts = 329448.2
normalization = 0.662, reshoot_counts*normalization = 218118.7
original average = 0.04 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 276818.0, reshoot_counts = 418718.5
normalization = 0.662, reshoot_counts*normalization = 277222.1
original average = 0.05 x pos [mm], reshoot average = -0.06 x pos [m
counts [1/mm]
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2558964.6, reshoot_counts = 3867262.5
normalization = 0.662, reshoot_counts*normalization = 2560409.0
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28544024.0, reshoot_counts = 42988339.8
normalization = 0.662, reshoot_counts*normalization = 28461407.1
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
10^6
6×10^5
4×10^5
3×10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 604.2, reshoot_counts = 1305.0
normalization = 0.662, reshoot_counts*normalization = 864.0
original average = 0.74 x pos [mm], reshoot average = 2.13 x pos [m
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 107635.9, reshoot_counts = 173015.8
normalization = 0.662, reshoot_counts*normalization = 114549.0
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 574.8, reshoot_counts = 1490.5
normalization = 0.662, reshoot_counts*normalization = 986.8
original average = 0.25 x pos [mm], reshoot average = 0.40 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_1500_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 414.8, reshoot_counts = 1173.5
normalization = 0.662, reshoot_counts*normalization = 776.9
original average = -0.28 x pos [mm], reshoot average = -2.27 x pos [
counts [1/mm]
x pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400



original_key=X_very_wide_1500_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6813.5, reshoot_counts = 19070.2
normalization = 0.662, reshoot_counts*normalization = 12625.9
original average = 0.46 x pos [mm], reshoot average = 0.50 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
−400
−200
0
200
400



original_key=X_very_wide_1500_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5530.0, reshoot_counts = 16187.0
normalization = 0.662, reshoot_counts*normalization = 10717.0
original average = -0.28 x pos [mm], reshoot average = -0.46 x pos [
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
−400
−200
0
200
400



original_key=Y_very_wide_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2631333.8, reshoot_counts = 3953858.2
normalization = 0.662, reshoot_counts*normalization = 2617741.7
original average = -0.02 y pos [mm], reshoot average = -0.10 y pos [
10^5
6×10^4
4×10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2097825.9, reshoot_counts = 3148347.5
normalization = 0.662, reshoot_counts*normalization = 2084435.0
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
10^5
6×10^4
4×10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1067042.8, reshoot_counts = 1603254.8
normalization = 0.662, reshoot_counts*normalization = 1061471.2
original average = -0.04 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
4 × 10^4
3 × 10^4
2 × 10^4
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53862.8, reshoot_counts = 81382.5
normalization = 0.662, reshoot_counts*normalization = 53881.1
original average = -0.04 y pos [mm], reshoot average = -0.27 y pos [
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21581.2, reshoot_counts = 32613.5
normalization = 0.662, reshoot_counts*normalization = 21592.5
original average = -0.15 y pos [mm], reshoot average = -0.11 y pos [
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34022.8, reshoot_counts = 51027.8
normalization = 0.662, reshoot_counts*normalization = 33784.1
original average = 0.13 y pos [mm], reshoot average = -0.06 y pos [m
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 86090.0, reshoot_counts = 129629.5
normalization = 0.662, reshoot_counts*normalization = 85824.2
original average = -0.15 y pos [mm], reshoot average = -0.20 y pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60730.4, reshoot_counts = 91418.0
normalization = 0.662, reshoot_counts*normalization = 60525.4
original average = 0.16 y pos [mm], reshoot average = -0.03 y pos [m
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33726.6, reshoot_counts = 50692.5
normalization = 0.662, reshoot_counts*normalization = 33562.1
original average = 0.07 y pos [mm], reshoot average = -0.05 y pos [m
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19528.8, reshoot_counts = 29491.8
normalization = 0.662, reshoot_counts*normalization = 19525.7
original average = -0.02 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
y pos [mm]
10^3
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400



original_key=Y_very_wide_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40535.9, reshoot_counts = 61021.0
normalization = 0.662, reshoot_counts*normalization = 40400.3
original average = -0.05 y pos [mm], reshoot average = -0.14 y pos [
2×10^3
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43850.2, reshoot_counts = 66112.8
normalization = 0.662, reshoot_counts*normalization = 43771.4
original average = -0.06 y pos [mm], reshoot average = 0.00 y pos [m
2×10^3
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57773.9, reshoot_counts = 87185.2
normalization = 0.662, reshoot_counts*normalization = 57723.0
original average = -0.06 y pos [mm], reshoot average = -0.05 y pos [
3×10^3
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52417.9, reshoot_counts = 78962.8
normalization = 0.662, reshoot_counts*normalization = 52279.1
original average = 0.16 y pos [mm], reshoot average = -0.01 y pos [m
counts [1/mm]
y pos [mm]
2×10^3
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400



original_key=Y_very_wide_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 86694.8, reshoot_counts = 130769.8
normalization = 0.662, reshoot_counts*normalization = 86579.1
original average = -0.02 y pos [mm], reshoot average = -0.20 y pos [
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_very_wide_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67194.2, reshoot_counts = 101368.0
normalization = 0.662, reshoot_counts*normalization = 67113.0
original average = -0.28 y pos [mm], reshoot average = -0.41 y pos [
counts [1/mm]
y pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=Y_very_wide_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72747.0, reshoot_counts = 109758.8
normalization = 0.662, reshoot_counts*normalization = 72668.3
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=Y_very_wide_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73004.4, reshoot_counts = 110190.0
normalization = 0.662, reshoot_counts*normalization = 72953.8
original average = 0.07 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=Y_very_wide_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75027.6, reshoot_counts = 112968.5
normalization = 0.662, reshoot_counts*normalization = 74793.4
original average = 0.02 y pos [mm], reshoot average = -0.19 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=Y_very_wide_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79686.1, reshoot_counts = 120348.5
normalization = 0.662, reshoot_counts*normalization = 79679.5
original average = -0.03 y pos [mm], reshoot average = -0.20 y pos [
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_very_wide_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100572.2, reshoot_counts = 151711.0
normalization = 0.662, reshoot_counts*normalization = 100443.7
original average = 0.00 y pos [mm], reshoot average = -0.06 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_very_wide_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 101047.2, reshoot_counts = 152666.8
normalization = 0.662, reshoot_counts*normalization = 101076.5
original average = -0.05 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_very_wide_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 149545.6, reshoot_counts = 225925.8
normalization = 0.662, reshoot_counts*normalization = 149579.3
original average = 0.07 y pos [mm], reshoot average = -0.05 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 167479.0, reshoot_counts = 253284.2
normalization = 0.662, reshoot_counts*normalization = 167692.6
original average = -0.03 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 218052.0, reshoot_counts = 329448.2
normalization = 0.662, reshoot_counts*normalization = 218118.7
original average = -0.03 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 276817.4, reshoot_counts = 418718.5
normalization = 0.662, reshoot_counts*normalization = 277222.1
original average = 0.02 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2558958.9, reshoot_counts = 3867262.5
normalization = 0.662, reshoot_counts*normalization = 2560409.0
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28543485.2, reshoot_counts = 42988339.8
normalization = 0.662, reshoot_counts*normalization = 28461407.1
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^6
6×10^5
4×10^5
3×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_1500_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 607.2, reshoot_counts = 1305.0
normalization = 0.662, reshoot_counts*normalization = 864.0
original average = -0.94 y pos [mm], reshoot average = -0.90 y pos [
counts [1/mm]
y pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400


original_key=Y_very_wide_1500_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 107672.8, reshoot_counts = 173015.8
normalization = 0.662, reshoot_counts*normalization = 114549.0
original average = 0.02 y pos [mm], reshoot average = 0.03 y pos [m
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_1500_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 572.5, reshoot_counts = 1490.5
normalization = 0.662, reshoot_counts*normalization = 986.8
original average = -1.04 y pos [mm], reshoot average = -1.55 y pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_1500_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 415.9, reshoot_counts = 1173.5
normalization = 0.662, reshoot_counts*normalization = 776.9
original average = -1.61 y pos [mm], reshoot average = -1.18 y pos [
counts [1/mm]
y pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400


original_key=Y_very_wide_1500_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6803.6, reshoot_counts = 19070.2
normalization = 0.662, reshoot_counts*normalization = 12625.9
original average = -0.21 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
y pos [mm]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
6×10^1
−400
−200
0
200
400


original_key=Y_very_wide_1500_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5538.0, reshoot_counts = 16187.0
normalization = 0.662, reshoot_counts*normalization = 10717.0
original average = -0.72 y pos [mm], reshoot average = -0.81 y pos [
counts [1/mm]
y pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
−400
−200
0
200
400