

# HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>MyCollege</title>
<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1" />

<link rel="stylesheet" type="text/css" href="style.css">

  <!-- HTML5 Shiv -->
<script src="javascript/html5shiv.js"></script>

  <!-- Polyfill to use srcset on multiple browsers -->
<script src="javascript/picturefill.min.js" async></script>

</head>

<body>

  <header>

    <img srcset="images/university-600.jpg 600w, images/university-900.jpg 900w, images/
university-1100.jpg 1100w,"
    alt="University Image">

    <div id="logo"><p>MyCollege</p></div>

    <p>Now Taking Online Applications</p>

    <p id="apply-btn"><a href="#">APPLY NOW</a></p>

    <nav>
      <ul>
        <li><a href="#">STUDENT LOGIN</a></li>
        <li><a href="#">TEACHER LOGIN</a></li>
        <li><a href="#">REGISTER</a></li>
        <li><a href="#">CONTACT US</a></li>
      </ul>
    </nav>

  </header>

  <div class="row1-1">
    <div class="buttons"><a href="#">Take a tour</a></
div>
    <div class="buttons"><a href="#">Success stories</a></
div>
    <div class="buttons"><a href="#">Important dates</a></
div>
  </div>
```

```
<div class="row1-2">
  <p>Browse our most popular courses <span class="highlighted"><a href="#">here</a></span></p>
</div>
```

```
<div class="row2">
  <p>Want to know more about life at MyCollege?</p>
  <p>See what our former students have to say</p>
```

```
  <div class="tom">
    
    <p>Tom's Story</p>
  </div>
```

```
  <div class="sarah">
    
    <p>Sarah's Story</p>
  </div>
```

```
</div>
```

```
<div class="cf">
  <div class="row3-1">

    <p>Discover our state of the art facilities <span class="highlighted"><a href="#">here</a></span>

  </p>
</div>
```

```
  </p>
</div>
```

```
  <div class="row3-2" >
    
  </div>
</div>
```

```
<footer>
```

```
<nav>
```

```
<ul>
```

```
  <li><a href="#">COURSE FINDER</a></li>
  <li><a href="#">WHY US?</a></li>
  <li><a href="#">HOW TO APPLY</a></li>
```

```
</ul>
```

```
</nav>
```

```
<p class="copy">&copy; MyCollege 2014</p>
```

```
</footer>
```

```
</body>
</html>
```

## **CSS**

```
/* -----
MOBILE FIRST
-----*/

header, section, footer, aside, nav, main, article, figure {
    display: block;
}

body {
    margin: 0 auto;
    width: 100%;
    height: 100%;
}

img {
    width: 100%;
    display: block; /* images by default are inline, creating 5px padding bottom, this removes the
padding */
}

p {
    color: #4a525f;
    margin: 0; /* removes default */
}

/**
 * For modern browsers
 * 1. The space content is one way to avoid an Opera bug when the
 * contenteditable attribute is included anywhere else in the document.
 * Otherwise it causes space to appear at the top and bottom of elements
 * that are clearfixed.
 * 2. The use of `table` rather than `block` is only necessary if using
 * `:before` to contain the top-margins of child elements.
 */
.cf:before,
.cf:after {
    content: " "; /* 1 */
    display: table; /* 2 */
}

.cf:after {
    clear: both;
}

/**
 * For IE 6/7 only
 * Include this rule to trigger hasLayout and contain floats.
 */
.cf {
```

```

*zoom: 1;
}

#logo p {
    display: block;
    position: absolute;
    width: 100%;
    top: 1%;
    color: #FFFFFFF;
    font-size: 2.2em;
    font-style: italic;
    font-weight: bold;
}

/* TOP MENU */

ul {
    width: 100%;
    padding: 0; /* removes default */
    list-style: none !important;
}

li {
    text-align: center;
    padding: 5px;
    background-color: #4a525f;
    font-style: italic;
    border-bottom: 2px solid #FFFFFFF;
}

li, li a {
    text-decoration: none;
    color: #FFFFFFF;
}

li:hover, li a:hover {
    background-color: #393535;
}

/* TOP MENU END */

header {
    position: relative;
}

header p {
    position: absolute;
    bottom: 60%;
    width: 100%;
    text-align: center;
    color: #FFFFFFF;
    font-size: 1.6em;
}

#apply-btn {

```

```

    position: absolute;
    bottom: 50%; /* position from bottom of header div */
}

#apply-btn a {
    padding: 2px;
    text-decoration: none; /* removes underline from menu created by a hyperlink */
    background-color: #ec008c;
    color: #FFFFFF;
    border-radius: 5px;
}

#apply-btn a:hover {
    background-color: #bb008c;
}

.row1-1 {
    width: 100%;
    float: left;
    margin-bottom: 2%;
}

.buttons {
    width: 30%;
    float: left;
    padding-left: 2.5%;
    text-align: center;
}

.buttons a {
    text-decoration: none; /* removes underline from hyperlink */
}

.row1-2 {
    width: 100%;
    background-color: #E0E0EB;
    font-size: 1.6em;
    text-align: center;
    padding: 4% 0 4% 0;
    display: inline-block;
}

.row2 {
    background-color: #A864A8;
    display: inline-block;
    width: 100%;
    text-align: center;
}

.row2 img {
    width: 40%;
    display: inline-block;
}

.row2 p {
    font-size: 1.4em;

```

```

padding-top: 3%;
padding-bottom: 3%;
color: #FFFFFF;

}

.row3-1 {
display: inline-block;
width: 100%;
background-color: #E0E0EB;
font-size: 1.6em;
text-align: center;
padding: 4% 0 4% 0;
}

.highlighted a {
text-decoration: underline;
color: #EC008C;
}

.copy {
text-align: center;
padding-bottom: 2%;
background-color: #FFFFFF;
}

/* -----
DEVICES >600PX
----- */

@media screen and (min-width: 600px) {

/* TOP MENU */

header nav ul {
position: absolute;
top: 8%; /* move nav to top of screen */
text-align: center;
background-color: #FFFFFF;
}

header li, li a {
display: inline-block;
background-color: transparent;
border-right: 1px solid #4a525f;
border-bottom: none;
color: #4a525f;
}

header li:hover, header li a:hover {
background-color: #d8cccc; /* hover effect for top menu*/
}

header li:last-child, li a:last-child {

```

```
border-right: none;
}
```

```
/* TOP MENU END */
```

```
header p {
  bottom: 40%; /* position from bottom of header div */
  font-size: 2em;
}
```

```
#apply-btn {
  bottom: 30%; /* position from bottom of header div */
}
```

```
/* FOOTER MENU */
```

```
footer ul {
  text-align: center;
  background-color: #8393CA;
  margin: 0; /*remove default*/
}
```

```
footer li, li a {
  display: inline-block;
  background-color: transparent;;
  border-right: 1px solid #4a525f;
  border-bottom: 0;
}
```

```
footer li:hover, footer li a:hover {
  background-color: #d8cccc; /* hover effect for footer menu*/
}
```

```
footer li:last-child, li a:last-child {
  border-right: none;
}
```

```
/* FOOTER MENU END */
```

```
.row1-1 {
  width: 50%;
  margin-top: 2%; /* to match bottom 2% margin from mobile view */
}
```

```
.row1-2 {
  font-size: 2em;
  width: 50%;
  background-color: inherit;
}
```

```
.row2 p{
  font-size: 2em;
}
```

```
.sarah, .tom {
    width: 50%;
    float: left;
    padding-bottom: 2%;
}
```

```
.row3-1 {
    font-size: 2em;
    width: 50%;
    background-color: #ffffff;
    float: left;
    padding-top: 11%;
}
```

```
.row3-2 {
    width: 50%;
    float: left;
}
```

```
.copy {
    padding-top: 2%; /* replaces 2% margin bottom off mobile footer navigation */
    background-color: #E0E0EB;
}
```

```
footer p {
    font-size: 1.2em;
}
}
```

```
/* -----
DEVICES >900PX
----- */
```

```
@media screen and (min-width:900px) {
```

```
    body {
        max-width: 1100px;
    }
```

```
    /* TOP MENU */
    header nav ul {
        max-width: 1100px;
        background-color: transparent;
        text-align: right;
        top: 1%;
        right: 2%;
    }
    /* TOP MENU END */
```

```
    header p {
        font-size: 2.2em;
        font-weight: bold;
        max-width: 1100px;
    }
```



```
#logo p {
  text-align: left;
  padding-left: 1%;
}

.row1-1 {
  font-size: 1.2em;
}

.row1-2,.row2 p,.row3-1 {
  font-size: 2.5em;
}

footer p {
  font-size: 1.5em;
}
}
```