

PROSEMA project overview

Desktop toolkit for the PROSEMA product catalog: article numbers, weclapp ERP, Shopify product images, and Excel/CSV master lists. Primary UI is a CustomTkinter app launched with `gui.command`. Requires Python 3.12.

August 2026 · macOS · repository tools and data files

10

GUI tools

4

CLI-only image /
Shopify tools

2

External APIs (weclapp,
Shopify)

Jul–Aug
2026

Main build window

How you run it

Double-click `setup.command` once (venv, dependencies, `.env`). Daily use is `gui.command`.
`run.command` only generates article numbers from `input/input.xlsx`. Shopify image scripts stay on the command line. Credentials live in `.env`.

Typical workflows

Master list

EXCEL

- Legacy-Namen ersetzen**
Old Hauptgruppe/Untergruppe names → current group dictionary.
- Artikelnummern erstellen**
Fill missing IDs as MMM.SSS.NNNN from `gruppen.xlsx`. Idempotent.
- Weclapp-Import erzeugen**
Supply-source CSV from the master list + `produktgruppen_rabatte.csv`.

Live catalog

WECLAPP API

- Verbindung testen**
Checks `WECLAPP_TENANT` / `WECLAPP_API_TOKEN` in `.env`.
- Artikel exportieren**
Snapshot: CSV (import column names), `*_raw.csv`, and master `.xlsx`.
- Preise + Dashboard**
Fill Prosema purchase/sale prices, then open the interactive HTML dashboard.

New articles

WRITE API

- Artikel-Import Editor**
Streamlit grid on the standardized CSV: filter, dropdowns, bulk assign, save.
- weclapp-Artikel anlegen**
POST articles from that CSV. Dry-run unless "Wirklich anlegen" is checked.

Shopify images

CLI

- rename_dural_images**
Copy Dural photos into folders named with Prosema article numbers.
- match_images / assign_images**
Match SKU ↔ filename, then upload from disk or attach files already in Shopify.

GUI tools

Registered in `gui/registry.py`. Each script also runs from the command line with the same job spec.

TOOL	SCRIPT	DOES
Artikelnummern erstellen	<code>processing/artikelnummern.py</code>	Assigns missing Prosema numbers MMM.SSS.NNNN. Running number starts at 10, steps by 10, unique per Hauptgruppe+Untergruppe. Existing valid numbers are kept.
Legacy-Namen ersetzen	<code>processing/replace_legacy_names.py</code>	Maps old category names (e.g. FLIESENPROFILE → Profile) so the group dictionary and article-number generator can resolve them.
Weclapp-Import erzeugen	<code>export/generate_weclapp_import.py</code>	Builds a Bezugsquellen (supply source) import CSV from the Excel master, using weclapp's official template headers and supplier discount categories. Meant to be imported in weclapp, not posted via API.
Prosema-Preise berechnen	<code>processing/fill_prosema_prices.py</code>	Looks up Rabatt 1/2, then $EK \text{ Prosema} = UVP \times (1-R1) \times (1-R2)$. $VK \text{ CHF} = EK \times 1.50 \times 0.93$ EUR/CHF.
weclapp-Verbindung testen	<code>weclapp/test_connection.py</code>	Confirms API credentials and reports tenant, article count, and party count.
weclapp-Artikel exportieren	<code>weclapp/export_articles.py</code>	Pulls all articles via REST v2, flattens custom attributes, writes master-list columns plus weclapp IDs.
weclapp-Artikel anlegen	<code>weclapp/article_import.py</code>	Creates articles from the standardized import CSV (defaults, lookups, custom attributes). Dry-run by default.
Artikel-Import Editor	<code>weclapp/article_editor.py</code>	Browser editor (Streamlit, localhost:8501) for that CSV: filters, bulk fill, article-number generation, then create in weclapp.
Gruppen-Diagramm	<code>reports/gruppen_diagram.py</code>	Sunburst of Hauptgruppen / Untergruppen from <code>data/gruppen.xlsx</code> , opened in the browser.
Masterliste-Dashboard	<code>reports/master_dashboard.py</code>	Interactive Plotly HTML: category filters, search, charts, column picker, paginated table, CSV export.

CLI-only tools

Not in the GUI sidebar. Used for Dural image prep and the Shopify store.

TOOL	HOW TO RUN	DOES
Dural images rename	<code>python -m scripts.processing.rename_dural_images</code>	Reads ArtikelNr. → Prosema Artikelnummer from the master Excel and copies color + line-drawing photos into renamed folders.
Match + upload images	<code>python -m scripts.shopify.match_images</code>	Lists Shopify products, matches SKU to local files, writes a report. <code>--upload</code> sends photos (color first, then drawings).
Assign existing Files	<code>python -m scripts.shopify.assign_images</code>	If images were uploaded into Shopify Files already, attaches them to products by article number in the filename. Dry-run unless <code>--assign</code> .
API clients	<code>scripts/shopify/client.py</code> , <code>scripts/weclapp/client.py</code>	Shared API wrappers: GraphQL + token refresh for Shopify; REST v2 GET/POST with paging and 429 retries for weclapp.

Reference data and folders

Data files

FILE	ROLE
<code>data/gruppen.xlsx</code>	Authoritative Hauptgruppe / Untergruppe codes and names
<code>data/produktgruppen_rabatte.csv</code>	Discount rates by Rabattkategorie_Lieferant
<code>data/weclapp_article_import_template.csv</code>	Standardized article-create CSV
<code>data/weclapp_article_create_schema.json</code>	Units, taxes, custom-attribute IDs for create
<code>data/SupplySourcesWeclapp DemolImportfile...csv</code>	Official weclapp Bezugsquellen import header template

Layout

FOLDER	ROLE
<code>input/</code>	Excel master lists you drop in
<code>output/processing/</code>	Artikelnummern / renamed-name workbooks
<code>output/export/</code>	weclapp snapshots and priced CSVs
<code>output/reports/</code>	HTML dashboard and group diagram
<code>output/shopify/</code>	Image match/assign reports

Architecture notes

Every GUI job is a `JobSpec` : title, description, form fields, and a `run()` function. The desktop app and CLI share that spec, so adding a tool means writing a script and registering it once.

Article numbers are `MMM.SSS.NNNN` — 3-digit main group, 3-digit subgroup, 4-digit running number. Generation is idempotent: re-running never reissues an existing ID.

weclapp is the ERP source of truth for articles. Supply-source changes still go through CSV import. Article **create** now goes through the REST API, with dry-run as the default. Shopify is used for storefront images, matched by the same Prosema SKU. SEO fields, tags, and photos are not fully represented in weclapp.

Source: repository scripts, gui/registry.py, ANLEITUNG.md, docs/weclapp-api-ueberblick.md, git history July–August 2026.