

Gearing up to fortify KPLC to withstand disaster

BCCM Framework

Project title:

*Enterprise Risk
Management Program
for Kenya Power and
Lighting Company
Limited*

*Strictly private
and confidential*

26 September 2016





Ms Beatrice Meso
General Manager
Corporate Affairs and Company Secretary
Kenya Power and Lighting Company (KPLC) Limited
P.O Box 30099 - 00100
Nairobi
Kenya

26 September 2016

Dear Beatrice

Subject: Submission of Business Continuity & Crisis Management Framework

It was a pleasure working with you and your team to offer consultancy services for the Enterprise Risk Management (ERM) program for Kenya Power and Lighting Company Limited (hereafter referred as “Kenya Power”).

In accordance with your instructions as confirmed in our contract dated 21 September 2015, PricewaterhouseCoopers Limited (herein referred as “PwC” or “we”) have designed a Business Continuity and Crisis Management (BCCM) framework, which we hereby submit as a formal deliverable of our engagement.

You may not make copies of this report available to other persons except as described in the contract. Where provision has been made copies are subject to the conditions described therein. We will not accept any duty of care (whether in contract, tort (including negligence or otherwise) to any person other than you, except under the arrangements described in our contract.

Should you wish to discuss the report further, please do not hesitate to contact Sydney Ondari or myself.

Yours faithfully

Edward Kerich
Director

*PricewaterhouseCoopers Limited. PwC Tower, Waiyaki Way/Chiromo Road, Westlands
P O Box 43963 – 00100 Nairobi, Kenya
T: +254 (20)285 5000 F: +254 (20)285 5001 www.pwc.com/ke*

Directors: U Akpata T Almassy# S Cheruiyot A Eriksson J Kabochi M Karama K Muchiru M Mugasa T Mukora A Murage F Muriu S Mutinda P Ngahu R Njoroge S N Ochieng' S Okello B Okundi K Saiti R Shah M Thoithi M Wambugu E Kerich M Nyabanda (* Nigerian) (# Hungarian)*

Document Release Notice

BCCM Framework

Version 1.0

Date of release: 26 September 2016

Authors	Date
PricewaterhouseCoopers	26 September 2016

Reviewers	Date
Kenya Power and Lighting Company Limited	26 September 2016

Revision History

Release	Issue Date	Change Details	Reviewed by
Version 0.1	8 September 2016	Draft BCCM framework submitted for review of Kenya Power and Lighting Company Limited	Risk and Integrity Department (Kenya Power and Lighting Company Limited)
Version 1.0	26 September 2016	BCCM framework updated based on comments received from Kenya Power	

Glossary of Terms

Abbreviation	Term	Definition
A		
AfDB	African Development Bank	
B		
BCCM	Business continuity and crisis management	
BC	Business Continuity	The capability of the organisation to continue delivery of products or services at acceptable redefined levels following a disruptive incident
BCM	Business Continuity Management	A holistic management process that identifies potential threats to an organisation and the impacts to business operations those threats, if realised, might cause, and which provides a framework for building organisational resilience with the capability of an effective response that safeguards the interests of its key stakeholders, reputation, brand and value-creating activities
BCP	business continuity plan	A documented collection of procedures and information that is developed, compiled, and maintained in readiness for use in an incident to enable an organisation to continue to deliver its critical products and services at an acceptable predefined level
BIA	business impact analysis	The process of analysing business functions and the effect that a business disruption might have upon them
C		
	consequence	Evaluated outcome of an event or a particular set of circumstances
	confidentiality	Preserving authorised restrictions on information access and disclosure, including means for protecting personal privacy and proprietary information
	contingency plan	Plan comprising alternative methods of continuing business operations in case of adverse situations
	contingency planning	Planning for the unexpected or the possibility of circumstances changing
CRA	Continuity Requirements Analysis	The process to collect information on the resources required to resume and continue the business activities at a level required to support the organisation's objectives and obligations
	crisis	A situation with a high level of uncertainty that disrupts the core activities and/or credibility of an organisation and requires urgent action
CM	Crisis Management	A process designed to prevent or lessen the damage a crisis can inflict on an organisation and its stakeholders

Abbreviation	Term	Definition
CMT	Crisis Management Team	The heart of the corporate response to a disaster. It comprises of the Managing Director and Chief Executive Officer, all General Managers and all critical departmental managers of Kenya Power
	critical	A qualitative description used to emphasize the importance of a resource, process or function that must be available and operational either constantly or at the earliest possible time after an incident, emergency or disaster has occurred
	critical activities	Those activities which have to be performed to deliver the key products and services and which enable an organisation to meet the most important and time-sensitive objectives
D		
DAT	Damage Assessment Team	The DAT is responsible for conducting an initial assessment of the emergency's likely impact on Kenya Power operations and work together with EC and ERT in that respect
	disaster	A physical event which interrupts business processes sufficiently to threaten the viability of the organisation
	disruption	An event that interrupts normal business functions, operations, or processes, whether anticipated (e.g. hurricane, political unrest) or unanticipated (e.g. a blackout, terror attack, technology failure, or earthquake)
	downtime	A period in time when something is not in operation
E		
EC	Emergency Coordinator	EC assumes overall leadership of all emergency/ major incident response activities. He is responsible to ensure that the coordination of all emergency response activities among the ERT, DAT and CMT
ERM	Enterprise Risk Management	ERM's mission is to identify, assess, monitor, and report major risks that could impede or otherwise negatively affect achievement of the organisation's strategic goals and operational objectives
ERT	Emergency Response Team	ERT's mission is to prevent a serious loss of profits, public confidence or information assets by providing an immediate, effective and skilful response to any unexpected event
	event	Occurrence or change of a particular set of circumstances
	extended outage	A lengthy, unplanned disruption in system availability due to computer hardware or software problems or communication failures
F		
FTL	Finance Team Leader	The FTL, when activated, will facilitate various administration and financial activities
I		

Abbreviation	Term	Definition
	impact	Evaluated consequence of a particular outcome
	incident	An event that has the capacity to lead to loss of or a disruption to an organisation's operations, services, or functions – which, if not managed, can escalate into an emergency, crisis, or disaster
	invocation	Act of declaring that an organisation's business continuity arrangements need to be put into effect in order to continue delivery of key products and services
K		
Kenya Power	Kenya Power and Lighting Company Limited	
L		
LO	Liaison Officer	The LO is responsible for all internal communications, assistance to the ERT and EC. The LO also provides post-event report of activities
LTL	Logistics Team Leader	The LTL, when activated will organise and coordinate the provision of services and support to the ERT
M		
MTD	maximum tolerable disruption	The duration after which an organisation's viability will be irrevocably threatened if a product or service delivery cannot be resumed
MTPD	Maximum Tolerable Period of Disruption	The time it would take for adverse impacts, which might arise as a result of not providing a product/ service or performing and activity, to become unacceptable.
	mitigation	Limitation of any negative consequence of a particular incident
O		
OTL	Operations Team Leader	The OTL, when activated, will direct and coordinate all tactical operations associated with the business disruption event
	outage	A period in time when something is not in operation
P		
PIO	Public Information Officer	Emergency Response Public Information Officer, when activated, is responsible for communication with any/all third parties and the dissemination of information to appropriate departments and individuals. The PIO also assist the EC as directed and provide post-event report of activities
PLT	Planning Team	The PLT, when activated will prepare the Emergency Action

Abbreviation	Term	Definition
	Leader	Plan; will maintain situation and resource status, and coordinate the BCCM activities
	process	A set of interrelated or interacting activities which transforms inputs to outputs
R		
RPO	recovery point objective	The target set for the status and availability of data (electronic and paper) at the start of a recovery process. It is a point in time at which data or capacity of a process is in a known, valid state and can safely be restored from
RTO	recovery time objective	The target time for resuming the delivery of a product or service to an acceptable level following its disruption
	redundancy	The duplication of critical infrastructure support systems with the intention of backing up the primary systems and protecting against system down-time due to failure
	resilience	The ability of an organisation to resist being affected by an incident
	risk	The effect of uncertainty on objectives. Combination of the consequences of an event (including changes in circumstances) and the associated likelihood of occurrence
	risk assessment	Overall process of risk identification, risk analysis and risk evaluation.
RM	risk management	Coordinated activities to direct and control an organisation with regard to risk
S		
SO	Safety Officer	The SO when activated is responsible for monitoring and managing physical and staffs safety conditions. The SO also assist the EC as directed and provide post-event report of activities
	stakeholder	Individual or group having an interest in the performance or success of an organisation e.g. customers, partners, employees, shareholders, owners, the local community, first responders, government, and regulators
T		
	threat	A potential cause of an unwanted incident, which may result in harm to individuals, assets, a system or organisation, the environment, or the community
V		
	vulnerability	The degree to which a person, asset, process, information, infrastructure or other resources are exposed to the actions or effects of a risk, event or other occurrence



Table of Contents

<i>Document Release Notice</i>	1
<i>Glossary of Terms</i>	2
<i>BCCM Policy</i>	8
<i>BCCM Framework</i>	13
<i>Appendix 1: Templates</i>	53
<i>Appendix 2: Building resilience in your people</i>	85

BCCM Policy

BCCM Policy

Mission & Vision of Kenya Power

The key mandate of Kenya Power is to plan for sufficient electricity generation and transmission capacity to meet demand; building and maintaining the power distribution and transmission network and retailing of electricity to its customers.

Kenya Power aims to achieve a business continuity and crisis management (BCCM) capability that can keep up with the pace of change in the industry and introduce a clearly defined framework for the on-going BCCM capability across the organisation, such that Kenya Power can continue servicing its customers at an acceptable level, even in the time of disruptive events.

Purpose of the policy

The Business Continuity and Crisis Management (BCCM) Policy (herein referred to as “Policy”) sets out a structured and consistent approach to make sure that the business continuity risks of Kenya Power and Lighting Company Limited (Kenya Power) are identified and reviewed, and that they are understood and appropriately managed. This entails creation of an environment in which the management of business continuity risks is effective and consistent across Kenya Power, in line with global standards and good practice, and enables management to make informed decisions whilst mitigating identified risks.

The purpose of the BCCM Policy is to identify, monitor, understand and manage BCCM risks within Kenya Power.

Objective of the policy

The objective of this Policy is to clearly define, formalise, communicate and give direction to the way in which BCCM should be implemented and managed within Kenya Power. Achievement of the objective of the Policy should result in:

- Preparedness for catastrophic events;
- Staff safety focus;
- Minimising financial and operational impacts to Kenya Power in the event of a disaster;
- Safeguarding facilities, business information and assets of Kenya Power;
- Providing timely availability of all key resources necessary to operate the critical business processes at a level of operation that is acceptable to management;
- Maintaining stakeholder contact and confidence;
- Communicating BCCM documentation to all relevant parties;
- Regular testing, review and subsequent updating of all BCCM documentation;
- Establishing clear roles and responsibilities and delegations of authority;
- Defining clear allocation for ownership of BCCM;
- Applying consistent Management information reporting and escalation processes;
- Embedding a BCCM risk awareness culture through on-going training; and
- Providing BCCM reporting with independent assurance to the Board.

Scope of the policy


The BCCM Policy is a Kenya Power-wide policy and covers the entire organisation (encompassing the Central Office and regions).

Availability of policy

The Policy is for internal use and distribution only. The Policy is available to appropriate levels of staff via the governance structures or risk management functions of Kenya Power.

Policy Governance Structure

The diagram below depicts the BCCM Governance Structure, along with detailed BCCM roles and responsibilities.



Note: The CMT comprises of the following:

- The Managing Director (MD) and Chief Executive Officer (CEO), acting as the CMT Leader,
- An alternate to the CMT Leader (who may be appointed by the MD and CEO) and
- All General Managers and critical Departmental Managers.

Policy review

The Policy is subject to annual review. Any proposed interim changes must be approved by the Kenya Power Crisis Management Team (CMT).

Ownership of the policy

Ownership of this Policy is vested in the Business Continuity and Crisis Management Coordinator, who is responsible for coordinating the drafting and/ or updating of the Policy on a regular basis.

Approval of the Policy

The Policy is approved by the Board upon recommendation from the CMT.

Actions for non-compliance

The actions for non-compliance with this Policy will be governed by the governance structure of risk management. Instances of non-compliance will be reported to the appropriate level in the structure: Management Committee, Code of Ethics and Human Resources.

The disciplinary rules and actions as set out under the Company's Code of Ethics will apply to the Policy.

In the event of a significant breach of the Policy, the transgression will be immediately escalated to the CMT, followed by the Disciplinary Committee and finally the Board. Significant breaches of internal control systems will also be escalated to the Disciplinary Committee.


BCCM Framework

BCCM Framework

BCCM Framework

The CMT will define and establish a BCCM Framework to guide the implementation of an effective and robust business continuity and crisis management (BCCM) programme aimed at ensuring the continuity of critical Kenya Power business operations in the event of a disaster or disruption to normal operations.

The Plan-Do-Check-Act (PDCA) model shall be applied for planning, establishing, implementing, operating, monitoring, reviewing, maintaining and continually improving the effectiveness of the BCCM of Kenya Power.



A brief overview of the PDCA model has been provided below.

Component	Description
Plan (Establish)	As part of this component, the BCCM policy, objectives, controls, processes and procedures relevant to improving business continuity and crisis management are established. This will help deliver results that are aligned with the overall policies and objectives of Kenya Power.
Do (Implement and operate)	This encompasses the implementation and operating of the business continuity and crisis management policy, controls, processes and procedures.
Check (Monitor and review)	This covers the monitoring and reviewing of performance against the BCCM policy and objectives, reporting the results to Kenya Power management/ board for review, and determining and authorising actions for mitigation and improvement.
Act (Maintain and improve)	Within this component, the BCCMS is maintained and improved through the implementation of mitigating/ correcting actions, based on the results of Kenya Power management/ board review and reappraising of the scope of the BCCM, the policy and objectives.

1. Plan

As part of this component, there is the need to clearly understand the context of the organisation.

1.1 Context of the organisation

1.1.1 Understanding of the organisation and its context

The internal and external issues that affect the ability of Kenya Power to achieve the intended outcome(s) of its BCCMS should be determined.

There is the need to identify and formally document the following:

1. The key activities of Kenya Power, its operations, functions, partnerships, supply chains, relationships with different interested parties and the potential impact of a disruptive event;
2. The links between the BCCM policy and the objectives of Kenya Power and other relevant policies of the organisation, including the ERM and
3. The risk appetite of Kenya Power.

Whilst establishing the context, there is the utmost need to:

- Set forth the objectives of Kenya Power with relation to business continuity and crisis management,
- List the internal and external factors that can hamper the business operations/ service delivery,
- Set risk criteria whilst considering the risk appetite of Kenya Power and
- Establish the purpose of the BCCMS in the organisation.

1.1.2 Understanding the needs and expectations of interested parties

The interested parties/ stakeholders that are relevant to the BCCMS of Kenya Power and their respective requirements should be identified. This includes but is not limited to their expectations from Kenya Power.

Note: Some examples of interested parties would include the Ministry of Energy and Petroleum, the World Bank and African Development Bank (AfDB).

Furthermore, there is the need to establish, implement and maintain a procedure for identifying the relevant legal and regulatory requirements which apply to Kenya Power, continuity of its operations/ distribution services.

A register can be maintained for all identified legal, regulatory and other requirements to which Kenya Power should comply.

Introduction or amendments of legal, regulatory or other requirements should be communicated to affected personnel within Kenya Power and other interested parties (where applicable).

1.1.3 Determining the scope of the business continuity and crisis management system

Normally, the steps listed in this section are to be performed by the BCCM Coordinator, with the involvement of the CMT. This involves deciding which divisions will be covered by the BCCMS.

The default recommendation is to involve all divisions across Kenya Power to participate and contribute to the BCCM planning process. Nevertheless, Kenya Power management/ Board has a right to decide- if there is a valid reason to exclude some divisions from the BCCM exercise due to its low criticality, this is the right time to do so.

When defining the scope, there is the need to formally document and explain exclusions (if any).

1.2 Leadership

The top management and other relevant management roles throughout Kenya Power should demonstrate leadership, support and strong commitment with respect to the BCCMS.

1.2.1 Leadership and commitment

The main focus of this step is to obtain the support of Kenya Power management and commitment of resources to develop and maintain the BCCM programme in the organisation.

The top management/ Board has an explicit role to demonstrate their commitment in the development and maintenance of the BCCM programme, by showing leadership in the executive of the BCCM programme.

Note:

The CMT would comprise of General Managers across the different divisions. The CMT leader would most likely be the Managing Director (MD) and Chief Executive Officer (CEO) or a delegated alternate.

The CMT may assign an executive sponsor in Kenya Power (e.g. General Manager, Network Management) the task of overseeing the implementation of the programme and development and testing of the continuity plans.

Furthermore, every Manager should be formally assigned the responsibility for the implementation and management of BCCM within their area(s) of responsibility.

1.2.2 Management commitment

Kenya Power needs to demonstrate leadership and commitment with regards to the BCCM programme. This can be done by undertaking the following:

1. Making sure that clear policies and objectives are established for business continuity and crisis management, and these are in line with the strategic direction of Kenya Power;
2. Making sure that the requirements of the BCCM are incorporated into the business processes of the organisation;
3. Making sure that resources needed to develop and maintain the BCCM programme are available;
4. Clearly setting out the importance of effective BCCM and need to abide with BCCM requirements across Kenya Power;
5. Making sure that the intended outcome(s) of the BCCM programme are achieved;
6. Guiding and supporting Kenya Power personnel in contributing to the effectiveness of the BCCM programme;
7. Putting initiatives in place to embed BCCM in the culture of Kenya Power;
8. Encouraging continual improvement of BCCM programme.

1.2.3 Policy

Kenya Power management needs to establish a BCCM Policy and make sure that it is:

- Maintained as documented information;
- Communicated across Kenya Power;
- Made available to interested parties (as required);
- Reviewed for continued appropriateness at agreed intervals and when significant change(s) occur.

1.2.4 Organisational roles, responsibilities and authorities

Kenya Power management needs to formally define, assign and communicate the responsibilities and authorities for relevant roles within the organisation.

Responsibility and authority shall be defined for the following:

- Making sure that the controls established as part of the BCCM programme are in line with internationally recognised standards and
- Regularly reporting on the performance of the BCCM to Kenya Power management.

Note: When assigning roles and responsibilities for the BCCM programme, there is the need to make sure that the individuals have the necessary competencies and skills.

Some of the pre-requisite skills for the resources managing the BCCM programme of Kenya Power include but are not limited to:

- Education: a bachelor degree in management of information systems, business administration, risk management or related degree with certificates from a recognised BCM body;
- Project/ programme management skills: track record of successful multi-discipline projects;
- Analytical skills and good understanding of Kenya Power processes, risks and controls;
- Planning skills to develop, implement and maintain plans;
- Good command of English (both verbal and written);
- Interpersonal skills with ability to effectively communicate and influence decision-making with Kenya Power management;
- Training skills (for knowledge sharing and transfer to business representatives).

Note: Kenya Power management can demonstrate its commitment to the establishment, implementation, operation, monitoring, review, maintenance and improvement of the BCCM programme by undertaking the following:

- Establish a BCCM Policy;
- Make sure the objectives and plans for BCCM are set out;
- Formally defining and assigning roles, responsibilities and competencies for BCCM and
- Delegating the responsibility of BCCM to one or more persons, with the adequate authority and competencies to lead the implementation and maintenance of the BCCM across Kenya Power.

Furthermore, Kenya Power management can make sure that responsibilities and authorities for the implementation and maintenance of BCCM have been assigned and communicated by:

1. Formally defining the criteria for accepting risks and the acceptable levels of risk (currently in progress through implementation of the ERM);
2. Participating in exercising and testing (e.g. being part of crisis simulation exercise to rehearse plan(s) established);
3. Making sure that internal audits of the BCCM are undertaken,
4. Undertaking regular management reviews of the BCCM and
5. Demonstrating commitment to continual improvement of the BCCM programme across Kenya Power.

1.3 Planning

1.3.1 Actions to address risks and opportunities

There is the need to identify the risks and opportunities to be addressed to make sure that the BCCM can achieve its outcome(s), prevent or mitigate negative effects and achieve continual improvement.

Kenya Power needs to set down its plan to implement actions to address the above mentioned risks and opportunities, how to integrate these into the BCCM processes and evaluate the effectiveness of the actions.

1.3.2 Business continuity objectives and plans to achieve them

Kenya Power management needs to make sure the BCCM objectives are established and communicated in the organisation.

The following needs to be considered when defining the BCCM objectives:

- The BCCM objectives need to be consistent with the BCCM policy,
- The minimum level of service/ operations which is acceptable to Kenya Power to achieve its business objectives;
- The BCCM objectives need to be measurable and
- The BCCM objectives need to be maintained.

Note: Kenya Power needs to retain documented information on the BCCM objectives.

1.4 Support

1.4.1 Resources

The next step is to determine and provide resources for the establishment, implementation, maintenance and continual improvement of the BCCM programme across Kenya Power.

Note: This can be done by devising a BCCM programme schedule, which lays out the different tasks needed to develop, implement, test and maintain the BCCM, the assigned responsibilities and the expected timeframes. This 'roadmap' would ease the navigation through the BCCM process and also serve as a means to monitor status of implementation.

There may also be the need to prepare a resource requirements and budget required to support the BCCM programme. This would include but not be limited to:

1. project management costs,
2. estimated time and effort for Kenya Power team to attend interviews, workshops and exercises,
3. professional fees for consultancy/ support (if any),
4. office supplies costs,
5. project administrative support costs.

1.4.2 Competence

This step is about developing the competence specifications and recommending appropriate personnel across Kenya Power.

Resources who are assigned BCCM related tasks at different levels within Kenya Power, need to have the appropriate level of competence for undertaking the assigned tasks.

Competence can be achieved by primarily understanding the skills required for the role and then providing necessary opportunities for individuals to obtain the aforementioned skills. This can be achieved through training, mentoring, knowledge sharing, etc. Kenya Power can also consider the hiring or contracting of competent persons.

We have provided below a sample competence inventory:

Role	Duties and responsibilities	Technical and behavioural competency	Key performance indicator
Crisis Management Team Lead – Managing Director (MD)	Pre-crisis - Make internal communication about any crisis activities - Provide guidance and strategic direction on all BCCM matters During Crisis - Declare a crisis following discussion with CMT members - Lead the CMT in strategic decision making during a crisis - Take final decisions on all matters regarding recovery decisions including investment and resourcing - Manage relationships with key stakeholders, especially Ministry of Energy and Petroleum Post crisis - Lead the CMT to approve post incident reports and approve expenditures out of the normal procurement procedures - Share disaster report with the Ministry of Energy and Petroleum	<i>Quality assurance:</i> Understands BCCM related best practice and suggests organisation wide improvements <i>Vision:</i> Provides others with a clear vision and direction <i>Decision making:</i> Looks business-wide to understand underlying problem causes and options for resolution before making strategic decisions in an emergency for the good of the larger Kenya Power and builds support for those decisions <i>Time management-</i> Creates a sense of urgency in the team – but in a positive, energetic and enjoyable way <i>Interpersonal skills-</i> Builds a culture of openness within CMT to encourage creativity, trust and sound business relationships that result in the achievement of BCCM objectives <i>Leadership:</i> Must be a member of the Management Executive Committee -Leads others and acts as a role model for good behaviour	- Organisation's compliance to BCCM accountabilities highlighted in BCP - Number of crisis situations averted within agreed timelines

1.4.3 Awareness

All Kenya Power personnel need to have an awareness of the BCCM programme and the role that they play in it.

Awareness sessions should be undertaken to communicate:

- the BCCM policy of Kenya Power;
- the need for BCCM in the organisation;
- the expectation/ contribution of each personnel to the effectiveness of the BCCM programme;
- consequences of not supporting the BCCM programme or not complying with the BCCM requirements;
- the role of each personnel in the time of a crisis or disruptive event.

A training programme should be developed.

Note: Kenya Power can consider the dissemination of information through classroom-based trainings, presentations at management and divisional meetings or including BCCM subject matter in other internal trainings in the organisation.

1.4.4 Communication

There is the need to determine the internal and external communications relevant to the BCCM programme. This encompasses:

- what is to be communicated,
- when is it to be communicated and
- to whom this is to be communicated.

Note: The assistance of the Corporate Communications section can be sought for this exercise.

2. Do

2.1 Operation

2.1.1 Risk and Business Impact Analysis

Key Tasks	Key deliverables
• Preparation and set-up • Identify business activities • Assess business impact and determine priorities • Identify business continuity resource requirements	• Business impact profile- prioritisation of business activities • Business continuity resource requirements

As part of the structured risk assessment process put in place through the ERM program, the following information is already compiled namely:

- key activities of the organisation,
- assessment of key risks associated with the different business activities undertaken within the 13 divisions and
- the mitigating actions and/ or the risk treatment controls implemented.


Risk treatment involves the identification of options to reduce the consequences and/ or likelihood of an unacceptable risk. Amongst all the options, BCCM is specifically a treatment for risks that could potentially interrupt business operations and cause unacceptable consequences to Kenya Power.

The Business Impact Analysis (BIA) builds on this information and takes the analysis one step further to determine the timeframes within which core activities of Kenya Power must be resumed following a crisis/ disruptive event. These timeframes are then used to prioritise activities that are critical for business continuity purposes.

The BIA involves identifying the critical business processes and related supporting resources within the divisions of Kenya Power and determining the potential impact of an outage or disruption in services. The process includes a comprehensive assessment of all business activities that are performed within the 13 division of Kenya Power, as well as an analysis of the supporting resources that are required to perform these activities.

The BIA results will in turn be used to determine the alternatives and options for recovery of critical business processes and will serve as an input for preparing the BCP Strategy Matrix and subsequently the Business Continuity and Disaster Recovery plans.

Key steps to consider when conducting the BIA:



Key methods, tools and techniques that can be employed to carry out the BIA for Kenya Power include:

- Interviews,
- Questionnaires and
- Workshops.

How to proceed to identify the critical processes

**** Understanding impacts of disruptions**

As part of the BIA exercise, there is the need to assess the impact and consequences over time of the unavailability of key resources and consequently the core activities of the different divisions of Kenya Power. This encompasses partial or whole, temporary or permanent unavailability of Kenya Power personnel, premises, organisational data, vital records, etc. which underpin the different services.

Note:

The impacts of service unavailability have been categorised under the following:

- **Financial Impact**

Financial Impact considers value at risk over time; the increased /fixed cost for trading functions (operational costs) as well as financial value of work lost for non-trading functions (loss of customers who then go to produce their own electricity).

- **Impact on clients**

Impact on clients covers the impact of Kenya Power service unavailability to external clients. A service outage may affect trust and confidence of clients, and consequently the reputation of Kenya Power.

- **Impact on stakeholders**

This encompasses the impact of disruption of Kenya Power activities to its key stakeholders (amongst the Government of Kenya, more specifically the Ministry of Energy and Petroleum), and the key development partners of Kenya Power- World Bank, AfDB, etc.).

- **Impact on employees**

This category covers likely impacts on employees (such staff and board of directors), e.g. on the staff morale, their wellbeing, their productivity integrity (bribery) and subsequently the overall performance of the organisation.

- **Legal and Regulatory Compliance**

Legal and Regulatory Compliance considers the impact of breaches of statutory duties or legal and regulatory norms which Kenya Power is subject to. This includes but is not limited to National Energy and Petroleum Policy and Energy Bill.

** Identifying the critical processes

After the BIA meetings/ workshops, there is the need to assess the likely impacts that a disruption would have on Kenya Power.

The following has been provided for guidance purposes:

Rating	Financial Impact	Impact through Customers	Impact on employees	Impact on Stakeholders (Internal/external)	Legal and Regulatory compliance
High	Yes (loss in transaction revenue)	Global + national negative publicity + Negative compliance behaviour	Staff morale + Performance + Integrity	Serious loss of confidence	Breach of contracts + claims demanded by clients + major failure in regulatory compliance
Medium	No	Nation-wide negative publicity	Staff morale + Performance	Moderate loss of confidence	Failure in regulatory compliance
Low	No	Local negative publicity (minimal)	Staff morale	Negligible loss of confidence (minimal)	No legal repercussions/ Minimal

The key output of this step is a list of the critical business activities. A consolidated business impact profile is to be prepared for Kenya Power.

Note: It is very important that the consolidated business impact profile is presented and endorsed by Kenya Power management as this would serve as a basis upon which the BCCM strategies and plans would be developed.

2.1.2 Defining continuity requirements

There is the need to also define the minimum resource requirements for BCCM. This involves identifying broad strategies, key dependencies and resources (people, IT systems and networks, premises and facilities, and data backup and offsite storage) needed to support the resumption of critical business activities within different timeframes.

2.1.3 BCCM Strategy

As part of the BIA exercise undertaken in the previous step, the following have been identified:

- The list of critical business activities,
- The timeframe within which these should be resumed following a crisis or disruptive event and
- The minimum resources that need to be available to support the resumption of the critical activities over time.

The abovementioned output is now to be used to define a set of response options to meet the requirements for BCCM in Kenya Power.

Note:

- A risk might be acceptable without any further action being taken. Even if it is not acceptable to Kenya Power, the ability to do anything about some risks could be limited, or the cost of taking any action disproportionate to the potential benefit gained.
- For some risks, the best response may be to transfer them. This might be done by conventional insurance or contractual arrangements, or it might be done by paying a third party to take the risk in another way.
- Risks may be transferred in order to reduce the risk exposure of Kenya Power.
- It is important to note that some risks are not (fully) transferable; in particular, it is generally not possible to transfer reputational risk, even if the delivery of a service is contracted out.
- The purchase of insurance may form part of a risk treatment strategy and will provide some financial recompense for some losses.
- In some cases, Kenya Power may consider to change, suspend or terminate the service, activity, function or process. This option can only be considered where there is no conflict with the objectives, statutory compliance and stakeholder expectation for Kenya Power. This approach is most likely to be considered where a service, activity, function or process has a limited lifespan.

As part of this step, Kenya Power needs to consider strategic options for continuity of its critical activities.

Determining business continuity and crisis management strategy enables a range of strategies to be evaluated. This allows an appropriate response to be chosen for each critical service, such that Kenya Power can continue to deliver those services at an acceptable level of operation and within an acceptable timeframe during and following a disruption.

The following will help Kenya Power opt for the most appropriate strategies:

- The maximum tolerable period of disruption of the critical activities,
- The costs associated with the implementation of the strategies,
- The consequences of failure to act.

Strategies may be required for the following core resources, namely:

- **People**

There is the need to identify appropriate strategies for maintaining core skills and knowledge. This analysis extends beyond Kenya Power employees to contractors and other stakeholders who possess specialist skills and knowledge.

We have provided within the appendix of this document, some examples of how Kenya Power can build capacity in its identified critical functions.

- **Premises**

A strategy should be devised for reducing the impact of unavailability of normal worksite(s) of Kenya Power.

For example, Kenya Power may consider alternate substations or alternate lines to reduce impact of disruptions.

- **Technology**

Strategies related to technology will be highly dependent on its relationship to the critical activities.

Kenya Power has already established a disaster recovery (DR) site. There is now the need to understand if the strategies established are adequate- whether the replication/ backup arrangements meet the requirements of the business and/ or the DR site would pick up if the main site (Stima Plaza data centre) were down.

- **Information**

Strategies need to be devised to make sure that the different types of information (physical and electronic) needed for the operation of Kenya Power business activities, are protected and recoverable within set timeframes after a crisis/ a disruptive incident has hit.

Kenya Power is reliant on information held within its systems, as well as physical documents.

- **Supplies**

Kenya Power needs to identify and maintain an inventory of core supplies that support its critical activities.

This includes but is not limited to spare parts for interventions (network related), spare equipment (for IT), stationery for administrative purposes.

- **Stakeholders**

Kenya Power needs to consider the interests and expectations of its key stakeholders when determining and selecting BCCM strategies. These should contemplate relevant social and cultural considerations.

Strategies should be devised to manage relationships with key stakeholders, development partners and contractors. Different groups may require particular considerations.

A person or group of persons need to be identified and assigned the task of discharging responsibility for welfare issues after a crisis/ disruptive incident.

Note: Kenya Power management needs to sign off the documented strategies to confirm suitability of the chosen continuity strategies to meet the objectives of the organisation within its risk appetite.

2.1.4 Establish and implement business continuity procedures

Developing and implementing a BCCM response results in the creation of a BCCM governance framework and a structure of crisis management, emergency/ incident management, and business recovery plans that detail the steps to be taken during and after a major incident/ emergency to maintain or restore operations.

This serves as a reference for Kenya Power personnel to respond in a way that is consistent with the approved continuity strategies of Kenya Power in the event of a major disruption.

Note: A plan document is not a complete, step-to-step manual as each and every incident that occurs is unique, with varying levels of threats and business impact to Kenya Power.

The first step would be to identify and appoint divisional representatives to work on the continuity plans.

Each division participating in the BCCM programme will have to develop some steps to perform in case of a disaster, attend BCCM drills and contribute in few other ways.

These people will be the main contact points in the subsequent steps. There is the need to make sure that at least one person is assigned in each division at this stage. That person could be a General Manager, a Manager, his/ her deputy or a trusted subject matter expert of appropriate seniority level within the division.

Now it is time to document the plans. These plans would assist Kenya Power to effectively manage a disruption and ultimately resume the critical business functions.

Note: Very often, one of the challenges experienced by organisations, is to identify the important and relevant risks amongst all that can possibly go wrong and result in business disruption. One of the techniques to overcome this challenge is the development and use of risk scenarios.

Kenya Power can perform a scenario analysis of the identified risks and relevant business impacts. A list of generic scenarios can be used to define a set of concrete and customised scenarios, applied to the situation of Kenya Power.

Some areas of risks / disaster scenarios which could result in power outage and could be considered are as follows:

- Terrorist attack/ sabotage at one of the prime sites of Kenya Power (e.g. National Control Centre)
- Unavailability of substation at Juja due to fire
- Fire in one of the main administrative offices (e.g. Stima Plaza- also hosting the main data centre)
- Outage resulting from overhead/ underground cable system failure (e.g. electrochemical treeing)
- Unavailability of critical functions (e.g. due to strike, pandemic outbreak)
- Transformer(s) failure resulting in major outage
- Tree contact (falling over conductors) and causing outage
- Vandalism (theft of conductor wire, equipment, etc.)
- Natural weather phenomena

The Business Continuity Plans will comprise of three high level documents; the Emergency Response Plan (ERP), the Crisis Management Plan and Recovery Procedures.

The Emergency Response Plan will be location specific (for Kenya Power- administrative office or substation); it will guide on how first time response to a particular incident is conducted. A common template will be provided and will be used across the board.

The Crisis Management Plan will be in a central location where key people (General Managers, along with the Managing Director of Kenya Power) are going to be sitting; though from the BIA, it could be determined if there is need to have another regional specific Crisis Management Plan that reports to the Central one at Headquarters.

The Recovery Procedures will be developed at operational level (station specific) focused at business recovery.

The IT DRP will cover recovery procedures for IT system recovery. These will be the alternative processes and procedures to be used in the event of a crisis and they shall be developed by the end users themselves with the guidance of the BCCM Coordinator.

Note: Templates have been provided and attached as annexure of this document. These have been provided for guidance purposes only. Kenya Power would need to customise the templates after the BIA exercise and selection of appropriate recovery strategies.

Refer to appendix 1.1 for templates (Business Continuity Plan Template)

Business Continuity Management Stages

There are three main stages over time of an incident, namely:

- Initial response and disaster declaration,
- Business continuity and
- Resumption (back to normal).

Stage I: Initial Response and Disaster Declaration

This stage deals with the immediate response to a major business disruption, within minutes of its occurrence. This stage includes the following broad activities:

- i. Initial Response and Notification of a potential disaster
- ii. Damage Assessment and Escalation
- iii. Disaster Declaration and Communication to relevant stakeholders

Details of activities to be undertaken for initial response and disaster declaration at Kenya Power have been catered for in the Emergency Response Plan (ERP).

Possible emergency situations include any event that may inhibit the ability of Kenya Power to perform work as usual, including, but not limited to:

- Natural risks (such as Earthquake, Fire, Flood, Hurricane)
- Environmental risks (such as Power interruption, Communications interruptions, Explosion/Fire, Aircraft crashes, Contamination)
- Incited risks (Bomb Threats, Sabotage, Vandalism, Riots)

Stage 2: Business Continuity

Different divisions of Kenya Power will need to follow their recovery procedures within minutes of being informed of the disaster.

Mobilisation of required teams and resources to the alternate site will be done as part of this stage. In case the primary resource identified for each activity is unavailable, the secondary personnel identified will be responsible for carrying out the activity. This stage will also cover salvage operations at the primary site in order to recover any critical IT and non-IT resources.

This stage includes the following broad activities:

- i. Invocation of process recovery procedures
- ii. Mobilization of resources
- iii. Emergency control centre activities
- iv. Salvage operations at the primary site


Stage 3: Resumption Back to Normal

This stage deals with the efforts to return to the normal mode of operation at the primary location for each unit. The objective is to return the business environment and operations to pre-disaster conditions. Depending on the damage caused by the incident, this can go on for days to weeks to months.

This stage includes the following broad activities:


- i. Inspection and assessment of the primary site
- ii. Make long term recovery plans to rent new offices in case the primary site cannot be recovered from the disaster
- iii. Repairs at the primary site
- iv. Relocation to primary site

The BCP process flow below identifies the recovery actions that are required in the situation of a disaster and shows where and how the different plans in this BCP document get invoked to enable a timely recovery of the critical business processes. The different teams identified in the BCP have a key role to play at both pre-crisis and post-crisis stages to make this BCP effective.



Business Continuity & Crisis Management Structure

This section lists the different roles and responsibilities of each team within the business continuity and crisis management structure of Kenya Power.



Crisis Management Team

Description of the role:	The Crisis Management Team (CMT) will decide on the course of actions to be taken based on the report from the Business Continuity & Crisis Management Coordinator.
The responsibilities of the Crisis Management Team include but are not limited to:	• Maintain contact with the BCCM Coordinator and members of the Emergency Response Team, Damage Assessment Team and Recovery Teams (Regional and Divisional) • Respond to requests for information • Inform of changes in strategy • Periodically receive reports from the various teams against target time scales • Check recovery progress against critical timeframes • Make decision in problem areas and exceptions • Schedule of subsequent actions • Assess the crisis situation and respond accordingly • Plan on what decisions need to be taken under the given circumstances and take the decision to invoke the BCP if found necessary • Direct the necessary teams on the actions to be performed • Coordinate and manage the relationship with the media • Handle legal issues • Approve and authorise extra expenses and extraordinary investments • Steer relationship with public authorities • Authorise the occupancy of the DR site and any other alternative recovery site and resumption back to original site • Conduct regular CMT briefings on progress and strategy

Crisis Management Leader

Description of the role:	The Crisis Management Leader is the Chairman of the Crisis Management Team.
The responsibilities of the Crisis Management Leader include but are not limited to:	• Lead the crisis management team at all times during a disaster. • Take final decisions on all matters regarding recovery decisions including investment and resourcing.

Business Continuity & Crisis Management Coordinator

Description of the role:	The Business Continuity & Crisis Management Coordinator will be the point of contact to address any incident that can potentially turn into a crisis/disaster. Business Continuity & Crisis Management Coordinator will be a member of the Crisis Management Team.
The responsibilities of the Business Continuity & Crisis Management Coordinator include but are not limited to:	• Co-ordinate with the Emergency Response Team and Recovery Teams for emergency response and business recovery respectively • Take strategic decisions along with the CMT based on the findings of the Damage Assessment Team/ Emergency Response Team and the impact on business operations of Kenya Power • Administer and ensure constant monitoring of all teams during a disaster • Record any emergency/ major incident reported in an incident log • Business Continuity & Crisis Management Coordinator in coordination with the Damage Assessment Team/ Emergency Response Team will coordinate initial rapid assessment of the situation in order to determine: – Kenya Power employees status – State of networks – Impact to operational capability – Asset/ premises status – Requirement to declare a disaster – Activation of Response / Recovery procedures – Conduct a Root Cause Analysis for all incidents and submit the incident report to the Crisis Management Team – Formal closure of an incident

Divisional/ Regional Recovery Team

Description of the role:	The role of the Recovery Team is to provide assistance for resumption of normal business functions at Kenya Power.
The responsibilities of the Divisional/ Regional Recovery Team include but are not limited to:	• Receive instruction from the Business Continuity & Crisis Management Coordinator that the BCP has been invoked • Ensure the respective processes can recover efficiently during the disaster, both at the alternate site (if any) as well as during normalisation (when the processes have to be resumed at the Kenya Power primary site) • Ensure the required resources are available on time and deployed effectively during disaster • Ensure that the critical business processes are up and running at the earliest at the recovery sites • Coordinate with the Emergency Response Team/ Damage Assessment Team to produce post incident report for all outages and forward such reports to the Business Continuity & Crisis Management Coordinator for finalisation.

Crisis Communication Plan

The objective of the crisis communication plan is to effectively and efficiently manage communications during a crisis through a formal and clearly defined channel of communication to the employees and the various stakeholders.

Communication of Disaster to Media

The designated communication spokesperson of Kenya Power (e.g. Corporate Communications) will speak to the media in the event that a disaster is declared and Kenya Power is unlikely to restore any of its business operations.

The plan to manage media relations is as follows:

A. If the situation warrants (CMT decision), issue a public notice by means of an advertisement and issue a Press Release. The standard format of the advertisement would be as under:

- The advert would be issued in the name of the person making the statement.
- Corporate Logo of Kenya Power.
- A brief description of the event and the damage caused.
- The operations that have been hampered and alternative if any made for such operation.
- Contact address and phone/ fax of alternative site operation.

B. At the discretion of the Managing Director or a person deputed by the Managing Director, select press briefings may be held.

If it is immediately known that Kenya Power employee(s) have been injured, this should be included in the preliminary announcement to the media. This announcement shall have a statement that, "The exact extent of the injuries and the names of the employees injured are unknown at this time."

Any announcement to the media should also contain the name and telephone number of a contact who is available to answer any questions that media/ public may have.

A sample format for preliminary notification of Disaster to the media has been provided in the appendix of this document.

A helpline can be set up for employee and stakeholder communication. The Corporate Communications section will handle the calls.

Communication to Employees

Based on the detailed assessment of the DAT/ ERT and the estimated time required to recover from the disaster, the CMT will make a preliminary announcement to communicate the event to Kenya Power employees.

The media to be used for the announcement will depend on the intensity of the disaster and also the available means for communication. The following means of communication could be used:

1. Phone
2. Email

Refer to appendix 1.2 for sample formats for preliminary notification of disaster.

Emergency Response Plan

Purpose and scope

The emergency response plan establishes the recommended organisation, actions and procedures needed to:

- Recognise and respond to an incident;
- Assess the situation quickly and effectively;
- Notify the appropriate individuals and organisations about the incident;
- Organise the company's response activities, including activating Crisis Management Team;
- Escalate the company's response efforts based on the severity of the incident and
- Support the business recovery efforts being made in the aftermath of the incident.

Roles and responsibilities

Emergency Response Team ("ERT")

An ERT should be established to provide a quick, effective and orderly response to incidents which are reported. The ERT's mission is to prevent a serious loss of profits, public confidence or information assets by providing an immediate, effective and skilful response to any unexpected event.

The ERT is authorised to take appropriate steps deemed necessary to mitigate or resolve an emergency/ major incident. The team is responsible for investigating suspected security incidents in a timely, cost-effective manner and reporting findings to the Emergency Coordinator and/or management and the appropriate authorities as necessary.

In addition, the ERT assists in communication exercises, reporting and support to the Emergency Coordinator and members of the Crisis Management Team.

Emergency Coordinator ("EC")

The EC assumes overall leadership of all emergency/ major incident response activities. He is responsible to ensure that the coordination of all emergency response activities among the ERT, Damage Assessment Team ("DAT"), Crisis Management Team ("CMT").

Refer to the following appendices for sample checklist highlighting sequence of activities to be followed:

- appendix 1.4 for the Initial Emergency Response Checklist
- appendix 1.5 for the Emergency Response Team Task Checklist,
- appendix 1.6 for the Emergency Response Team Meeting Checklist,
- appendix 1.7 for the Emergency Coordinator Task Checklist,
- appendix 1.8 for the Emergency Response Recommendations and
- appendix 1.9 for the Actions Following a Disaster Declaration

for other tasks that the Emergency Coordinator needs to follow in the event of a major business disruption at the Kenya Power office.

Emergency Response Public Information Officer (“PIO”)

The PIO, when activated, is responsible for communication with any/all third parties and the dissemination of information to appropriate departments and individuals. The PIO also assist the EC as directed and provide post-event report of activities.

Refer to appendix 1.10 for the Public Information Officer Task Checklist for other tasks that the PIO needs follow in the event of major business disruption at the Kenya Power office.

Liaison Officer (“LO”)

The LO is responsible for all internal communications, assistance to the ERT and EC. The LO also provides post-event report of activities.

Refer to appendix 1.11 for the Liaison Officer Task Checklist for other tasks that the Liaison Officer needs follow in the event of a major business disruption at the Kenya Power office.

Safety Officer (“SO”)

The SO when activated is responsible for monitoring and managing physical and staffs safety conditions. The SO also assist the EC as directed and provide post-event report of activities.

Refer to appendix 1.12 for the Safety Officer Task Checklist for other tasks that the SO need follow in the event of major business disruption at Kenya Power.

Damage Assessment Team (“DAT”)

The DAT is responsible for conducting an initial assessment of the emergency’s likely impact on Kenya Power operations and work together with EC and ERT in that respect. The DAT assembles, investigates the incident using the DAT checklist.

Planning Team Leader (“PTL”)

The PTL, when activated will prepare the Emergency Action Plan; will maintain situation and resource status, and coordinate the BCCM activities.

Refer to appendix 1.13 for the Planning Team Leader Task Checklist for other tasks that the PTL needs follow in the event of major business disruption at Kenya Power.

Logistics Team Leader (“LTL”)

The LTL, when activated will organise and coordinate the provision of services and support to the ERT.

Refer to appendix 1.14 for the Logistic Team Leader Task Checklist for other tasks that the Logistic Team Leader needs follow in the event of major business disruption at Kenya Power.

Operations Team Leader (“OTL”)

The OTL, when activated will direct and coordinate all tactical operations associated with the business disruption event.

Refer to appendix 1.15 for the Operations Team Leader Task Checklist for other tasks that the OTL needs follow in the event of major business disruption at Kenya Power.

Finance Team Leader (“FTL”)

The FTL, when activated will facilitate various administration and financial activities.

Refer to appendix 1.16 for the Finance Team Leader Task Checklist for other tasks that the FTL needs follow in the event of major business disruption at Kenya Power.

Plan invocation

A few examples of scenarios which would trigger the invocation of the ERP are as follows:

Potential Risks	Scenarios
Unavailability of key personnel (e.g. Managing Director, GM, specialised engineers and other key staff)	- Key personnel have been kidnapped or is a victim of a riot - Contamination in an area or building
Unavailability of key/ important suppliers	1 or more key suppliers have been affected by a bomb attack or riot or natural catastrophe when their intervention is required
Information loss	- The National Control Centre is unavailable, resulting in outage - The data centre and/or other critical premise of Kenya Power suffers from power outage and/or failure in IT equipment including telecommunications line and/ or failure of networks - The data centre suffers from natural catastrophe (such as fire) or incident (such as vandalism) and the DR site is unable to resume services
Unavailability of premise (incl. intentional or unintentional acts)	- A critical premise of Kenya Power is unavailable or partially available due to natural catastrophe, a fire a bomb attack or bomb attack alert - Particular substation is unavailable, resulting in outage in one or more areas
Immediate Actions - The first person to observe the business disruption event or to be informed of any of the above scenarios should immediately notify the EC or his/ her alternate and the DAT. - In the event that the EC and his/ her alternate are not available, the incident should be reported to any other member of the ERT. - The DAT will then assemble and investigate the event using the DAT checklist and will determine if the ERT needs to be activated. - Refer to initial emergency response checklist for other tasks which need to be followed in the event of major business disruption at Kenya Power.	

Document owner and maintainer

The Emergency Coordinator is the primary owner of the plan and is responsible for reviewing, amending and updating the plan at regular intervals (as and when the Emergency Coordinator comes across new information that impacts on the Emergency Response Plan and on an annual basis). Any change to the document should be approved by the CMT.

Task and action lists

The Emergency Response Plan includes the task lists and action checklists to manage the immediate consequences of a business disruption. These tasks:

- ensure that safety of individuals is addressed first;
- are based upon the results of the organisation's BIA;
- are structured in a way that delivers the strategic and tactical options chosen by the organisation; and
- help prevent the further loss or unavailability of critical activities, and supporting resources

The task checklists attached in appendix are to be followed in the event of major business disruption at Kenya Power. Follow the recommended sequence of actions below during the initial minutes after the occurrence of the event.

Standing Down from Invocation

The following actions need to be considered if the plan is NOT to be invoked:

- Notify all members of the CMT of stand down.
- Notify other employees as appropriate.
- Notify the ERT members to restore suspended facilities and services.
- DAT/ ERT must submit a report to the CMT for review.

Refer to appendix for Emergency Response Team task checklist.

ERT meeting

The ERT meeting is done on a regular basis until the incident has been resolved.

Refer to appendix for ERT meeting checklist.

Emergency Coordinator

After completing the Initial Incident Response Checklist, the EC should undertake the sequence of tasks as indicated by the Emergency Coordinator Task Checklist indicated in the appendix.

Command Centre task checklist

Assuming the Crisis Management Team is activated by the EC, recommended sequences of actions should be facilitated by individuals assigned to the specific positions.

Refer to appendix for the following:

- Public Information Officer Task Checklist
- Safety Officer Task Checklist
- Liaison Officer Task Checklist
- Planning Team Leader Task Checklist

- Logistics Team Leader Task Checklist
- Operations Team Leader Task Checklist
- Finance Team Leader Task Checklist

Emergency contacts

The LO/PIO/EC will act as the spokesperson(s) of Kenya Power. The most effective means of communication will be identified in the light of the situation and depending on the recipient of the information, for instance, verbal, meetings, email, text message, telephone, mobile phone.

The LO/PIO/EC will be responsible for emergency/key contacts communication.

Managers will be responsible for communication to their respective staffs/relatives/friends using the employee calling list appended to this plan.

Media response

Depending on the situation identified, communication with the media will be made. The PIO will assist with the release of information to the media in a formal press release. This information will not be released until approved by CMT.

Stakeholder management

Other key stakeholders identified are Suppliers and Customers. The organisation will communicate with them on a case by case basis.

Incident management location

The location from which the incident will be managed will depend on the incident and its severity. The main location is the Command Centre with details provided in the appendix.

Annexes

Up-to-date contact and mobilization details for any relevant agencies, organisations and resources that might be required to support the organisation's response strategies, logs or forms for the recording of vital information about the incident, such as the incident timeline, details of casualties, decisions made, money spent, details of casualties, damage assessments, communications issued, and all other information deemed essential by the organisation to support post incident review.

Refer to appendix 1.17 for annexure templates for the ERP.

Recovery Teams Procedures

Recovery Teams Procedures

The Recovery Procedures deal with the continuity of critical processes following the declaration of a disaster and resumption– back to normal.

Objective:	The objective of the recovery procedures is to provide a framework within which Kenya Power shall resume its critical processes in the event a disaster is declared.
Plan owner and responsibility:	The owner of the recovery procedures is the Crisis Management Leader. The Business Continuity & Crisis Management Coordinator will be responsible for reviewing, amending and updating the plan.
Background:	The recovery procedures apply to the following divisions: • <i>Critical divisions identified in BIA to be listed...</i> • <i>Critical regions identified in BIA...</i> The recovery procedures has been suggested after a complete understanding of the organisation's business priorities and risks and determining appropriate business continuity strategies.

Mobilisation of Resources

Once a disaster is declared and the Recovery Teams Procedures is invoked, the Recovery/Resumption Team will make logistic arrangements and mobilise other Recovery/Resumption Team to the affected and/ or respective DR site.

Critical processes will activate their respective Recovery/Resumption plans and resume work at their respective DR site.

Invocation of Recovery Teams Procedures

The process recovery teams will invoke their respective recovery plans.

These plans contain the following sections:

- i. Introduction: This section defines the purpose and scope of the plan.
- ii. Plan owner: This section refers to the owner of the plan and his/her responsibility towards the plan.
- iii. Recovery Time Objective (RTO) Requirements: This section lists the RTO requirements of the critical process of the respective business unit.
- iv. Activity/Tasks List: This section provides the details of tasks that will be required to resume the critical processes.
- v. Communication with stakeholders: This section lists the names of all stakeholders who will need to be contacted and who will contact in case of disaster declaration.

- vi. Resource requirements: This section lists the resources, forms, records/documents etc. required to recover/ resume the process
- vii. Contact Details: This section lists the contact details of employees, stakeholders and suppliers for the respective process.

Listed below are the recovery procedures for critical divisions/ regions:

Sr. No	Process Recovery Plans
1	
2	
3	

Resumption-Back-to-Normal

While the critical processes resume operations from the affected sites and/ or different DR sites, efforts to bring the operations back to normal at the primary site of Kenya Power will be made. This will include damage assessment, salvaging and the replacement and relocation to the primary site.

Inspection and Assessment of the Primary Site

Activities to be followed in this phase have been included in the appendix. Refer to appendix 1.18 for Resumption-Back-to-Normal checklist.

Repairs at the primary site

The activities to be undertaken as repairs are done at the primary site have been included in the appendix. Refer to Repairs at the primary site checklist.

Relocation to the Primary Site

Refer to appendix 1.19 for the relocation to primary site checklist highlighting the activities to be undertaken during the relocation of Kenya Power operations from the different DR sites to the primary sites.

Details of sections to be included as annexure of the Recovery Teams Procedures document, have been included in the appendix 1.20.

IT Disaster Recovery Plan

Kenya Power business functions are dependent on information technology services including networks, systems and applications for daily business operations. The inability of information technology services to function would immediately impact the operations at Kenya Power and subsequently, resulting in significant work backlog.

There is the need for the development of an IT Disaster Recovery Plan (IT DRP) to guide the efficient recovery of information systems supporting Kenya Power. The aforementioned document should outline the background, procedures, and contact information to recover critical networks, systems and applications.

Proper execution of the DRP will help facilitate the timely recovery of key information systems, minimising business disruption. The DRP is an imperative component to the successful resumption of business functions at Kenya Power. This document also takes into consideration the broader perspective of business continuity, incorporating the elements from Kenya Power Business Impact Analysis (BIA).

Note: *The DRP is not intended as the definitive course of action. The IT Department may need to modify the plans and identify other action steps or solutions, to respond to, and recover from, a specific situation or account for unknown variables not addressed within this document.*

The DRP is designed to assist in minimising the effect of a disaster event, by ensuring the restoration of essential processing within the recovery time objectives (RTOs) established by the BIA.

Policy Statement

XXXXXXXXXXXX

Objective

The principal objective of the disaster recovery program is to develop, test and document a well-structured and easily understood plan which will help the organisation recover as quickly and effectively as possible from an unforeseen incident or emergency which interrupts information systems and business operations.

Assumptions

In order for the plan to be effective, these recovery procedures will rely on the following critical assumptions though this list is not conclusive.

- Effective Backup & Restore Procedures
- Functional, regularly updated & tested Disaster Recovery Plan and Disaster Recovery Site
- Procedures are sufficiently detailed for someone else to follow other than the person primarily responsible for the work.
- Staff are available to perform critical functions defined within the disaster recovery plan.
- Staff can be notified and can report to the Disaster Recovery site to perform critical processing, recovery and reconstruction activities.
- Availability of redundant hardware
- Effective SLAs are in place and regularly reviewed
- An incident may require Kenya Power staff to function with limited automated support and some degradation of service, until full recovery is made.

Plan Updating

It is necessary for the IT DRP updating process to be properly structured and controlled. Whenever changes are made to the plan they are to be fully tested and appropriate amendments should be made to the training materials. This will involve the use of formalized change control procedures under the control of the **xxxxxx** (DR Project Sponsor) and the plan will be updated by the **xxxxxxxx**.

Plan Documentation Storage

Soft copies of this Plan (CDs, USB flash and hard drives) and hard copies will be stored in secure locations to be defined by the organisation. *(It is recommended that relevant persons who should have access to the plan be identified and issued with the confidential copy of the plan for secure storage, preferably onsite and offsite).* A master protected copy will be stored on specific resources established for this purpose.

Primary Data Centre Layout & Infrastructure

Diagram 1: Primary Data Centre Layout

Diagram 2: Primary Data Centre Infrastructure

Disaster Recovery Design Overview

Diagram 3: DR Centre Layout

Diagram 4: DR Centre Network Layout

Diagram 5: DC to DR overview including WAN connectivity

Backup Strategy

(Note: The strategy chosen is at the discretion of the Kenya Power organisation based on assessed risks and priorities).

Offsite data storage

Location xxxxxxxx

Contact Person at location: xxxxxx

Telephone contacts: xxxxxxxxxxxx

Alert, escalation and plan invocation

Plan Triggering Events:

Key trigger issues at headquarters that would lead to activation of the DRP are:

1. Total loss of primary data centre/servers
2. Total loss of power for an extended period of time and subsequent failure of the power backup solution to work
3. An act of terrorism at the Kenya Power Stima Plaza premises or surrounding areas
4. Loss of access to the office building

Emergency Alert

When an incident occurs the Crisis Management Team (CMT) must be activated. The CMT will then decide the extent to which the DR Plan must be invoked. The CMT will consist of senior representatives from the main business departments. The CMT Leader will be a senior member of the organisation's management team, and will be responsible for taking overall charge of the process and ensuring that the organisation returns to normal working operations as early as possible

The Crisis Management Team (CMT) is responsible for activating the DR Plan for incidents identified in this plan, as well as in the event of any other occurrence that affects the organisation's capability to perform normally.

The person discovering the incident calls a member of the CMT in the order listed:

- xxx
- xxx

If not available try:

- xxxx
- xxxx

Disaster Recovery Team

One of the tasks during the early stages of the emergency is to notify the Disaster Recovery Team (DRT) that an emergency has occurred. The notification will request DRT members to assemble at an agreed location and will involve sufficient information to have this request effectively communicated.

The Disaster Recovery team will assist in the entire disaster recovery operations. The team will comprise of core members from IT Division of Kenya Power with representation from the top management. The team will be contacted and assembled by the CMT in the event of an incident.

Responsibility of the Disaster Recovery Team

1. Establish facilities for an emergency level of service within xx business hours;
2. Restore key services within xx business hours of the incident;
3. Recover to business as usual within xx to xx hours after the incident;
4. Coordinate activities with first responders, etc.
5. Report/Feedback to CMT.
6. Stand down recovery activities upon return to "business as usual environment" at the primary site

Damage Assessment

This is a key activity in a disaster recovery plan and should start soon after the incident has occurred to provide an initial view of the situation; what has actually happened; what assets (e.g., buildings, people, IT systems) are affected and which of them has been damaged as well as an evaluation of the possibility for the situation to continue and possibly escalate.

Information gathered is then used by the Crisis Management Team to determine the likely next steps in the incident, such as Building evacuation, Power Shut down Systems Shutdown or even the invocation of the Disaster Recovery Plan.

DRP Exercising

Disaster recovery plan exercises are an essential part of the plan development process. In a DRP exercise, no one passes or fails; everyone who participates learns from exercises – what needs to be improved, and how the improvements can be implemented. Plan exercising ensures that emergency teams are familiar with their assignments and, more importantly, are confident in their capabilities.

Successful DR plans launch into action smoothly and effectively when they are needed. This will only happen if everyone with a role to play in the plan has rehearsed the role one or more times. The plan should also be validated by simulating the circumstances within which it has to work and seeing what happens.

Sections to be included as annexure to the IT DRP has been included in the Appendix 1.21.

1.2 Exercising and testing

Exercising is essential to understanding roles, developing teamwork, competence, confidence and knowledge which are vital at the time of a disruption. There is therefore the need for regular exercising and testing.

The following types of testing can be considered:

- **Desk Check:** Review and challenge the content of BCP and DRP with Kenya Power project team;
- **Walkthrough:** The BCCM team can verbally go through the plan(s) and discuss how they would respond to an incident based on what has been documented in their plans. This allows the team to confirm the effectiveness of their plan and identify gap(s).
- **Table-top:** The team can be presented with a pre-defined scenario and the participants role play with simulated responses and act out the steps. This exercise can be targeted at CMT to help foster team interaction and decision making.
- **Simulation:** The BCCM teams are required to carry out activities in a simulated environment under conditions which would be prevalent in the event of an actual plan activation.
- **Live exercise:** The team execute their plans in a live environment during operational hours.

The objectives of the above-mentioned exercises are to:

1. Validate recovery procedures,
2. Familiarise Kenya Power Crisis Management Team members with their roles and responsibilities, and
3. To identify areas of the plans that may need revisions.

Note: It is important to recognise that Business Continuity Plans are working documents and need to be updated on a regular basis, especially when changes in the organisation occur (e.g. new divisions, new processes, change in personnel, etc.). This update will be regularly managed by the plan holders.

BCP testing is a critical exercise for the overall program success. Normally BCP testing takes place after the annual plan review but before the final approval by CMT, so that testing verifies and corrects the most actual BCP version.

Initiating BCP test

First step the Business Continuity and Crisis Management Coordinator should do is to define and agree with CMT the test scope, scenario and timing. It is suggested to test realistic scenarios which on the one hand will let checking most critical restoration activities of each division and on the other require reasonable resources to perform. A simple scenario can be a good starting point. More complex and more specific scenarios may be tested during subsequent cycles.

Preparing BCP test protocol

BCP test protocol is the main document describing what and how needs to be done during the test. The following critical information should be recorded in it:

- 1) Test scenario – which situation is going to be drilled.
- 2) Test participants (senior management, team members, staff, third-parties, etc.)
- 3) Test type (whether services restoration will only be simulated in parallel with standard running ones or the normal office life will be interrupted during the test).

Note: We recommend starting with so-called checklist and walk-through tests – paper exercises where participants sit together and review the list of proposed actions, and then move to the “parallel” testing – restore business processes during the test in parallel with the normally running ones. It is not mandatory to go with full-interruption tests since they may be quite painful for business.

- 4) Checklist – actual sequence of actions with associated action owners and time frames. When preparing this section be realistic and practical – think what exactly will this and that division be doing in a real disaster situation. Involve Divisional representatives to prepare their sections.
- 5) Restoration objectives – document how fast you expect services to be restored and how old data to get recovered. This may be taken from the BC plan as well as calculated for particular scenario.
- 6) Further sections such as success and failure analysis as well as action plan are used after the test to document the outcome.

The testing protocol document should be reviewed and confirmed by all BCP team members (Divisional/ Regional representatives) as well as the Business Continuity and Crisis Management Coordinator and CMT. This will give formal approval for the test.

Conducting the BC test

Once the test scope, scenario and date are approved, and the testing protocol prepared, the BC test itself should be conducted.

The duty of the Business Continuity and Crisis Management Coordinator is to make sure that all test participants are familiar with the test plan and they know what they have to do. During the test, he/ she must coordinate teams work and take notes of successes and failures of the plan steps execution. These notes should be recorded in the testing protocol in front of respective steps for further analysis.

Finalise BCP testing protocol

After the test completion, the Business Continuity and Crisis Management Coordinator should analyse recorded notes and summarize them in the success and failure analysis section. Then it makes sense to arrange a meeting with key test participants, review test outcomes and collect additional feedback and notes. Also, it is necessary to work out an action plan based on the lessons learnt. The action plan should be recorded in respective section of the testing protocol as well. Once the testing protocol is finalized and all the test outcomes as well as supposed corrective actions are recorded, the Business Continuity and Crisis Management Coordinator should sign the protocol by himself and seek the approval and sign off of CMT.

Note: This is a must since the physically signed testing protocol is the best evidence for all types of the audits and external clients' inquiries. The electronic version of BCP document and the signed and scanned testing protocol should be sent for archiving.

3. Check

3.1 Performance evaluation

3.1.1 Monitoring, measurement, analysis and evaluation

As part of this step, Kenya Power needs to determine:

1. What needs to be monitored and measured within its BCCM programme,
2. The different methods which would be used for monitoring, measuring, analysing and evaluating,
3. The time at which the monitoring and measuring would be performed and
4. When the results from monitoring and measurement shall be analysed and evaluated.

3.1.2 Internal audit

The internal audit function of Kenya Power will undertake reviews at planned intervals to verify whether the BCCM is conforming to the requirements of Kenya Power, and is effectively implemented and maintained.

3.1.3 Management review

Kenya Power management needs to review the BCCM programme, at planned intervals, to ensure its continuing suitability, adequacy and effectiveness.

<i>Plan component</i>	<i>Frequency of review</i>
BCCM policy	Reviewed and updated every 6 months
BIA	Reviewed and updated at least once a year and/ or when there are signification changes to the business
BCP	Reviewed and updated at least once a year, when there are significant changes to the business and immediately after any exercise
Contact lists	Reviewed and updated every 3 months

4. Act

4.1 Non-conformity and corrective action

BCP correction

The last step to be performed is implementation of agreed corrective actions (according to the action plan mentioned above) and respective adjustment of the BCP document. The Business Continuity and Crisis Management Coordinator should manage these activities. Once completed, the updated BCP version should be approved by CMT.

This is the last step after which another cycle of BCP review and testing will take place.

4.2 Continual improvement

Kenya Power will need to continually improve the suitability, adequacy or effectiveness of the BCCM.

Note: This can done through processes such as leadership, planning and performance evaluation.

<i>Plan component</i>	<i>Frequency of review</i>
BCCM policy	Reviewed and updated every 6 months
BIA	Reviewed and updated at least once a year and/ or when there are signification changes to the business
BCP	Reviewed and updated at least once a year, when there are significant changes to the business and immediately after any exercise
Contact lists	Reviewed and updated every 3 months

BCCM principles for Kenya Power

- Recovery Procedures shall be made available within all critical sections/ divisions in order to ensure operational continuity in the event of a loss of service or disaster.
- Each critical section/ division shall assign responsibility for the development and maintenance of their respective recovery procedures.
- Events that can cause potential disruptions shall be identified and a risk-based approach shall be adopted for the development of the various BCP plans.
 - The interruption risks shall be informed by the Enterprise Risk Management (ERM) to guide the development of the business continuity and crisis management capability. The risk assessment process shall assist Kenya Power in identifying critical operational processes and key IT systems and their exposure to threats.
 - The Business Impact Analysis (BIA) shall be conducted to evaluate the impact of a disruption of the activities that support key services of Kenya Power.
- BCP and DR plans shall be included in the systems development life cycle for all systems and applications that have been identified as critical, or that have a high availability requirement.
- BCP and DR plans for critical systems and applications shall be tested on an annual basis.
- Test results shall be provided to the information owner and/or information custodian, appropriate section/ division, and made available to the auditing party during any compliance audit.
- Copies of all BCP and DR plans shall be stored off-site in a secure, fire-protected location that is easily accessible. Adequate protection shall be applied to electronic versions of the plans, with appropriate controls applied restricting access only to authorised recovery team members of Kenya Power.
- An alternative site or other processing arrangements shall be readily available in which to recover business critical IT operations in the event of a significant disaster or loss of service.
- All roles and responsibilities within the BCP and DR plans shall be explicitly defined and attributable to specific individual(s).

Appendix 1- Templates

Appendix 1.1: Business Continuity Plan Template

Key concepts of the Business Continuity Plan

Purpose	The Corporate Business Continuity Plan (BCP) of Kenya Power is primarily designed to protect against the sudden loss of access to a facility or to systems necessary to conduct business caused by disasters such as fire, contamination, explosion, riots, sabotage, etc., and to minimise the impact if such an event does occur. The BCP has been documented with the purpose of enabling Kenya Power to recover its mission-critical business processes immediately following a disaster. There is limited time to plan for recovery in the immediate aftermath of a disaster, hence the need to plan and document in advance. However, Kenya Power management can discuss and prepare restoration strategy for less critical business processes after the disaster. If a facility is rendered inaccessible, it is expected that alternate work space for critical business functions will be identified and that these functions will be operational within 24 hours, in order to <i>prevent a significant deterioration in the ability to restore operations and service customers</i>. This will include planning for recovery of supporting networks, IT systems, people, records, and supplies. Alternate work space for less critical functions will follow. Temporary discontinuance of less critical business functions is expected to result in loss of efficiency during the first week given the focus in recovering critical business functions.
Plan Objectives	Note: Kenya Power should devise the objectives. The following has been provided for guidance purposes. The Business Continuity Plan's objectives are, in order of priority: 1. to protect the life and safety of all persons; 2. to minimise the impact on customer service; 3. to minimise the loss of corporate assets; 4. to establish priorities for, and allocate the use of, resources; 5. to resume critical business functions with minimal outage within the 24 hour recovery window; and 6. to return to normal operations as soon as possible.
Scope	Note: We have provided the following for guidance purposes only. This is to be customised after the completion of the BIA exercise. The BCP covers all facilities and locations which house critical business processes. A listing of the facilities in scope is provided below. Sites identified as critical as they house critical business functions, people and IT assets: • National Control Centre

	• Main data centre in Stima Plaza • DR site, E-House It is possible that just one listed facility of Kenya Power will be affected by a disaster. Therefore, the plan is designed to be used in total, by facility, by specific work groups, as the circumstances dictate.
Assumptions	For plan development purposes, the following conditions are assumed: • all facilities in an area will not be affected at the same time; • qualified staff will be available to perform business functions; • business operations will not be as efficient as during normal operations; • alternate facilities will be available, and • all unaffected facilities will be operating under normal business conditions unless they become an alternate facility.
Plan Components	There are three major components to the Business Continuity Plan: • Emergency Response Plan (providing quick, effective and orderly response immediately following a major business disruption and will include evacuation and safety of staff, damage assessment and escalation to Crisis Management Team) • Crisis Management Plan (Organisation-wide capability grouping all senior management to assist in responding effectively to a crisis situation during and post crisis) • Divisional or Regional Recovery Procedures (processing guidelines outlined by each division or region for recovering and maintaining critical business functions during and after a disaster recovery period) This BCP should be used conjointly with the IT Disaster Recovery Plan, which focuses on resumption of critical IT systems.
Crisis Management Team	The Crisis Management Team (CMT) is the heart of the corporate response to a disaster. It comprises of all General Managers and the Managing Director of Kenya Power. This team is responsible for directing, coordinating, monitoring, controlling, and tracking the overall recovery operation, and for reporting recovery status to the Ministry of Energy and Petroleum and Government of Kenya.
Human Resources Team	Representatives of the Human Resources division serve on this team which is responsible for: • Notification of families of injured personnel • Medical crisis management • Trauma counselling • Emergency employee communications

	Other miscellaneous human resources related issues
Security team	This team focuses on loss reduction and protection of Kenya Power assets (people and premises). In the time of crisis, the focus would be deploying extra security (if required) for the damaged sites/ affected areas to ensure staff security and protect Kenya Power premises- offices/ substations. This team may work with local authorities and/ or contractors to deploy extra forces on the field.
Transport/ fleet management	This team would assist in the following: - Transport: provide transport for rapid intervention (if required) - Relocation to Alternate Site: manage logistics of relocating personnel to an alternate site and ensure that the necessary furniture and equipment are made available as detailed in the Recovery Procedures.
Supply chain	In the time of crisis, this team may need to assist in the following: - Damage Assessment: evaluate the damaged site and account for all inventory. - Emergency procurement of materials (if any).
Network Management Team	The focus of this team is to take necessary actions to remediate/ reduce any power outage as quickly as possible. They need to ensure that power conveyance is maintained at optimal levels (if possible) or acceptable levels during a crisis. They need to maintain operations and management of the field areas, e.g. substations and power grid.
Information Technology Team	This team is composed of members of the IT division and is responsible for: - Setup of working environment for Crisis Management Team: ensure that the necessary workstations, LAN/WAN connections and equipment are setup for use by the Crisis Management Team as detailed in this BCP. - Recovery of all critical business applications and network connections including verification of data integrity. - Coordination of the systems recovery process. - Arranging for the transportation and distribution of electronic data and IT equipment to all users. - Recovery and continuous operation of all critical hardware platforms. - Planning and implementing the transition of systems operations from the alternate site to the restored site.
Communications Team	Representatives of the Corporate Communications section serve on this team, which is responsible for: - Development and dissemination of all external communication activities. - Coordination of emergency employee communication activities with Human Resources Department.

	Establishment of a media communications centre near the damage site.
Finance Team	Representatives of the Finance section serve on this team and provide all financial related support for response and recovery activities. Responsibilities include: - Ensuring timely issuance of payroll checks. - Providing cash advances or salary advances where required. - Implementing any necessary short term tracking controls. - Liaise with risk- insurance for coordination of all insurance related issues.
Plan Distribution	Copies of the current plans will be distributed to: Emergency Response Plan: All critical Kenya Power premises for Emergency Response Team Crisis Management Plan: CMT Recovery Procedures: Respective divisions or regions Distribution is based on the recovery responsibilities of the recipient, i.e. individuals will receive the plans they need to support their efforts in restoring the business functions of Kenya Power.

Appendix 1.2: Sample Notifications

Key messages to be communicated during crisis

A sample format for preliminary notification of the disaster to various stakeholders is given below:

Sample Format for Notification for Power Outage (sample provided by Corporate Communications)



Press Release

Date

National power outage

At around xxxxx, the two transmission lines between the xxxxx geothermal load centre and xxxxx sub-station near Nairobi tripped, while they were carrying xxxxx MW of electricity.

Subsequently, the national interconnected grid and generating system also tripped, causing a national power outage.

Kenya Power engineers immediately commenced a 'blackstart' with electricity supplied from Uganda to Sondu Miriu power station. By the time of issuing this statement, electricity supply to the national grid had commenced with feeders in xxxxxx.

Kenya Power will issue a comprehensive statement once it establishes why the two transmission lines tripped. We wish to apologise to our customers for the inconvenience and assure them that everything possible is being done to restore power as quickly as possible.

ENDS.....

For more information, contact:

Kenya Power Corporate Communications Dept.

Tel. 3201622/390r/47

E-mail communications@kenyapower.co.ke

Sample Format for Notification to Employees

“We have suffered a minor / moderate /catastrophic disaster due to _____.

The extent of damage caused due to this incident is being assessed.

The Crisis Operations Team is doing its best to resume normal operations at the earliest and with minimum damage to employees and the business.

Further notification about developments in the wake of this incident, will be communicated through _____ (Media).

Employees are requested not to discuss this incident with people outside Kenya Power.

For further information, please contact - (Name)_____ at (Tel) _____.”

Notification of Disaster to Banks, other institutions, general public and other stakeholders

The CMT leader will notify the stakeholders of the disaster preferably by phone.

A sample format for preliminary notification of Disaster is given below:

Sample Format for Notification to Stakeholders

“We have suffered a minor / moderate /catastrophic disaster due to _____.

The extent of damage caused due to this incident is being assessed.

Kenya Power team is doing its best to resume normal operations at the earliest. We will keep you informed of any developments in the wake of this disaster.”

Sample Format for Notification to Media

Kenya Power operations have been disrupted due to a <fire, power outage, etc.>. The office building/ substation <specify location> has experienced some damage. Company officials, along with the different authorities are evaluating the extent of the damage and the probable cause. The business recovery plan of Kenya Power has been activated and is progressing according to schedule. Additional information will be provided when details are available....”

Appendix 1.3: Crisis Management Team Meeting Agenda

During an initial briefing about the crisis, the following specific agenda items will be reviewed:

1. Situation report:
 - a) What appears to have happened?
 - b) Confirmed facts (when, immediate known consequences, likely consequences).
 - c) Scope of proposed situation.
2. Initial response status:
 - a) What is being done, why, by whom?
 - b) Likely implementation time and expected results.
3. Initial communications status:
 - a) Assess who needs to know immediately and later on?
 - b) Alert the operator
4. Short-term response requirements:
 - a) Delegate crisis communications responsibility.
 - b) What must be done in the next several hours and how?
 - c) What human and material resources are available or needed?
5. Short-term communication process:
 - a) Staff, families, stakeholders, etc.
6. Next meeting time.

Appendix 1.4: INITIAL INCIDENT RESPONSE CHECKLIST

Business disruption event (“incident”) occurs.	☐
First person to observe the event at Kenya Power notifies the Emergency Coordinator (“EC”) and the Damage Assessment Team (“DAT”) and/or the security guard of the premises impacted.	☐
The DAT assembles, investigates the incident using the DAT checklist, and determines if the Emergency Response Team (“ERT”) needs to be activated. If needed, the DAT will notify and activate the ERT. The ERT designates a point of contact which is the Liaison Officer (“LO”) for the incident. The EC determines if the situation requires that the LO informs CMT, based on inputs from the DAT and ERT. If it is necessary, the DAT through the LO also notifies public authorities such as police, ambulance, etc.	☐
If life and safety are at immediate risk, the EC and his/her staff should act first to ensure their own survival as well as the survival of all staff and then communicate when feasible.	☐
Assuming the situation warrants escalation, the EC & ERT review the situation and provide info to Crisis Management Team (“CMT”) to determine whether to initiate the disaster declaration process.	☐
If a disaster is declared, the ERT 1. Activates the Crisis Management Team and Command Centre 2. Launches Evacuation Procedures	☐
All Kenya Power employees are notified of the incident and of operational status.	☐
The emergency response and crisis management plan continue until the incident has been resolved.	☐

Appendix 1.5: EMERGENCY RESPONSE TEAM TASK CHECKLIST

Conduct an initial assessment of the incident's likely impact on Kenya Power operations; coordinate with DAT.	☐
Gather information about the incident from first-hand contact, available first responders, employees and others (for e.g. Authorities, etc.); relays to Emergency Coordinator.	☐
Account for all employees and other people on premises.	☐
Administer first aid and/or ensure life/safety measures as appropriate.	☐
Inform building security and the property management firm (if any) if they are not already aware of the incident.	☐
Inform the EC as soon as possible.	☐
Assist the LO to disseminate information to Kenya Power employees on the incident and also keep them updated on the incident.	☐
Assist the LO to provide information about the incident to first responder organisations (For e.g. Ambulance, Fire Brigade, Police, Property Management Firm, etc.).	☐
Assist the LO to establish and maintain communications with the specific business unit.	☐
Provide input as directed to the disaster declaration process.	☐
If disaster is declared, support the Emergency Response Plan.	☐
If a disaster is not declared, support recovery from the incident and restore operations accordingly.	☐
Support the EC to activate Command Centre and invoke the CMT.	☐
Provide ongoing review and analysis of incident(s) with dissemination of information (assisting the LO/PIO) to staff and relevant stakeholders as needed.	☐
Coordinate with CMT, PTL, LTL as well as third-party organisations to ensure that required resources are in place and ready for delivery to affected venue and/or DR Site/Command Centre.	☐
Support PIO, SO and LO roles.	☐
Support management of the incident and restores operations accordingly.	☐
Support post-event demobilization plan/Restoration of Operations as needed.	☐
Assist EC as directed.	☐
Provide post-event report of activities.	☐

Appendix 1.6: EMERGENCY RESPONSE TEAM MEETING CHECKLIST

Contact EC to ensure that the ERT has set an initial meeting and venue. Ensure that the presence of ERT members is recorded using an <i>Attendance Sheet (as provided in Appendix)</i> .	☐
Ensure that any missing ERT members, their alternates and any additional personnel are notified of the meeting. Refer to list of members of ERT, as well as key contact details in appendix for a complete list of ERT members and alternates and their contact information.	☐
Obtain a current situation report from the ERT and DAT. Address the following key issues: 1. Type of event (fire, tornado, terrorism, power outage, telco outage, etc.) 2. Specific location of event, if known (building, floor, side of floor, etc.) 3. Magnitude of the event 4. Time of event 5. Suspected cause 6. Emergency/evacuation procedures status 7. Police and fire departments notified 8. Injuries and fatalities 9. Building access status (current access, near-term potential access) 10. Immediate impact to business operations 11. Potential for news media attention	☐
Establish schedule of updates for EC to monitor Evacuation procedures and also ongoing response to the incident. Commence providing EC updates.	☐
Ensure that a member of the ERT documents, in chronological order, incident milestones and actions taken using the <i>appendix: business interruption template</i> . This form will be used as a tool to update the ERT and/or EC and CMT.	☐
If required, provide advice to management whether employees should be sent home. The LO will develop a statement, determine method of communicating updates and communicate to employees after approval of Management.	☐
Follow up to ensure that the organisation's phone lines are re-directed to the pre-assigned mobile phone and/or DR Site.	☐

Appendix 1.7: EMERGENCY COORDINATOR TASK CHECKLIST

Assumes overall leadership of all incident response activities.	☐
Receives information about the incident from ERT, DAT, first responders, employees and others; contacts the DAT (in the event the DAT has not yet been contacted).	☐
Leads the launch of the LO.	
Delegates the accounting for of all staff/guests on (and if applicable off) premises to the ERT.	☐
Ensures that first aid is being provided- ensure that life/safety measures are being delivered by the ERT.	☐
Informs CMT of situation as soon as possible.	☐
In coordination with DAT, assesses the incident's likely impact on Kenya Power operations.	☐
If assessment of the incident suggests a serious event that could adversely impact operations, advises management as soon as possible.	☐
Provides input as directed to the disaster declaration process.	☐
Based on input from ERT and DAT, determines if/when to declare a disaster together with the CMT.	☐
If a disaster is declared, facilitates activation of Emergency Response Plan, informs the ERT and other BCCM team members, launches call notification (assisted by the LO and PIO)by using contact details provided in appendix.	☐
If a disaster is not declared, manages recovery from the incident and restore operations accordingly.	☐
Leads the activation of the CMT; assumes role of EC.	☐
Leads the launch of PIO and SO.	☐
Ensures that PIO/LO establishes regularly updated communications with EC and other units as needed.	☐
Manages the incident and restores operations accordingly.	☐

Appendix 1.8: EMERGENCY RESPONSE RECOMMENDATIONS

The EC will develop recommendations for management on what overall response strategies should be implemented to facilitate the recovery of business operations in the most timely, efficient and cost-effective manner.	☐
Consider information gathered in earlier incident and damage assessments including, but not limited to, the following: ▪ The area(s) affected by the disaster; ▪ Anticipated duration of incident; ▪ Availability of required employees; ▪ Any special timing issues such as relationship to month-end, quarter-end, etc.; ▪ Any special business issues (e.g. unusual business volume or backlog, unusual contractual obligations); ▪ Regulatory obligations; ▪ Salvageable equipment and supplies; ▪ Availability of equipment and supplies at potential alternate or off-site locations; ▪ Salvageable records required for recovery activities and ▪ Records which require intensive reconstruction activities.	☐
Develop critical business function recovery priority lists for the following periods: ▪ 4 hours ▪ 8 hours ▪ 12 hours ▪ 24 hours or longer	☐
Recommend to the management the location(s) where critical business functions and IT operations can be recovered based upon the following priority: ▪ Return to building ▪ DR site ▪ Other sites (if applicable)	☐

Appendix 1.9: ACTIONS FOLLOWING A DISASTER DECLARATION

Based on responses from the ERT, DAT and input from management and authorities, EC will launch an incident response plan that facilitates a safe and rapid evacuation of staff and locates the safest venue to activate CMT. Evacuation procedures of Kenya Power as appended to this plan will be followed.	☐
If not already identified, the EC should identify and communicate the recommended assembly site(s) to ERT members, CMT and the Divisional/ Regional Recovery Teams.	☐
Ensure that the ERT convenes a meeting to review response and recovery options, CMT setup procedures, and other related activities, as specified in the Emergency Response Plan.	☐
Relay the current situation report from the ERT. General points to be covered include the following: 1. Type of event (fire, tornado, terrorism, power outage, telecomm outage, etc.) 2. Specific location of event, if known (building, floor, side of floor, etc.) 3. Magnitude of the event 4. Time of event 5. Suspected cause 6. Emergency/evacuation procedures status 7. Police and fire departments notified 8. Injuries and fatalities 9. Building access (current access, near-term potential access) 10. Immediate impact to business operations 11. Potential for media (e.g. television, radio) attention	☐
Establish a schedule together with the LO for updates to CMT.	☐
Assign an ERT member responsibility to document, in chronological order, incident milestones and actions taken using the template in the appendix. This form will be used as a tool to report to CMT.	☐
Provide input to the CMT whether employees should be sent home. The CMT will develop a statement, determine method of communication for further updates and communicate to employees, e.g. sending a text message or other approved service.	☐
The EC together with CMT will decide whether or not to re-direct the organisation's phone lines to a pre-assigned mobile phone and/or DR Site.	☐
Assist with acquisition of resources as needed.	☐
Provide regular incident updates to ERT members and LO/PIO.	☐
Establish communications process/ timeline together with the PIO and LO.	☐
Coordinate phone calls, conference calls.	☐

Appendix 1.10: PUBLIC INFORMATION OFFICER TASK CHECKLIST

When activated, establishes communications with organizations as indicated in Emergency Response Plan, e.g. Emergency Coordinator, ERT, CMT, etc.	☐
Establish regular time frames for reporting incident and recovery status to designated organisations.	☐
Process incoming messages from and external organisations, including police/ fire brigade and the media.	☐
Coordinate activities with Liaison Officer.	☐
Distribute approved messages to designated parties when directed.	☐
Assist ERT and Emergency Coordinator as directed.	☐
Provide post-event report of activities.	☐

Appendix 1.11: LIAISON OFFICER TASK CHECKLIST

When activated, interface with any/all third parties as appropriate, e.g. police, fire, government agencies.	☐
Disseminate information and messages to appropriate departments and individuals.	☐
Coordinate activities with PIO.	☐
Assist Emergency Coordinator as directed.	☐
Provide post-event report of activities.	☐

Appendix 1.12: SAFETY OFFICER TASK CHECKLIST

When activated, monitor and manages physical safety conditions.	☐
Develop measures to ensure safety of personnel.	☐
Assist in the administering of first aid and/or ensure life/safety measures as needed.	☐
Monitor CMT personnel for stress, and any medical attention required.	☐
Assist Emergency Coordinator as directed.	☐
Provide post-event report of activities.	☐

Appendix 1.13: PLANNING TEAM LEADER TASK CHECKLIST

When activated, prepare Emergency Action Plan.	☐
Maintain situation and resource status.	☐
Coordinate BCCM activities.	☐
Coordinate the preparation and dissemination of incident documentation.	☐
Provide location for subject matter and technical expertise.	☐
Prepare demobilization plan as needed.	☐
Assist Emergency Coordinator as directed.	☐
Assist in disseminating information and messages to appropriate departments and individuals.	☐
Provide post-event report of activities.	☐

Appendix 1.14: LOGISTICS TEAM LEADER TASK CHECKLIST

When activated, organise and coordinates the provision of services (HR, communications, medical, food, transportation and housing) and support (supplies, facilities and ground support) to the incident.	☐
Assist in disseminating information and messages to appropriate departments and individuals.	☐
Assist Emergency Coordinator as directed.	☐
Provide post-event report of activities.	☐

Appendix 1.15: OPERATIONS TEAM LEADER TASK CHECKLIST

When activated, direct and coordinates all tactical operations associated with the incident.	☐
Assist in disseminating information and messages to appropriate departments and individuals.	☐
Assist Emergency Coordinator as directed.	☐
Provide post-event report of activities.	☐

Appendix 1.16: FINANCE TEAM LEADER TASK CHECKLIST

When activated, facilitate various administration and financial activities.	☐
Monitor incident costs and maintains financial records.	☐
Address insurance and workmen's compensation issues.	☐
Facilitate procurement activities, e.g., contracts.	☐
Monitor timekeeping and related activities.	☐
Disseminate information and messages to appropriate divisions and individuals.	☐

Assist Emergency Coordinator as directed.	☐
Provide estimates of expenses that will be incurred for rebuilding the primary site to the CMT	☐
Provide post-event report of activities.	☐

Appendix 1.17: Annexure for ERP

Annexure 1: Emergency Action Plan

Date/Time:				
Emergency name:				
Expected duration: (If known)				
Completed by:				
Objectives/strategies to be completed in the first 3 hours:				
Objectives/Strategies	Responsibilities assigned to	Assigned Date/Time	Status	Completed Date/Time
Objectives/strategies to be completed in the first 8 hours:				
Objectives/Strategies	Responsibilities assigned to	Assigned Date/Time	Status	Completed Date/Time
Objectives/strategies to be completed in the first 15 hours:				
Objectives/Strategies	Responsibilities assigned to	Assigned Date/Time	Status	Completed Date/Time
Objectives/strategies to be completed in the first 24 hours & after:				

Objectives/Strategies	Responsibilities assigned to	Assigned Date/Time	Status	Completed Date/Time

Annexure 2: Emergency Evacuation Procedures

Evacuation should be done immediately, in case an emergency calls for it.

General pre-events to be considered:

1. Prepare “EXIT MAPS” indicating route from workstation to exit door and put them in a prominent location at each floor of the building. Make sure that routes are free of obstructions.
2. “EXIT” must be clearly marked and easily accessible, with emergency lighting where appropriate.
3. Appoint two or more fire marshals for each floor of the building to facilitate evacuation. He/ She must be someone:
 - a. Who is in the office most of the time (whenever the office is open or in use),
 - b. Who is level headed with steady nerves in an emergency and
 - c. Who knows the names and faces of most or all the employees in the office?
4. Designate a place outside the building where all employees and visitors are required to gather in case of emergency evacuation.
5. Conduct periodic evacuation drills for effectiveness.

Emergency steps when the alarm sounds:

The **Emergency Response Team** will:

1. Communicate the emergency situation to the Business Continuity & Crisis Management Coordinator.
2. Liaise with outside agencies such as
 - Fire Brigade & Rescue:
 - Police:
 - Hospital:
3. Direct all media related queries to the Crisis Communication Spokesperson.
4. Maintain continuous communication with the Business Continuity & Crisis Management Coordinator and fire marshals. Arrange for the required medical facilities and emergency transportation.
5. Assume all command and responsibilities for bringing the event under control.

6. Go to the alarm panel room immediately. Note the area of alarm. Dispatch the on duty security personnel to the area of alarm and monitor the situation.
7. Decide whether evacuation is necessary. Set the fire alarm for the second time indicating the staff to evacuate the building.
8. Declare the emergency situation to all employees with complete and clear information.
9. Inform fire marshals to initiate evacuation procedures.
10. Guide all employees to evacuate the building.
11. Call fire marshals at the assembly point.
12. Perform headcount and check with each fire marshal to make sure everyone is out.
13. Give “ALL CLEAR” signal to employee after the incident has been averted.

The fire marshals will:

1. Take charge of the evacuation.
2. Each fire marshal will see to it that a clear path to “FIRE EXITS” is maintained and the exits are clearly marked, and that personnel are familiar with the exits and the evacuation procedure.
3. Direct the employees, consultants, visitors (all present in office premises) towards exit staircases.
4. Make a quick check of all office spaces, restrooms, etc. to make certain that all personnel are out. Ensure no one is missed out in the evacuation.
5. During evacuation, give preference to physically challenged people (if any).
6. Instruct all to meet at the assembly point and take a headcount.
7. Make sure that everyone is out of the office space and accounted for to the ERT during the headcount.
8. If somebody is missing, immediately inform the authorities present onsite.
9. Look into first aid and damage solutions if required.

User Guidelines during evacuation

What to do when one hears the evacuation announcement:

After the first sounding, a security personnel will go to the fire area as designated on the fire panel to investigate.

If the security personnel discovers a fire (which has got out of control), he will inform his colleague via the radio to press the evacuation button which sounds the alarm on a permanent basis and all persons in the building should evacuate the building in an orderly manner under the instructions of the wardens.

1. Upon hearing the first alarm, prepare yourself to exit the building.
2. Upon hearing the second alarm, you shall proceed to the fire escape staircase on the respective floors upon receiving instructions from the fire marshals.
3. Evacuate via the fire escape stairs unless otherwise advised by the fire marshals.

4. Proceed carefully to assembly point at the ground floor. *(Each building should provide exact details of assembly point and label them in advance).*

Assembly area

In case of an emergency where evacuation is termed necessary, all the people (employees, consultants, visitors, etc.) should gather at the “assembly point” which is an identified point outside the premises of Kenya Power. The assembly point will be unless specified otherwise during evacuation.

User guidelines during evacuation for people with special needs

Being responsible for oneself is easy but the going can get tough for those with special needs. It is advisable to have members in the office, designated to one or more challenged person and take complete responsibility of her/him and self.

- Evacuating people with special needs
- Have a list of people with special needs, locate them and guide them
- For the hearing impaired make a special notification
- Have special evacuation devices to bring down the physically challenged

On hearing the alarm

- Designated special aides shall move towards the physically challenged persons and assist them in moving towards the safe assembly point.
- If need be, fire marshals and aides can use special devices/ chairs/ stretchers.

The security guard will:

1. Ensure that the main gates of the building are open.
2. Patrol the ground level of the building to give directions to emergency personnel and to be aware of anyone removing any physical property from the building.
3. Not allow any visitor to enter the premises.
4. Only allow personnel required during the emergency, fire -fighting staff of the fire brigade and police assistance.

Appendix 1.18: Resumption-Back-To-Normal Checklist

Sr. No	Activity/ Task	Responsibility
1	Provide estimates of expenses that will be incurred for rebuilding the primary site to the CMT.	DAT
2	Determine the feasibility of returning to the original site.	DAT
3	Update the CMT about the status of the primary site.	DAT/ ERT
4	If the affected premises cannot be recovered or it will not become habitable within an acceptable time, make arrangement plan for a long-term recovery option. Otherwise, authorize reconstruction and refit of affected premises. In case the primary site is not in a condition to be resumed back to normalcy, consider to continue operations from the DR site. In such a situation, the DR site will operate as the main site and another office should be prepared as the DR site or a new office site could be considered.	CMT
5	Receive instructions from the CMT whether operations should continue at the DR Site or at an alternate permanent location	Recovery/ Resumption Team
6	Liaise with the CMT and Recovery/Resumption Team on proposed refurbished site lay out.	DAT

Appendix 1.18: Repairs at the primary site checklist

Sr. No	Activity/ Task	Responsibility
1	Arrange for the insurance claim and reconstruction activities.	CMT
2	Hire and supervise the contractors to repair the damaged site.	DAT
3	Obtain required building permits such as building safety and occupation permits.	DAT
4	Review the inventory of damaged equipment for types, model, and quantity as defined in the damage assessment form and place orders to replace equipment.	DAT (in consultation with CMT)
5	Receive and inspect ordered equipment.	DAT
6	Install power and LAN Cables, phone lines and furniture.	Respective third party vendors
7	Review network diagram and ensure proper location and connectivity of LAN infrastructure equipment such as servers and routers.	Recovery/Resumption Team

8	Install the critical IT systems.	Recovery/Resumption Team
9	Restore the data from tapes onto the servers.	Recovery/Resumption Team
10	Restore security systems including firewalls.	Recovery/Resumption Team

Appendix 1.19: Relocation to the Primary Site Checklist

Sr. No	Activity/ Tasks	Responsibility
1	Determine the time frame for transition.	CMT
2	Notify team of transition schedule and tasks.	BCCM Coordinator
3	Freeze production environment at the DR site.	CMT
4	Prepare shipments of vital records and documents to the primary site of Kenya Power.	Recovery/Resumption Team
5	Transfer team, data backups and vital records from the primary site.	Recovery/Resumption Team
6	Restore IT systems, applications and data at the primary site.	Recovery/Resumption Team
7	Verify IT environment such as network, application, data etc.	Recovery/Resumption Team
8	Redirect voice and data network to the primary site.	Recovery/Resumption Team
9	Resume normal operations.	Recovery/Resumption Team
10	Initiate normal backup procedures.	Recovery/Resumption Team
11	Destroy confidential data residing on the desktops at the DR facilities.	Recovery/Resumption Team
12	Remove/ discard confidential documents remaining at the DR site facilities.	Recovery/Resumption Team
13	Hold post-incident review meeting and obtain written report from each Recovery Team.	CMT
14	Compile and submit insurance claims.	CMT
15	Update the respective plans.	Plan owners

Appendix 1.20: Annexure for recovery teams procedures

Annexure 1: Emergency Response Team members for each site

Each of the following areas will have a primary and alternate member. The ERT members will have to be determined for each critical site.

Emergency Response Team		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
Emergency Response Team		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
Emergency Response Team		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
Emergency Response Team		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
Emergency Response Team		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
Emergency Response		Name	Title	Office No	Home No	Mobile No	Alternate No	Email

Team	Main							
	Alt							
	Next-to-kin							
Emergency Response Team		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
Emergency Response Team		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
Emergency Response Team		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
Emergency Response Team		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
Emergency Response Team		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							

The following roles will have to be determined for each critical site.

Emergency Coordinator

Emergency Coordinator		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							

Public Information Officer

Public Information Officer		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							

Liaison Officer

Liaison Officer		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							

Safety Officer

Safety Officer		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							

Planning Team Leader

Planning Team Leader		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							

Damage Assessment Team members

Each of the following areas will have a primary and alternate member. The DAT members will have to be determined for each critical site.

DAT		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
DAT		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
DAT		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
DAT		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
DAT		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							
DAT		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							

Logistics Team Leader

Logistics Team Leader		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							

Operations Team Leader

Operations Team Leader		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							

Finance Team Leader

Finance Team Leader		Name	Title	Office No	Home No	Mobile No	Alternate No	Email
	Main							
	Alt							
	Next-to-kin							

Annexure 2: Contact details for all key stakeholders

The contact details for all key stakeholders (including law local authorities, government officials, and suppliers) are detailed below:

<i>Sr. No</i>	<i>Name</i>	<i>Title</i>	<i>Office Number</i>	<i>Home Number</i>	<i>Mobile Number</i>	<i>Alternate Number</i>	<i>Email</i>
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
12							
13							

Appendix 1.21: Annexure to DRP

Annexure A: Contacts & their Responsibilities

Emergency Response Contacts

Name	Title	Contact Details	Responsibilities
		Work	
		Mobile	
		Email Address	

Key Kenya Power Personnel Contact Information (Primary Site- Stima Plaza)


Name	Title	Contact Details	Responsibilities
		Work	
		Mobile	
		Email Address	

Key Kenya Power Personnel Contact Information (Secondary Site-xxxx)

Name	Title	Contact Details	Responsibilities
		Work	
		Mobile	
		Email Address	

Kenya Power Key Personnel Notification Calling Tree


This is a communication chain for notifying specific individuals of an event.



External Contacts (Service Providers e.g. Technology Associates)

Name	Title/Company	Service Provided	Contact Details	Responsibilities
			Work	
			Mobile	
			Email Address	

External Contacts Calling Tree



Recovery Scenario 1: Total Data Centre Loss- Failover & Failback procedures

Recover Scenario 2: Loss of a critical system or component

Appendix 2- Considerations for building resilience in people

Building resilience in your people

Recommendations on ways of building capacity on critical functions within Kenya Power

People- key asset for Kenya Power

The key mandate of Kenya Power is to plan for sufficient electricity generation and transmission capacity to meet demand; building and maintaining the power distribution and transmission network and retailing of electricity to its customers.

Kenya Power understands the need for the right people within its teams across the divisions to get the extraordinary done.

The business impact analysis (BIA) exercise that would be undertaken when the business continuity and crisis management (BCCM) programme of Kenya Power is rolled out, would provide more insight into the critical people, skills and/ or teams (Talent) in the organisation.

Recommendations to improve resiliency in critical skills

We are providing within this document some recommendations for maintaining core skills and knowledge; and building capacity on critical functions for the consideration of Kenya Power.

This would help Kenya Power make sure it has the people and skills necessary, now and in the future, to achieve its business strategy.

Some recommendations to protect and/ or build capacity on the critical skills include:

1

The need for updated documentation

It is recommended that critical functions identified within the different divisions are required to establish clear documentation of the way in which critical activities are performed (where feasible). They should also put down lessons learnt, along with actions taken for past unusual situations/ incidents in Kenya Power.

2

Re-inforce workforce planning

There is the need for Kenya Power to assess pivotal roles and key skills, undertake forecasting and demand modelling to create and sustain an effective organisation.

Kenya Power may consider preparing a formal talent pipeline for the identified critical functions. This will help Kenya Power understand whether it has the people with the right skills, the right knowledge and the right experience in the right places; now and over the next 3 to 5 years?

This is to be updated on a regular basis with findings from internal and external analysis.

3

Talent Acquisition

Kenya Power needs to establish a sourcing strategy reflecting on the improvement of its talent pool across the various divisions, the selection criteria and processes, the employer brand of Kenya Power in the market place and its onboarding programmes.

Kenya Power may consider the following:

- Engage university recruitment champions and university teams to hunt for talent to serve Kenya Power;
- Plan, arrange and attend campus recruitment events and presentations at target universities/ institutes (e.g. Institute of Kenya Power);

4	<i>Learning & Development</i> Kenya Power needs to develop a formal learning and development framework to assess, monitor and enhance skills and capability in critical functions across the different divisions. There is the need to understand knowledge/ skills gap within the critical functions and subsequently establish formal coaching and mentoring programmes across Kenya Power to continuously enrich the identified talent. Few examples of methods to accelerate development of talent are as follows: • Customised in-house training based on gaps identified; • Attending interactive workshops, seminars and technical training sessions (e.g. those delivered by Global Sustainable Electricity Partnership); • Actively creating on the job learning opportunities (this includes but is not limited to day-to-day coaching and feedback; work shadowing and mentoring; and proactively shaping roles to provide experience relevant to team members' long-term career development).
5	<i>Collaboration & Knowledge Management</i> Kenya Power management needs to support collaboration and knowledge management. There is the need to manage and transfer knowledge within critical functions. Management needs to provide for approaches and tools for collaboration amongst the Kenya Power workforce.
6	<i>Succession Planning</i> Kenya Power needs to set formal career pathing for its employees. Succession and leadership plans need to be developed for the identified critical functions. Furthermore, job rotation programmes should be established to ensure a sustained source of pivotal talent and leadership (where feasible).



Limitation on Report Distribution

This report has been prepared solely for your internal benefit and use. This report should not, without our prior written consent, be made available to any other third parties. Except where we have agreed expressly in writing to the contrary, PwC accepts no duty of care, no liability and no responsibility to any third party who benefits from or uses the Services or gains access to this report. Any oral or draft reports which we provide, do not constitute our definitive findings and recommendations. These are contained solely in our final written report, which shall be expressed as such.