Test: Statistics, exponential & polynomial functions

12. The following table shows the sales, y millions of dollars, of a company, x years after it opened.

Time after opening (x years)	2	4	6	8	10
Sales (y millions of dollars)	12	20	30	36	52


The relationship between the variables is modelled by the regression line with equation y=ax+b.

- (i) Find the value of a and of b.
- (ii) Write down the value of r.

[4 marks]

13. The following diagram shows [AB], with length 2 cm. The line is divided into an infinite number of line segments. The diagram shows the first three segments.

diagram not to scale




The lengths of the line segments are p cm, p^2 cm, p^3 cm, \dots , where 0 .

Show that $p = \frac{2}{3}$.

[5 marks]

14a. The following cumulative frequency graph shows the monthly income, $\it I$ dollars, of 2000 families.



Find the median monthly income.

[2 marks]

14b. [4 marks]

- (i) Write down the number of families who have a monthly income of $2000\,\mathrm{dollars}$ or less.
- (ii) Find the number of families who have a monthly income of more than $4000\,\mathrm{dollars}.$

BECA / Huson / 11.1 IB Math SL 10 May 2018

Name:

14c. The 2000 families live in two different types of housing. The following table gives information about the number of families living in each type of housing and their monthly income I.

	1000 < I ≤ 2000	2000 < I ≤ 4000	4000 < I ≤ 5000	
Apartment	436	765	28	
Villa	64	p	122	

Find the value of p. [2 marks]

14d. [2 marks]

A family is chosen at random.

(i) Find the probability that this family lives in an apartment.


(ii) Find the probability that this family lives in an apartment, given that its monthly income is greater than $4000 \, \text{dollars}$.

14e. Estimate the mean monthly income for families living in a villa.

[2 marks]

15a. The histogram below shows the time T seconds taken by 93 children to solve a puzzle.

[3 marks]



The following is the frequency distribution for T.

Time	45≤ <i>T</i> <55	55≤ <i>T</i> <65	65≤ <i>T</i> <75	75≤ <i>T</i> <85	85≤ <i>T</i> <95	95≤ <i>T</i> <105	105≤ <i>T</i> <115
Frequency	7	14	p	20	18	q	6

- (i) Write down the value of p and of q.
- (ii) Write down the median class.

15b. A child is selected at random. Find the probability that the child takes less than 95 seconds to solve the puzzle. [2 marks]

15c. Consider the class interval $45 \leq T < 55$.

- (i) Write down the interval width.
- (ii) Write down the mid-interval value.

[2 marks]

15d. Hence find an estimate for the

- (i) mean;
- (ii) standard deviation.

[4 marks]