1

Homework: Exponential functions, imaginary numbers, sequences, logs

- 1. A bank account earns interest at a continuous interest rate of 5% per year. The initial deposit is \$225.
 - (a) Express the balance in the account as a function in the form $P(t) = P_0 \cdot e^{rt}$
 - (b) Convert the function to one without a coefficient in the exponent.
 - (c) What is the interest rate expressed as a simple, annual rate?
- 2. Judith puts \$5000 into an investment account with interest compounded continuously. If the annual interest rate is 3.25% what is the balance after 30 years?

3. Lisa puts \$1000 into an investment account with interest compounded continuously. What is the approximate annual rate is needed for the account to grow to \$1529.59 after 10 years?

4. The function below models the average price of gas in a small town since January 1st.

$$G(t) = -0.0049t^4 + 0.0923t^3 - 0.56t^2 + 1.166t + 3.23$$
, where $0 \le t \le 10$.

If G(t) is the average price of gas in dollars and t represents the number of months since January 1st, the absolute maximum G(t) reaches over the given domain is about what value, to the nearest cent? (graph the function in your calculator and use the Max function)

7 May 2018


Homework: Exponential functions, imaginary numbers, sequences, logs

- 5. Write $\sqrt[3]{x}^8$ as a single term with a rational exponent.
- 6. Write $\sqrt{a^3} \div a^{\frac{1}{2}}$ as an expression with positive, integer exponents.
- 7. If $n = \sqrt{z^5}$ and $m = z^{\frac{7}{2}}$, where a > 0, express $\frac{n}{m}$ as a radical with positive, integer exponents.
- 8. What is the expression $5i^3(-2i+5)$ is equivalent to? Express your answer in the form a+bi, where $a,b \in \mathbb{R}$.
- 9. Simplify the expression $(2x-i)^2$, where i is the imaginary unit. Express your answer in the form a+bi, where $a,b \in \mathbb{R}$.
- 10. Algebraically determine the values of h and k to correctly complete the identity stated below.

$$3x^3 - 7x^2 + 5x - 7 = (x - 2)(3x^2 + hx + 3) + k$$

Homework: Exponential functions, imaginary numbers, sequences, logs

- 11. Graph the function $f(x) = x^3 4x + 1$.
 - (a) Write down the y-intercept.
 - (b) Mark the x-intercepts on the graph as ordered pairs, rounding to the nearest hundredth.
 - (c) Describe the end behavior of the function. (use language like "As x goes to positive infinity, y goes to...")



7 May 2018

Name:

Homework: Exponential functions, imaginary numbers, sequences, logs

- 12. The expression (x+a)(x+b) can not be written as
 - (a) a(x+b) + x(x+b)
 - (b) $x^2 + (a+b)x + ab$
 - (c) $x^2 + abx + ab$
 - (d) x(x+a) + b(x+a)
- 13. In an arithmetic sequence, the first term is 3 and the second term is 7.
 - (a) Find the common difference.

[2]

(b) Find the tenth term.

[2]

(c) Find the sum of the first ten terms of the sequence.

[2]

14. Consider a geometric sequence where the first term is 768 and the second term is 576. Find the least value of n such that the nth term of the sequence is less than 7.

[6]

- 15. Let $x = \ln 7$ and $y = \ln 3$. Write the following expressions in terms of x and y.
 - (a) $\ln\left(\frac{3}{7}\right)$.

[2]

(b) ln 63.

[4]

- 16. Let $f(x) = k \log_2 x$.
 - (a) Given that $f^{-1}(1) = 8$, find the value of k.

[3]

(b) Find $f^{-1}(\frac{2}{3})$

[4]