Workmate

for the Tradesman

Your second pair of hands!




JAMES McEWAN & CO. PTY. LTD.
387 to 403 BOURKE STREET
MELBOURNE, 3000
TELEPHONE 607 0777


$179.00

Black & Decker

SIMPLE TO ERECT

Each Workmate 2000 is supplied with – a) four vice pegs - ideal for clamping irregular large work pieces. b) two protector grips - stored in a plastic bag. c) two metal fitments for drawing board position.






Take the WM 2000 out of the packing ensuring that the centreboard is clamped securely between the two vice jaws.
Simultaneously release the two retaining catches (see insert) and open the first pair of legs.


Before placing in the upright position ensure all four metal struts are locked securely.




COMPLETE VICE



By loosening the two tommy bar handles the centreboard can be removed converting the WM 2000 into a giant vice. The vice jaws can be adjusted quickly into a variety of clamping positions providing the perfect vice for all shapes and sizes of work piece.




The vice jaws can be adjusted to hold narrow objects or large work pieces



. . . And tapered shapes.


PERFECT WORKBENCH

By positioning the three worksurfaces as below the WM 2000 provides the perfect workbench and vice combined.






Full use of the 22cm. vice capacity and large work surface can be made.




The protector grips hold pipes securely either vertically, or horizontally.

A GIANT CLAMPING PRESS






Large door size work pieces can be clamped between the three work surfaces.





By utilising the centreboard even large units of furniture can be tackled.



Long pieces of timber are clamped firmly.

90° CLAMPING ADJUSTMENTS









Repositioning the swivel jaw enables metal workpieces, wooden workpieces and large shapes both circular and rectangular to be held in the most convenient work position for the user.

45° CLAMPING PRESS




The perfect clamping angle for pipes.



REPOSITIONING AT 90°

The unit can be converted into a drawing board with the aid of the two metal attachments provided. Lock the fork end of the attachment over the plastic protrusion in the base of the plastic support and the other end as in Fig. 1.





Logs or other circular and cylindrical objects.

A PORTABLE SELF STANDING UNIT

The WM 2000 folds flat into a compact size for storage, carrying or taking to the work-place. To fold away it is important that the following procedure is followed. Ensure that the centreboard is securely clamped between the two vice jaes or removed altogether. Turn the unit over and release the metal struts on the front pair of legs and fold away. Repeat this exercise for the rear legs ensuring that the retaining catches are engaged to hold the rear legs securely.



The two plastic wheels enable the unit to be moved with ease.



The WM 2000 can be carried to the job.

Black & Decker

DELUXE DUAL HEIGHT WORKMATE. CAT. NO. 79-001


A vice, workbench and sawhorse all in one. 737mm (29") vice jaws open to 133mm (5¼"). Maximum capacity using swivel pegs: (work held parallel to vice bars) 305mm (12") wide. (work held diagonally to vice bars) 533mm (21") wide. Holds wedge shapes, pipe. Step for steadying work with foot. Adjustable foot for levelling on uneven floors. Folding legs allow 2 working heights: 810mm (31 7/8") workbench, 603mm (23¾") sawhorse height. Steel frame. Folds for easy carrying and storage to 749mm (29½") high x 191mm (7½" deep x 737mm (29") wide.





TABLE TOP WORKMATE. CAT. NO. 79-008

Non slip pads on support brackets provide sturdy work surface, or, Workmate may be secured to flat surface with screws provided. Width of vice 502mm (19¾"). Vice jaws open to 133mm (5¼") allowing for 305mm (12") vicing capacity operate independantly allowing a tapered opening from 0mm to 127mm (0" to 5") to hold irregular shaped objects. Vertical and horizontal "V" grooves for rigid grasping of tubular objects. Work surface can be pivoted from 0° to 90°. Accepts all Workmate Accessories. Highly portable and light-weight at 5.9Kg (13 lbs.) Compact size 162mm (6 3/8") high x 406mm (16") deep x 502mm (19¾") wide.





Black & Decker

Accessories for your Workmate

CAT. NO. 79–011 GRIPMATE

The Gripmate is perfect for holding wood, glueing, sawing, sanding etc. Clamps material up to 95mm (3¾") exerting force up to 63 Kg (150 lbs.) pressure. Fits into holes on Workmate vice jaws or any work surface with 19mm (¾") holes.




CAT. NO. 79–013 ROUTERMATE

The Routermate can be used for routing edges, beading and freehand, routing of fancy designs. Will accept all Black and Decker 3/4 H.P. to 1½ H.P. Routers and can be used on all timber up to 41mm (1 5/8") thick. Maximum cutter diameter of 25mm (1") can be used. Can also be used with any Router with a 152mm (6") diameter base plate with three equally spaced mounting screws not larger than 5mm (3/16") diameter.




79–012 MITREMATE

The Mitremate will enable you to do accurate, professional mitre cuts from 30º to 90º in 5º increments. Mitremate accepts all Black and Decker 7¼" saws and most other brands of 7¼" Saw. Max. board width is 700mm (6") Maximum board thickness 73mm (2 7/8") Cutting depth 90º 41mm (1 5/8") 45º 24mm (15/16").



79–015 GUIDEMATE

For use with Black & Decker drills and most popular 6mm (¼"), 10mm 3/8") and 13mm (½") power drills. Held in Workmate, it can be used to drill perpendicular holes and holes at any angle from 0º to 90º. Can be used to hold a drill for free hand drilling horizontally, vertically or at any angle. Mounted vertically in Workmate, it is a drill press. It is also a level with vertical and horizontal indicators. Has a 12 inch scale marked in inches and centimeters. Serves as a drill holder for grinding and buffing jobs.



Rapid Exchange Service

RAPID EXCHANGE CONSUMER SATISFACTION GUARANTEE

The Workmate and Accessories are guaranteed for one year from date of purchase.

If there is any defect due to faulty material or workmanship, you will receive free of charge a replacement tool upon return of the original tool to the seller (if a participating retailer) or to a Black & Decker Service Centre.

Full details on Guarantee Card enclosed with product.

NOTE: WM 2000 subject to 12 month Industrial Warranty.

BLACK & DECKER (AUSTRALASIA) PTY. LTD. MAROONDAH HIGHWAY, CROYDON, VICTORIA 3136.