




609003.30.HA.02.1

## Boulevard 02 180

Designed by

MOMO DESIGN

600mm height bollard, round shape, for outdoor surface installation, 180° light emission, phosphochromatised and polyester powder coated die-cast copper-free aluminium body, polycarbonate diffuser, moulded silicone gasket and stainless steel screws. Anchorage bolts included. Built-in LED driver 220-240V 50-60Hz, with 12 CREE XH-G mid-power LED. IP65 rating.



## Light Source Technical Data

|                     |                                                           |
|---------------------|-----------------------------------------------------------|
| <b>Wattage</b>      | 9W                                                        |
| <b>CCT</b>          | 3000K                                                     |
| <b>Beam Angle</b>   | 180°                                                      |
| <b>Lumens</b>       | 800                                                       |
| <b>Finish</b>       | RAL7016                                                   |
| <b>Dimming</b>      | 1-10V                                                     |
| <b>IP Rating</b>    | IP65                                                      |
| <b>IK Rating</b>    | IK10                                                      |
| <b>Coating</b>      | Polyester powder coating with phosphocromating pre-finish |
| <b>Light Source</b> | NR. 12 CREE XH-G mid-power LED                            |
| <b>Screws</b>       | Stainless steel                                           |
| <b>Transformer</b>  | Electronic power supply 220/240V 50/60Hz built-in         |
| <b>Gasket</b>       | Silicone rubber                                           |
| <b>Glass</b>        | Polycarbonate diffuser                                    |
| <b>Gross Weight</b> | 5,50 Kg                                                   |

## Technical Feature



## Integrated Accessories

Built-in accessories to be requested when ordering

example 609003.30.HA.02.1.HC

609003.30.HA.02.1. \_ \_



.00

NO ACCESSORY

No accessory

## Gallery

