




602301.40.36.02.0

## Coiny Bollard



## Light Source Technical Data

|                     |                                                           |
|---------------------|-----------------------------------------------------------|
| <b>Wattage</b>      | 8W                                                        |
| <b>CCT</b>          | 4000K                                                     |
| <b>Beam Angle</b>   | 36°                                                       |
| <b>Lumens</b>       | 400                                                       |
| <b>Finish</b>       | RAL7016                                                   |
| <b>Dimming</b>      | ON/OFF                                                    |
| <b>IP Rating</b>    | IP66                                                      |
| <b>IK Rating</b>    | IK08                                                      |
| <b>Coating</b>      | Polyester powder coating with phosphocromating pre-finish |
| <b>Light Source</b> | 1 x LUMENS "EDC 38C" COB LED                              |
| <b>Screws</b>       | Stainless steel                                           |
| <b>Transformer</b>  | Electrical power supply 220/240V 50/60Hz built-in         |
| <b>Gasket</b>       | Silicone rubber                                           |
| <b>Glass</b>        | Tempered                                                  |
| <b>Power Cable</b>  | 1 mt. power cable included                                |
| <b>Gross Weight</b> | 1,20 Kg                                                   |

## Technical Feature



## Integrated Accessories

Built-in accessories to be requested when ordering

example 602301.40.36.02.0.HC

602301.40.36.02.0. \_ \_



.00

NO ACCESSORY

No accessory

## Accessories not included

Accessories to be ordered separately




AC044

SPIKE



AC111


VISOR



AC112

PIPE L 500 mm + BASE

Extension pipe length 500 mm made in anodized aluminum with phospho-chromatised and polyester powder coating; complete with fixing base.



AC113

PIPE L 1000 mm + BASE

Extension pipe length 1.000 mm made in anodized aluminum with phospho-chromatised and polyester powder coating; complete with fixing base.

## Gallery

