




601503.30.AL.03.D

## Promenade Square 01

705mm height bollard, square shape, for outdoor surface installation, 360° downward light emission, phospho-chromatised and polyester powder coated extruded aluminum body and die-cast aluminium cover. Polycarbonate Fresnel diffuser, moulded silicone gasket and stainless steel screws. Anchorage flange with threaded bolts included. Built-in LED driver 220-240V 50-60Hz, with 1 x COB CREE "CXB 1520" LED. IP66 rating.



## Light Source Technical Data

|                     |                                                           |
|---------------------|-----------------------------------------------------------|
| <b>Wattage</b>      | 26W                                                       |
| <b>CCT</b>          | 3000K                                                     |
| <b>Beam Angle</b>   | 360°                                                      |
| <b>Lumens</b>       | 2900                                                      |
| <b>Finish</b>       | RAL9005                                                   |
| <b>Dimming</b>      | DALI                                                      |
| <b>IP Rating</b>    | IP66                                                      |
| <b>IK Rating</b>    | IK10                                                      |
| <b>Coating</b>      | Polyester powder coating with phosphocromating pre-finish |
| <b>Light Source</b> | NR. 1 COB CREE "CXB 1520" LED                             |
| <b>Screws</b>       | Stainless steel                                           |
| <b>Transformer</b>  | Electronic power supply 220/240V 50/60Hz built-in         |
| <b>Gasket</b>       | Silicone rubber                                           |
| <b>Glass</b>        | Tempered                                                  |
| <b>Cable Gland</b>  | M16 rubber grommet                                        |
| <b>Power Cable</b>  | not included                                              |
| <b>Gross Weight</b> | 6,80 Kg                                                   |

## Technical Feature



## Integrated Accessories

Built-in accessories to be requested when ordering

example 601503.30.AL.03.D.HC

601503.30.AL.03.D. \_ \_



.00

NO ACCESSORY

No accessory

## Accessories not included

Accessories to be ordered separately



AC053

BASE PLATE

## Gallery

