

CSE 142: Machine Learning

Yang Liu (yangliu@ucsc.edu)

Projects (expected to form groups of 3-4)

- You will be given a list of competitions for the project
- Two major kinds of projects:
 - 1 baseline project & 5 challenging projects (with bonus)
- Evaluation:
 - Independent merits (25% out of 35%): project progress (5%) + final report and code (20%)
 - Competition (10% out of 35% + 2% extra bonus for the best):
 - $\text{Scores} = 10 \times 0.9^{\text{rank}-1}$




# Groups in a project	10	8	6	4	2	1
Score of the last ranking	3.87	4.78	5.90	7.29	9	10+ 2

Project 1: Bag of Words Meets Bags of Popcorn

- Baseline Project
 - Description: The labeled dataset consists of 50000 IMDB movie reviews, especially selected for sentiment analysis.
 - Category: Classification (Sentiment Analysis)
 - Goal: Implement machine learning algorithms to predict the sentiment of reviews
 - Dataset is here:
<https://www.kaggle.com/c/word2vec-nlp-tutorial/data>
 - **Reminder:** If you choose this project, your max project score is **25% out of 35%**

Project 1: Bag of Words Meets Bags of Popcorn

- What is Sentiment Analysis?

-  : the movie is pretty nice!!!
-  : the movie is just so so...
-  : the movie is &\$!@#%.....

Project 1: Bag of Words Meets Bags of Popcorn

- What does the dataset looks like?
 - Labeled Train Data
 - Id, sentiment, review
 - Unlabeled Train Data
 - Do not have to use this (but you are encouraged to do)
 - Test Data
 - Sample Submission

Project 1: Bag of Words Meets Bags of Popcorn

	sentiment	review
0	1	With all this stuff going down at the moment w...
1	1	\The Classic War of the Worlds\" by Timothy Hi...
2	0	The film starts with a manager (Nicholas Bell)...
3	0	It must be assumed that those who praised this...
4	1	Superbly trashy and wondrously unpretentious 8...

Project 1: Bag of Words Meets Bags of Popcorn

- Major things you might encounter with:
 - Data Cleaning & Data Preprocessing
 - How to deal with the text data preprocessing (word embedding)
 - Models, Training & Evaluation Metric
 - Model selection, hyper-parameters tuning...
 - Submit to Kaggle
 - Provide sentiment predictions for test movie reviews

Why there are bonus for challenge project ?

- There are many existed codes for the baseline project, you can **not** learn much from referring or re-running codes
- For Project 2-6, we provide both a mini-project and a challenge one for each. You may skip the mini-project for 2,3 without penalty
- Challenging projects focus on some interesting problems existed in the current research fields of machine learning
- Challenging projects might be helpful for your application to internships or motivate you to explore more in this area for further study

Project 2: Learning with Noise Data

Feature:	1, 2, 3, 4, 5, 6, 7,	8	8
Label:	1, 2, 3, 2 , 5, 2 , 7,	?	8
	<div>46</div>		True Label
	Training set	Test set	



Label noise may significantly affect our model!

Project 2: Learning with Noise Data

- Mini (baseline) project: Learning with Synthetic Noise Data
- You are provided with 2 versions of the training dataset
 - Version 1: 20% noise data, 70% clean data, 10% test data
 - Version 2: 40% noise data, 50% clean data, 10% test data
 - 2 classes, 1000 samples (include the test data)

Project 2: Learning with Noise Data

- What is the synthetic noise dataset?



Project 2: Learning with Noise Data

- For this mini-project, we aim to:
 - Provide you an intuition, since dataset is pretty small
 - Help you get started
 - You can skip this mini project and work on the challenge part directly (without penalty)

Project 2: Learning with Noise Data

- Challenge Project: Learning with Noise Data (Image data)
- You are given 10,000 training images in CIFAR-10
 - Labels for these images are provided by students at UCSC
 - They are not experts in labeling images
 - They may have provided wrong labels for images
 - A secret test dataset consists of 1,000 images for final evaluation
 - Leaderboard Score = test accuracy (determines the rank)

Project 2: Learning with Noise Data

- What does the original dataset look like?

airplane



automobile



bird



cat



deer




dog



frog



horse



ship




truck



Project 2: Learning with Noise Data

- CIFAR-10 is an established computer-vision dataset used for object recognition. It consists of 32×32 color images in 10 different classes
- Images can be represented as a function of two variables, X and Y (pixels), which define a two dimensional area.




Project 2: Learning with Noise Data

- Major things you might encounter with:
 - Data Preprocessing
 - How to load Image data (may cover in Section if needed)
 - Models, Training & Evaluation Metric
 - How to improve the model performance when trained on the data with noise label (Modify loss functions? Estimate how noise label is transformed? ...)
 - Provide label predictions for test image data

Project 3: Semi-supervised Learning

- What is Semi-supervised Learning?



Project 3: Semi-supervised Learning

- Mini Project: SSL on Abalone dataset
 - Predicting the age of abalone from physical measurements
- You are provided with 2 versions of the training dataset
 - Version 1: 30% labeled data, 60% unlabeled data, 10% test data
 - Version 2: 60% labeled data, 30% unlabeled data, 10% test data
- The age of abalone is determined by cutting the shell through the cone and counting the number of rings through a microscope

Project 3: Semi-supervised Learning

- What does the original dataset look like?

Abalone data set			
Type	Classification	Origin	Real world
Features	8	(Real / Integer / Nominal)	(7 / 0 / 1)
Instances	4174	Classes	28
Missing values?			No

Project 3: Semi-supervised Learning

- Attribute description:

Attribute	Domain
Sex	{M, F, I}
Length	[0.075, 0.815]
Diameter	[0.055, 0.65]
Height	[0.0, 1.13]
Whole_weight	[0.0020, 2.8255]
Shucked_weight	[0.0010, 1.488]
Viscera_weight	[0.0005, 0.76]
Shell_weight	[0.0015, 1.005]
Rings	{15, 7, 9, 10, 8, 20, 16, 19, 14, 11, 12, 18, 13, 5, 4, 6, 21, 17, 22, 1, 3, 26, 23, 29, 2, 27, 25, 24}

Project 3: Semi-supervised Learning

- Major things you might encounter with:
 - Data Preprocessing
 - How is “Ring” related to “Age”
 - Exploratory Data Analysis of these variables
 - Models, Training & Evaluation Metric
 - How to make use of the unlabeled data (most important)
- You may skip this mini-project (without penalty)

Project 3: Semi-supervised Learning

- Challenge Project: SSL on CIFAR-10 image dataset
 - Image Classification
- You are provided with 3 versions of the training dataset
 - Version 1: 2000 labeled training images, 8000 unlabeled training images
 - Version 2: 3000 labeled training images, 7000 unlabeled training images
 - Version 3: 4000 labeled training images, 6000 unlabeled training images
 - 1000 test images will be used to compare performances
 - Leaderboard Score = $0.4 * \text{test accuracy (version1)} + 0.32 * \text{test accuracy (version2)} + 0.28 * \text{test accuracy (version3)}$

Project 3: Semi-supervised Learning

- Major things you might encounter with:
 - Data Preprocessing
 - How to load Image data (may cover in Section if needed)
 - Models, Training & Evaluation Metric
 - How to make use of the unlabeled data (Generate labels for unlabeled ones? More efficient use of labeled ones? ...)
 - Submit to Kaggle
 - Provide Image category predictions for test data


Project 4: Unsupervised Learning

- Topic: Image classification when no labels are given
- Comparison:

- Supervised Learning:



- Semi-Supervised Learning:




- Unsupervised Learning:



Project 4: Unsupervised Learning

- Topic: Image classification when no labels are given



Feature
extraction +
Clustering


Project 4: Unsupervised Learning

- Dataset: MNIST (basic)
 - Digits from 0 to 9
 - No label provided (you cannot add any information)



Project 4: Unsupervised Learning

- Dataset: CIFAR10 (advanced)
 - 10 classes of images
 - No label provided (you cannot add any information)



Project 4: Unsupervised Learning


- Dataset: MNIST (basic), CIFAR10 (advanced)
 - Start from MNIST, validate your method with CIFAR10
 - A validation dataset for finding the best one-to-one permutation mapping will be provided
 - Two leaderboards, two scores
- Evaluation: (70%) score_MINIST + (30%) score_CIFAR10.
- Others suggestions:
 - Test different methods, find efficient solutions
 - Find efficient methods to extract features

Project 5: Learning from Crowds

- Topic: Image classification when multiple labels are given
- Comparison:
 - Supervised Learning:



- Learning From Crowds:



Project 5: Learning from Crowds

- Topic: Image classification when multiple labels are given
- Dataset: 20 classes of CIFAR100 (10k images)
 - No ground-truth labels are provided
 - Each group needs to manually annotate 3 labels per image
 - Labels may not be true
 - Labels can be shared among groups
- Evaluation: Annotation (50%) + Test accuracy (50%)
- Other Suggestions:
 - Think about how to use multiple labels efficiently
 - Use GPU


Project 6: Training Models to Generate Images

- Topic: Generate some interesting images using machine learning
Generative Adversarial Network (GAN)

MNIST




GAN



Epoch 100

DCGAN



Epoch 20

Project 6: Training Models to Generate Images

- Topic: Generate some interesting images using machine learning
- Dataset : MNIST (basic) or any other interesting dataset (advanced).
- Evaluation:
 - No unique criterion, just have fun with it!
 - Scores come from classmates

Dogs generated by
machine learning:



More About Projects

- Project is really important
- Scores are based on the ranking of your group (it's a game!)
- DO NOT choose the same project - it will hurt your grades
- Extra bonus (**2 points!**) for the best group in each advanced project

# Groups in a project	10	8	6	4	2	1
Score of the last ranking	3.87	4.78	5.90	7.29	9	10+ 2

More About Projects

- DO NOT simply re-run codes from Github (especially PJ6)
- Use report to show your understanding toward the project
 - Recall: final report and code -- 20%
 - A: **Rank-1** at competition -- 12%
 - B: **Cannot explain** since you simply run Github codes -- 10% (even lower)
 - $A+B = 22\% < 23.87\% = \text{Rank-10 (3.87\%)} + \text{Perfect explanation (20\%)}$
- Change project before progress report (only one opportunity)
- Talk with project advisors about your crazy ideas
- All data and requirements will be uploaded on Kaggle

About Forming Teams

- Online team formation: Find your teammates using Google sheet
 - <https://docs.google.com/spreadsheets/d/130Ehe4mHSwk2j01xbEVWBWpgTXs0mNkg7XVewQ-2Ejc/edit#gid=0>
- Find teammates:
 - Show your information in the Team Formation sheet
 - Name, major, level, email address, intended project, strengths, others
- Choose project in sheets: PJ1, PJ2, ..., PJ6
- 3~4 members per term
- Due: 4/12/2020
- Plan earlier!

Getting Started for Projects

- Some Python libraries you might use:
 - Numpy
 - Pandas
 - Matplotlib (or seaborn)
 - Sci-kit learn
 - (For deep learning) Tensorflow, Keras, Pytorch...

Getting Started for Projects

- A sample workflow of a machine learning project
 - Gathering the data & data pre-processing
 - Exploratory data analysis (help with selecting suitable models)
 - Training and validation
 - Testing
 - Evaluation and conclusion

Getting Started for Projects

- Kaggle (<https://www.kaggle.com/>)
 - An online community of data scientists and machine learning practitioners
 - Many projects for getting started, and many Python notebooks on how to deal with real problems step by step



Notebooks

Explore and run machine learning code with Kaggle Notebooks! [Documentation](#)

[+ New Notebook](#)

GPU quota: 30h remaining

Public

Your Work

Shared With You

Favorites

Sort by Relevance

Categories

Outputs

Languages

Tags

SVM



863



NB-SVM strong linear baseline

2y ago in Toxic Comment Classification Challenge 0.9772 linguistics, beginner, nlp



Py

132

190



Minimal LSTM + NB-SVM baseline ensemble

2y ago with multiple data sources 0.9811



Py

14

181



TF-IDF with OvR SVM : What's Cooking

4mo ago in What's Cooking? (Kernels Only) 0.82119 svm, text data, multiclass classification



Py

26

110



Visualizing KNN, SVM, and XGBoost on Iris Dataset

3y ago in Iris Species



Py

20

33



Credit card dataset: SVM Classification

2y ago in Credit Card Fraud Detection weight training, data visualization, classification, dimensionality redu...



Py

1

26



Naive Bayes & SVM Spam Filtering

2y ago in SMS Spam Collection Dataset text mining, data visualization, classification, feature engineering



Py

4

Getting Started for Projects


- Scikit-learn (<https://scikit-learn.org/stable/>)
 - A free software machine learning library for Python
 - Provide simple and efficient tools for predictive data analysis
 - Many tutorials about Classification, Regression, Clustering, Dimension reduction, Model selection, preprocessing

Classification

Identifying which category an object belongs to.

Applications: Spam detection, image recognition.

Algorithms: SVM, nearest neighbors, random forest, and more...




Examples

Regression

Predicting a continuous-valued attribute associated with an object.

Applications: Drug response, Stock prices.

Algorithms: SVR, nearest neighbors, random forest, and more...



Examples

Clustering

Automatic grouping of similar objects into sets.

Applications: Customer segmentation, Grouping experiment outcomes

Algorithms: k-Means, spectral clustering, mean-shift, and more...




Examples

Dimensionality reduction

Reducing the number of random variables to consider.

Applications: Visualization, Increased efficiency

Algorithms: k-Means, feature selection, non-negative matrix factorization, and more...




Examples

Model selection

Comparing, validating and choosing parameters and models.

Applications: Improved accuracy via parameter tuning

Algorithms: grid search, cross validation, metrics, and more...




Examples

Preprocessing

Feature extraction and normalization.

Applications: Transforming input data such as text for use with machine learning algorithms.

Algorithms: preprocessing, feature extraction, and more...



Examples

Computing Resources for Projects

- CPU or GPU?
 - CPUs are best at handling single, more complex calculations sequentially
 - GPUs are better at handling multiple but simpler calculations in parallel
 - GPU computer instances will typically cost 2-3X that of CPU computer instances, use CPUs unless you are seeing 2-3X performance gains in your training models

Computing Resources for Projects

- Google Colab (GPU or CPU)
 - A Jupyter-notebook based system integrated with Google Drive. When you connect to a GPU-based VM runtime, you are given 12 hours at a time on the VM
 - Tutorial:
<https://medium.com/deep-learning-turkey/google-colab-free-gpu-tutorial-e113627b9f5d>
 - You do not have to know Pytorch, Keras or Tensorflow if you do not use deep learning techniques

Computing Resources for Projects

- Kaggle Kernels (GPU or CPU)
 - A tutorial guide for Kaggle Kernels
<https://towardsdatascience.com/kaggle-kernels-for-beginners-a-step-by-step-guide-3db6b1cd7606>
 - Our datasets for each project will be also launched on Kaggle