

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ CSS

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <link href="https://fonts.googleapis.com/css?family=Lobster" rel="stylesheet">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJ1SAwiGgFaw/dAiS6JXm" crossorigin="anonymous">
  <link href="https://fonts.googleapis.com/css?family=PT+Serif&display=swap" rel="stylesheet">
  <link rel="stylesheet" type="text/css" href="https://cdnjs.cloudflare.com/ajax/libs/dc/2.1.1/dc.css">
  <link rel="stylesheet" href="{{url_for('static', filename='css/main.css')}}">
  <!-- TAB TITLE -->
  <title>{% block title %}{% endblock %} - The Good Grub Guide</title>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Bad value `{{url_for('static', filename='css/main.css')}}` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.
[From line 12, column 5; to line 12, column 81](#)

```
css">↵    <link rel="stylesheet" href="{{url_for('static',
filename='css/main.css')}}">↵    <
```
- Error** Bad value `{{url_for('get_recipes')}}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
[From line 25, column 25; to line 25, column 97](#)

```
    <a class="navbar-brand" href="{{url_for('get_recipes')}}"
id="site-logo">The Go
```
- Error** Bad value `{{url_for('add_recipe')}}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
[From line 32, column 37; to line 32, column 89](#)

```
    <a class="nav-link" href="{{url_for('add_recipe')}}">add-re
```

4. **Error** Bad value `{{url_for('favourites')}}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 35, column 37; to line 35, column 89](#)

```
<a class="nav-link" href="{{url_for('favourites')}}">favour
```

5. **Error** Text not allowed in element `ul` in this context.

[From line 38, column 1; to line 38, column 70](#)

```
status-->{% if
current_user.is_authenticated %}
```

Content model for element `ul`:

Zero or more `li` and [script-supporting](#) elements.

6. **Error** Bad value `{{url_for('my_recipes')}}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 40, column 37; to line 40, column 89](#)

```
<a class="nav-link" href="{{url_for('my_recipes')}}">my-rec
```

7. **Error** Bad value `{{url_for('logout')}}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 43, column 37; to line 43, column 85](#)

```
<a class="nav-link" href="{{url_for('logout')}}">log-ou
```

8. **Error** Text not allowed in element `ul` in this context.

[From line 45, column 1; to line 45, column 42](#)

```
</li>{% else %}
```

Content model for element `ul`:

Zero or more `li` and [script-supporting](#) elements.

9. **Error** Bad value `{{url_for('login')}}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 47, column 37; to line 47, column 84](#)

```
<a class="nav-link" href="{{url_for('login')}}">log-in
```

10. **Error** Bad value `{{url_for('register')}}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 50, column 37; to line 50, column 87](#)

```
<a class="nav-link" href="{{url_for('register')}}">regist
```

11. **Error** Text not allowed in element `ul` in this context.

[From line 52, column 1; to line 52, column 43](#)

```
</li>
```

```
{% endif %}
```

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

12. **Error** **Stray start tag** `script`.

[From line 87, column 1; to line 87, column 171](#)

```
RIPTS --><script src="https://code.jquery.com/jquery-
3.3.1.slim.min.js" integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTElPi6jizo"
```

13. **Error** **Bad value** `{{ url_for('static', filename='js/main.js') }}`
for attribute `src` on element `script`: Illegal character in path segment: `{`
is not allowed.

[From line 90, column 1; to line 90, column 82](#)

```
</script><script type=text/javascript src="{{ url_for('static',
filename='js/main.js') }}"></scri
```

14. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

[From line 90, column 1; to line 90, column 82](#)

```
</script><script type=text/javascript src="{{ url_for('static',
filename='js/main.js') }}"></scri
```

15. **Error** **Bad value** `{{ url_for('static', filename='js/plot.js') }}`
for attribute `src` on element `script`: Illegal character in path segment: `{`
is not allowed.

[From line 94, column 1; to line 94, column 82](#)

```
</script><script type=text/javascript src="{{ url_for('static',
filename='js/plot.js') }}"></scri
```

16. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

[From line 94, column 1; to line 94, column 82](#)

```
</script><script type=text/javascript src="{{ url_for('static',
filename='js/plot.js') }}"></scri
```

Document checking completed.

Source

1. `<!DOCTYPE html>`

```

2. <html lang="en">↵
3. ↵
4. <head>↵
5.     <meta charset="UTF-8">↵
6.     <meta name="viewport" content="width=device-width, initial-
scale=1.0">↵
7.     <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
8.     <link href="https://fonts.googleapis.com/css?family=Lobster"
rel="stylesheet">↵
9.     <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com
/bootstrap/4.0.0/css/bootstrap.min.css" integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">↵
10.    <link href="https://fonts.googleapis.com/css?family=PT+Serif&
display=swap" rel="stylesheet">↵
11.    <link rel="stylesheet" type="text/css"
href="https://cdnjs.cloudflare.com/ajax/libs/dc/2.1.1/dc.css">↵
12.    <link rel="stylesheet" href="{{url_for('static',
filename='css/main.css')}}">↵
13.    <!-- TAB TITLE -->↵
14.    <title>{% block title %}{% endblock %} - The Good Grub
Guide</title>↵
15. </head>↵
16. ↵
17. <body>↵
18.     <!-- CONTENT CONTAINER -->↵
19.     <div class="row no-gutters">↵
20.         <div class="col-12 col-md-10 offset-md-1 col-xl-8 offset-xl-2
page-content">↵
21.             <div class="row no-gutters">↵
22.                 <!-- NAVBAR-->↵
23.                 <header class="col-12 header-content">↵
24.                     <nav class="navbar navbar-expand-lg navbar-light
bg-light">↵
25.                         <a class="navbar-brand" href="
{{url_for('get_recipes')}}" id="site-logo">The Good Grub Guide</a>↵
26.                         <button class="navbar-toggler" type="button"
data-toggle="collapse" data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">↵
27.                             <span class="navbar-toggler-icon">
</span>↵
28.                             </button>↵
29.                         <div class="collapse navbar-collapse"
id="navbarSupportedContent">↵
30.                             <ul class="navbar-nav justify-content-
end">↵
31.                                 <li class="nav-item">↵
32.                                     <a class="nav-link" href="
{{url_for('add_recipe')}}">add-recipe</a>↵
33.                                 </li>↵
34.                                 <li class="nav-item">↵
35.                                     <a class="nav-link" href="
{{url_for('favourites')}}">favourites</a>↵
36.                                 </li>↵
37.                                 <!-- display links based on user login
status-->↵
38.                                 {% if current_user.is_authenticated
%}<
39.                                     <li class="nav-item">↵
40.                                         <a class="nav-link" href="
{{url_for('my_recipes')}}">my-recipes</a>↵
41.                                     </li>↵
42.                                     <li class="nav-item">↵
43.                                         <a class="nav-link" href="
{{url_for('logout')}}">log-out</a>↵
44.                                     </li>↵

```

```

45.             {% else %}↵
46.             <li class="nav-item">↵
47.                 <a class="nav-link" href="
{{url_for('login')}}">log-in</a>↵
48.             </li>↵
49.             <li class="nav-item">↵
50.                 <a class="nav-link" href="
{{url_for('register')}}">register</a>↵
51.             </li>↵
52.             {% endif %}↵
53.         </ul>↵
54.     </div>↵
55. </nav>↵
56. </header>↵
57. </div>↵
58. <!-- USER MESSAGE FLASH -->↵
59. {% with messages = get_flashed_messages() %} {% if messages
%}↵
60.     ↵
61.     {% for message in messages %}↵
62.     <div class="flashes">↵
63.         <p>{{ message }}</p>↵
64.     </div>↵
65.     {% endfor %}↵
66.     ↵
67.     {% endif %} {% endwith %}↵
68. <!-- INSERT CONTENT FROM TEMPLATES -->↵
69. <div class="row no-gutters template-content">↵
70.     <div class="col-12">{% block content_one %}{% endblock
%}</div>↵
71.     </div>↵
72.     <div class="row no-gutters template-content">↵
73.         <div class="col-12">{% block content_two %}{% endblock
%}</div>↵
74.     </div>↵
75.     <div class="row no-gutters template-content">↵
76.         <div class="col-12">{% block content_three %}{%
endblock %}</div>↵
77.     </div>↵
78. <!-- FOOTER -->↵
79. <div id="footer">↵
80.     &copy; Copyright 2019 by Christopher Murray↵
81. </div>↵
82. </div>↵
83. </div>↵
84. </body>↵
85. ↵
86. <!-- SCRIPTS -->↵
87. <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>↵
88. <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7
/umd/popper.min.js" integrity="sha384-
UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous"></script>↵
89. <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1
/js/bootstrap.min.js" integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60RQ6VrjIEaFf/nJGzIxFdsf4x0xIM+B07jRM"
crossorigin="anonymous"></script>↵
90. <script type="text/javascript" src="{{ url_for('static',
filename='js/main.js') }}"></script>↵
91. <script src="https://cdnjs.cloudflare.com/ajax/libs/d3/3.5.17/d3.js">
</script>↵
92. <script src="https://cdnjs.cloudflare.com/ajax/libs/crossfilter2/1.4.0-
alpha.6/crossfilter.js"></script>↵
93. <script src="https://cdnjs.cloudflare.com/ajax/libs/dc/2.1.1/dc.js">

```

```
    </script>↵
94. <script type=text/javascript src="{ url_for('static',
    filename='js/plot.js') }}"></script>↵
95. ↵
96. </html>
```

Used the HTML parser.

Total execution time 11 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 19.6.3