

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show

☒ source
 ☐ outline
 ☐ image report

Options...

Check by

☒ text input
 ☐ CSS

```
{% extends "base.html" %}

{% block title %} My recipes results {% endblock %}

{% block content_two %}
<!-- recipe count -->
<div class="row no-gutters">
  <div class="col-12 search-text-align-centre">
    {% if my_recipes_count != 1 %}
    <h4 class="add-recipe-page-heading"> You have added {{my_recipes_count}} recipes</h4>
    {% else %}
    <h4 class="add-recipe-page-heading"> You have added {{my_recipes_count}} recipe</h4>
    {% endif %}
  </div>
</div>
</div>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning

**Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.**

[From line 1, column 1; to line 1, column 26](#)

```
{% extends "base.html" %} <{>{% b
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

- Error

**Non-space characters found without seeing a doctype first. Expected**

```
<!DOCTYPE html>.
```

[From line 1, column 1; to line 1, column 26](#)

```
{% extends "base.html" %} <{>{% b
```

- Error

**Element `head` is missing a required instance of child element**

```
title.
```

[From line 1, column 1; to line 1, column 26](#)

```
{% extends "base.html" %} <{>{% b
```

Content model for element [head](#):

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

4. **Error** **Bad value** `{{recipe.recipeImageLink}}` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

[From line 21, column 13; to line 21, column 114](#)

```
<img class="card-img-top img-fluid image-card"
src={{recipe.recipeImageLink}} alt="Image unavailable">
```

5. **Error** **Bad value** `{{url_for('show_recipe', recipe_id=recipe._id)}}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 39, column 21; to line 39, column 79](#)

```
<a href="{{url_for('show_recipe',
recipe_id=recipe._id) }}">
```

6. **Error** **The element** `button` **must not appear as a descendant of the** `a` **element.**

[From line 40, column 21; to line 40, column 73](#)

```
<button class="btn btn-outline-success my-2 my-sm-0">View
r
```

7. **Error** **Bad value** `{{url_for('add_recipe')}}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 52, column 9; to line 52, column 44](#)

```
<a href="{{url_for('add_recipe')}}">
```

8. **Error** **The element** `button` **must not appear as a descendant of the** `a` **element.**

[From line 53, column 13; to line 53, column 70](#)

```
<button class="btn btn-outline-info redirect-user-
button">Add re
```

Document checking completed.

## Source

```

1. {% extends "base.html" %} ↵
2. ↵
3. {% block title %} My recipes results {% endblock %} ↵
4. ↵
5. {% block content_two %}↵
6. <!-- recipe count -->↵
7. <div class="row no-gutters">↵
8.     <div class="col-12 search-text-align-centre">↵
9.         {% if my_recipes_count != 1 %}↵
10.         <h4 class="add-recipe-page-heading"> You have added
    {{my_recipes_count}} recipes</h4>↵
11.         {% else %}↵
12.         <h4 class="add-recipe-page-heading"> You have added
    {{my_recipes_count}} recipe</h4>↵
13.         {% endif %}↵
14.     </div>↵
15. </div>↵
16. <!-- RECIPE CARD -->↵
17. <div class="row no-gutters">↵
18.     {% for recipe in recipes %}↵
19.         <div class="col-12 search-results-container">↵
20.             <div class="col-10 offset-1 card">↵
21.                 <img class="card-img-top img-fluid image-card"
src={{recipe.recipeImageLink}} alt="Image unavailable">↵
22.                 <div class="card-body">↵
23.                     <h4 class="text-align-centre">{{recipe.recipeName
}}</h4>↵
24.                     <div class="row no-gutters show-recipe-info">↵
25.                         <div class="col-5 offset-1">↵
26.                             <p>Author: {{recipe.recipeAuthor}}</p>↵
27.                             <p>Cuisine: {{recipe.recipeCuisine}}</p>↵
28.                             <p>Preparation time:
    {{recipe.recipePreparationTime}}</p>↵
29.                             <p>Cooking time:
    {{recipe.recipeCookingTime}}</p>↵
30.                         </div>↵
31.                         <div class="col-5 offset-1">↵
32.                             <p>Servings: {{recipe.recipeServings}}</p>↵
33.                             <p>Difficulty:
    {{recipe.recipeDifficulty}}</p>↵
34.                             <p>Mealtime: {{recipe.recipeMealTime}}</p>↵
35.                             <p>Likes: {{recipe.recipeUpvotes}}</p>↵
36.                         </div>↵
37.                     </div>↵
38.                     <div class="button-center">↵
39.                         <a href="{{url_for('show_recipe',
recipe_id=recipe._id)}}">↵
40.                             <button class="btn btn-outline-success my-2 my-
sm-0">View recipe</button>↵
41.                         </a>↵
42.                     </div>↵
43.                 </div>↵
44.             </div>↵
45.         </div>↵
46.         {% else %}↵
47.         <!-- redirect user to add recipe -->↵
48.         <div class="col-10 offset-1 text-align-centre">↵
49.             <h4 class="add-recipe-page-heading"> Why don't you add a
recipe?</h4>↵
50.         </div>↵
51.         <div class="col-12 button-center">↵
52.             <a href="{{url_for('add_recipe')}}">↵
53.                 <button class="btn btn-outline-info redirect-user-
button">Add recipe</button>↵

```

```
54.         </a>↵
55.     </div>↵
56.     {% endfor %}↵
57. </div>↵
58. {% endblock %}
```

Used the HTML parser.

Total execution time 7 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 19.6.3