Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show (☑ source   ☐ outline   ☐ image report)   **Options...**

Check by **text input**   ☐ CSS

```
{% extends "base.html" %}

{% block title %} Register {% endblock %}

{% block content_one %}
<!-- ask user to register -->
<div class="row no-gutters">
        <div class="col-12 text-align-centre">
                <h4 class="login-page-heading">
                        Please register your details
                </h4>
                <p class="login-page-heading">
                        * All fields required
                </p>
        </div>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

(Message Filtering)

1. (**Warning**) **Consider adding a** `lang` **attribute to the** `html` **start tag to declare the language of this document.**

   From line 1, column 1; to line 1, column 25

   ```
   {% extends "base.html" %}↵↵{% b
   ```

   For further guidance, consult Declaring the overall language of a page and Choosing language tags.

   If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

2. (**Error**) **Non-space characters found without seeing a doctype first. Expected** `<!DOCTYPE html>`**.**

   From line 1, column 1; to line 1, column 25

   ```
   {% extends "base.html" %}↵↵{% b
   ```

3. (**Error**) **Element** `head` **is missing a required instance of child element** `title`**.**

   From line 1, column 1; to line 1, column 25

   ```
   {% extends "base.html" %}↵↵{% b
   ```

Content model for element <u>head</u>:

If the document is <u>an iframe srcdoc document</u> or if title information is available from a higher-level protocol: Zero or more elements of <u>metadata content</u>, of which no more than one is a <u>title</u> element and no more than one is a <u>base</u> element.

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

Document checking completed.

Source

```
1.  {% extends "base.html" %}↵
2.  ↵
3.  {% block title %} Register {% endblock %} ↵
4.  ↵
5.  {% block content_one %}↵
6.  <!-- ask user to register -->↵
7.  <div class="row no-gutters">↵
8.          <div class="col-12 text-align-centre">↵
9.                  <h4 class="login-page-heading">↵
10.                         Please register your details↵
11.                 </h4>↵
12.                 <p class="login-page-heading">↵
13.                         * All fields required↵
14.                 </p>↵
15.         </div>↵
16. </div>↵
17. <!-- REGISTER FORM -->↵
18. <div class="row no-gutters">↵
19.         <div class="col-8 offset-2">↵
20.                 <form class="form-signin" method="POST"
    action="/register" autocomplete="off">↵
21.                         <div class="form-group row">↵
22.                                 <label class="col-10 offset-1 col-
    form-label" for="sign-in-username">Username</label>↵
23.                                 <div class="col-10 offset-1">↵
24.                                         <input name="username"
    type="text" class="form-control text-align-centre" id="sign-in-
    username" placeholder="Please enter a username" required>↵
25.                                 </div>↵
26.                         </div>↵
27.                         <div class="form-group row">↵
28.                                 <label class="col-10 offset-1 col-
    form-label" for="email">Email</label>↵
29.                                 <div class="col-10 offset-1">↵
30.                                         <input name="email"
    type="email" class="form-control text-align-centre" id="email"
    placeholder="Please enter an email" required>↵
31.                                 </div>↵
32.                         </div>↵
33.                         <div class="form-group row">↵
34.                                 <label class="col-10 offset-1 col-
    form-label" for="sign-in-password">Password</label>↵
35.                                 <div class="col-10 offset-1">↵
36.                                         <input name="user_password"
    type="password" class="form-control text-align-centre" id="sign-in-
    password" placeholder="Please enter a password" required>↵
37.                                 </div>↵
38.                         </div>↵
```

```
39.                          <div class="form-group row">↵
40.                              <label class="col-10 offset-1 col-
    form-label" for="sign-in-password">Re-enter password</label>↵
41.                              <div class="col-10 offset-1">↵
42.                                  <input
    name="retyped_user_password" type="password" class="form-control text-
    align-centre" id="sign-in-password1" placeholder="Please repeat
    password" required>↵
43.                              </div>↵
44.                          </div>↵
45.                          <div class="form-group row">↵
46.                              <div class="col-12 button-center">↵
47.                                  <button class="btn btn-
    outline-success btn-lg" type="submit">Sign Up</button>↵
48.                              </div>↵
49.                          </div>↵
50.                      </form>↵
51.              </div>↵
52.  </div>↵
53.  {% endblock content_one %}
```

Used the HTML parser.

Total execution time 7 milliseconds.

About this checker • Report an issue • Version: 19.6.3