Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

```
Checker Input
                                                 Options...
\square outline
                               \square image report
Check by text input ☐ CSS
 {% extends "base.html" %}
 {% block title %} Edit/delete recipe {% endblock %}
 {% block content_two %}
 <!-- page title -->
 <div class="row no-gutters">
     <div class="col-12 text-align-centre">
         <h4 class="add-recipe-page-heading">
             Please edit your recipe here
         </h4>
     </div>
 </div>
 <!-- UPDATE RECIPE FORM -->
 <form action="{{ url_for('update_recipe', recipe_id=recipe._id) }}" method="POST" autocomplete="off"</pre>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 26

{% extends "base.html" %} 

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

2. Error Non-space characters found without seeing a doctype first. Expected <!DOCTYPE html>.

From line 1, column 1; to line 1, column 26

{% extends "base.html" %} \(\varphi \varphi \) \(\varphi

3. Error Element head is missing a required instance of child element title.

From line 1, column 1; to line 1, column 26

{% extends "base.html" %} やや{% b

```
Content model for element head:
```

If the document is <u>an iframe srcdoc document</u> or if title information is available from a higher-level protocol: Zero or more elements of <u>metadata content</u>, of which no more than one is a <u>title</u> element and no more than one is a <u>base</u> element.

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

```
4. Error Bad value {{ url_for('update_recipe', recipe_id=recipe._id) }} for attribute action on element form:

Illegal character in path segment: { is not allowed.

From line 15, column 1; to line 15, column 153

FORM -->&<form action="{{ url_for('update_recipe', recipe_id=recipe._id) }}" method="POST" autocomplete="off" id="edit_delete_form" enctype="multipart/form-data">&
```

5. Error The width attribute on the hr element is obsolete. Use CSS

instead.

From line 142, column 5; to line 142, column 18

/div>e <hr width=75%>e <

6. Error The width attribute on the hr element is obsolete. Use CSS instead.

From line 160, column 5; to line 160, column 18

//div>e <hr width=75%>e <

9.

when type is text, search, url, tel, email, password, date, month, autocomplete week, time, datetime-local, number, range, or color autofocus checked when type is checkbox or radio dirname when type is text or search disabled form when type is submit or image formaction when type is submit or image formenctype when type is submit or image formmethod when type is submit or image formnovalidate formtarget when type is submit or image when type is image height list when type is text, search, url, tel, email, date, month, week, time, datetime-local, number, range, or color when type is date, month, week, time, datetime-local, number, or max <u>range</u> when type is text, search, url, tel, email, or password maxlength when type is date, month, week, time, datetime-local, number, or min range multiple when type is email or file name when type is text, search, url, tel, email, or password pattern when type is text, search, url, tel, email, password, or number placeholder when type is text, search, url, tel, email, password, date, month, readonly week, time, datetime-local, or number when type is text, search, url, tel, email, password, date, month, required week, time, datetime-local, number, checkbox, radio, or file when type is text, search, url, tel, email, or password size when type is image src when type is date, month, week, time, datetime-local, number, or step <u>range</u> type when type is not file or image value width when type is image Error Attribute placeholder is only allowed when the input type is

3 of 11

email, number, password, search, tel, text, or url.

```
From line 189, column 13; to line 189, column 183
                                     <input type="hidden" class="col-6 offset-3 form-control</pre>
           text-align-centre" name="recipeImageLink" placeholder="Please enter
          recipe image" value={{recipe.recipeImageLink}}>↔
          (Error) The width attribute on the hr element is obsolete. Use CSS
10.
          instead.
          From line 194, column 1; to line 194, column 14
            >~</form>~<hr width=75%>~<!--
          Error The width attribute on the hr element is obsolete. Use CSS
          instead.
          From line 206, column 1; to line 206, column 14
            n>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div>\(\right)</div</di>\(\right)</div</di>\(\right)</div</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</di>\(\right)</dd>\(\right)</dd>\(\right)</dd>\(\right)</dd>\(\right)</dd>\(
12.
          [Error] Bad value {{url for('delete_recipe',
          recipe id=recipe. id) }} for attribute href on element a: Illegal
          character in path segment: { is not allowed.
          From line 216, column 5; to line 216, column 117
                                      <a id="delete-recipe-button" class="col-sm-2 offset-1"</pre>
            ter">🗸
          href="{{url_for('delete_recipe', recipe_id=recipe._id)}}"><butto</pre>
13.
          (Error) The element button must not appear as a descendant of the a
          element.
          From line 216, column 118; to line 216, column 217
            e. id)}}"><button type="submit" class="btn btn-outline-danger btn-lg
          recipe_button" id="delete-recipe-submit">Delete
14. Error The value of the for attribute of the label element must be the ID
          of a non-hidden form control.
          From line 18, column 9; to line 18, column 64
                                      <label class="col-3 offset-2 col-form-label"</pre>
           for="name">Recipe
          Error The value of the | for | attribute of the | label | element must be the | ID
15.
          of a non-hidden form control.
           From line 25, column 9; to line 25, column 66
                                      <label class="col-3 offset-2 col-form-label"</pre>
           for="author">Recipe
```

```
(Error) The value of the for attribute of the label element must be the ID
16.
    of a non-hidden form control.
    From line 32, column 9; to line 32, column 67
                 <label class="col-3 offset-2 col-form-label"</pre>
     for="cuisine">Cuisin
17.
    (Error) The value of the for attribute of the label element must be the ID
    of a non-hidden form control.
    From line 42, column 9; to line 42, column 75
                 <label class="col-3 offset-2 col-form-label"</pre>
    for="CountryOfOrigin">Countr
    (Error) The value of the for attribute of the label element must be the ID
18.
    of a non-hidden form control.
    From line 52, column 9; to line 52, column 68
                 <label class="col-3 offset-2 col-form-label"</pre>
     for="mealtime">Mealti
    (Error) The value of the for attribute of the label element must be the ID
19.
    of a non-hidden form control.
    From line 62, column 9; to line 62, column 68
                 <label class="col-3 offset-2 col-form-label"</pre>
     for="servings">Servin
20.
   Error The value of the for attribute of the label element must be the ID
    of a non-hidden form control.
    From line 70, column 9; to line 70, column 70
              <label class="col-3 offset-2 col-form-label"</pre>
     for="difficulty">Diffic
21. Error The value of the for attribute of the label element must be the ID
    of a non-hidden form control.
    From line 80, column 9; to line 80, column 75
                 <label class="col-3 offset-2 col-form-label"</pre>
    for="preparationtime">Prepar
22.
    (Error) The value of the for attribute of the label element must be the ID
    of a non-hidden form control.
    From line 88, column 9; to line 88, column 71
```

```
<label class="col-3 offset-2 col-form-label"</pre>
    for="cookingtime">Cookin
    (Error) The value of the for attribute of the label element must be the ID
23.
    of a non-hidden form control.
    From line 96, column 9; to line 96, column 74
                 <label class="col-3 offset-2 col-form-label"</pre>
    for="mainIngredient">Main I
    [Error] The value of the for attribute of the label element must be the ID
24.
    of a non-hidden form control.
    From line 108, column 17; to line 108, column 90
                 <label class="col-10 col-form-label dietary-allergen-</pre>
    label" for="Dietary">Dietar
25.
    (Error) The value of the for attribute of the label element must be the ID
    of a non-hidden form control.
    From line 124, column 17; to line 124, column 91
```

<label class="col-10 col-form-label dietary-allergen-</pre>

Document checking completed.

label" for="Allergen">Allerg

Source

```
1. {% extends "base.html" %} ↔
 2. ←
 3. {% block title %} Edit/delete recipe {% endblock %} \boldsymbol{\leftarrow}
4. ↩
5. {% block content_two %}←
6. <!-- page title -->↩
7. <div class="row no-gutters">↔
     <div class="col-12 text-align-centre">←
9.
           <h4 class="add-recipe-page-heading">←
10.
                Please edit your recipe here
11.
           </h4>↩
    </div>
12.
13. </div>↩
14. <!-- UPDATE RECIPE FORM -->€
15. <form action="{{ url_for('update_recipe', recipe_id=recipe._id) }}"
   method="POST" autocomplete="off" id="edit delete form"
   enctype="multipart/form-data">↔
16.
      <!-- recipe name -->↔
       <div class="form-group row">←
17.
18.
           <label class="col-3 offset-2 col-form-label" for="name">Recipe
   name:</label>
19.
           <div class="col-5">↔
                <input type="text" class="form-control text-align-centre"</pre>
20.
   name="recipeName" placeholder="Please enter recipe name" value="
```

```
{{recipe.recipeName}}">
21.
            </div>
22.
       </div>
23.
       <!-- recipe author -->
24.
       <div class="form-group row">←
25.
            <label class="col-3 offset-2 col-form-label"</pre>
   for="author">Recipe author:</label>↩
26.
            <div class="col-5">↔
27.
                <input type="text" class="form-control text-align-centre"</pre>
   name="recipeAuthor" placeholder="Please enter recipe author" value="
   {{recipe.recipeAuthor}}">↔
28.
           </div>
29.
       </div>
30.
       <!-- recipe cuisine -->
31.
       <div class="form-group row">←
32.
            <label class="col-3 offset-2 col-form-label"</pre>
   for="cuisine">Cuisine</label>
33.
           <div class="col-5">↔
34
                <select class="form-control cuisine-menu text-align-</pre>
   centre" name="recipeCuisine" id="recipeCuisine">
35.
                    <option>Please select
36.
                </select>€
37.
            </div>
38.
            <input type="hidden" class="form-control" name="recipeCuisine"</pre>
   value="{{recipe.recipeCuisine}}">
39
40.
        <!-- recipe country of origin -->↔
        <div class="form-group row">←
41.
42
            <label class="col-3 offset-2 col-form-label"</pre>
   for="CountryOfOrigin">Country of origin:</label>
43.
            <div class="col-5">↔
44.
                <select class="form-control countryOfOrigin-menu text-</pre>
   align-centre" id="recipeCountryOfOrigin">←
45.
                  <option>Please select
46.
                </select>↩
47.
            </div>
48.
            <input type="hidden" class="form-control"</pre>
   name="recipeCountryOfOrigin" value="
   {{recipe.recipeCountryOfOrigin}}">↔
49.
       </div>
50
       <!-- recipe mealtime -->
51.
       <div class="form-group row">←
52.
            <label class="col-3 offset-2 col-form-label"</pre>
   for="mealtime">Mealtime:</label>
53.
           <div class="col-5">↔
                <select class="form-control mealtime-menu text-align-</pre>
   centre" id="recipeMealTime">
55.
                  <option>Please select
56.
                </select>€
57.
            </div>
            <input type="hidden" class="form-control"</pre>
58.
   name="recipeMealTime" value="{{recipe.recipeMealTime}}">
59.
       </div>
60.
        <!-- recipe servings -->↔
61.
       <div class="form-group row">↔
62.
           <label class="col-3 offset-2 col-form-label"</pre>
   for="servings">Servings:</label>↔
63.
           <div class="col-5">↔
64.
               <input type="number" class="form-control text-align-</pre>
   centre" id="recipeServings" placeholder="Please select" min="0"
   max="20">←
65.
            </div>
66
           <input type="hidden" class="form-control"</pre>
   name="recipeServings" value="{{recipe.recipeServings}}">↔
67.
       </div>
68.
       <!-- recipe difficulty -->↔
69.
       <div class="form-group row">↔
```

```
70.
             <label class="col-3 offset-2 col-form-label"</pre>
    for="difficulty">Difficulty:</label>
71.
             <div class="col-5">←
72.
                 <select class="form-control difficulty-menu text-align-</pre>
    centre" id="recipeDifficulty">↔
73.
                   <option>Please select
74.
                 </select>↩
75.
             </div>
76.
             <input type="hidden" class="form-control"</pre>
    name="recipeDifficulty" value="{{recipe.recipeDifficulty}}">
77.
        </div>
78.
         <!-- recipe preparation time -->↔
79.
         <div class="form-group row">↔
80.
             <label class="col-3 offset-2 col-form-label"</pre>
    for="preparationtime">Preparation time:</label>
81.
             <div class="col-5">↔
82
                 <input type="number" class="form-control text-align-</pre>
    centre" id="recipePreparationTime" placeholder="Please select" min="0"
    max="200" step="5">
             </div>
83.
84
             <input type="hidden" class="form-control"</pre>
    name="recipePreparationTime" value="
    {{recipe.recipePreparationTime}}">↔
         </div>
85.
86.
         <!-- recipe cooking time -->
87.
         <div class="form-group row">
88.
             <label class="col-3 offset-2 col-form-label"</pre>
    for="cookingtime">Cooking time:</label>↩
89.
             <div class="col-5">←
90.
                 <input type="number" class="form-control text-align-</pre>
    centre" id="recipeCookingTime" placeholder="Please select" min="0"
    max="200" step="5">↔
91.
             </div>
92.
             <input type="hidden" class="form-control"</pre>
    name="recipeCookingTime" value="{{recipe.recipeCookingTime}}">↔
93.
         </div>
94.
         <!-- recipe main ingredient -->↔
95.
         <div class="form-group row">↔
96.
             <label class="col-3 offset-2 col-form-label"</pre>
    for="mainIngredient">Main Ingredient:</label>
             <div class="col-5">
97.
                 <select class="form-control mainIngredient-menu text-</pre>
98.
    align-centre" id="recipeMainIngredient">←
99.
                   <option>Please select
100.
                 </select>↩
101.
             </div>
102.
             <input type="hidden" class="form-control"</pre>
    name="recipeMainIngredient" value="{{recipe.recipeMainIngredient}}">←
103.
        </div>
104.
         <div class="form-group row">↔
105.
             <!-- dietary input -->↔
106.
             <div class="col-4 offset-2">←
                 <div class="form-group row">←
107.
108.
                     <label class="col-10 col-form-label dietary-allergen-</pre>
    label" for="Dietary">Dietary:</label>↔
109.
                     <div class="col-12 checkbox-text">←
110.
                          <input type="checkbox" name="Dietary"</pre>
    class="dietary-checkbox" value="Vegetarian"> Vegetarian<br>←
111.
                          <input type="checkbox" name="Dietary"</pre>
    class="dietary-checkbox" value="Pescetarian"> Pescetarian<br>
◆
112.
                          <input type="checkbox" name="Dietary"</pre>
    class="dietary-checkbox" value="Vegan"> Vegan<br/>
113.
                         <input type="checkbox" name="Dietary"</pre>
    class="dietary-checkbox" value="Dietary-other"> Dietary-other<br>
✔
114.
                         <input type="checkbox" name="Dietary"</pre>
    class="dietary-checkbox" value="Dietary-none"> Dietary-none
115.
                     </div>
```

```
116.
                      <div>
                          <input type="hidden" class="form-control"</pre>
117.
    name="recipeDietary" value="{{recipe.recipeDietary|join(',')}}">↔
118.
                      </div>
119.
                 </div>
             </div>
120.
121.
             <!-- allergens input -->↔
122.
             <div class="col-4">↔
123.
                 <div class="form-group row">↔
124.
                      <label class="col-10 col-form-label dietary-allergen-</pre>
    label" for="Allergen">Allergens:</label>←
125.
                      <div class="col-12 checkbox-text">↔
126.
                          <input type="checkbox" name="Allergen"</pre>
    class="allergen-checkbox" value="Dairy"> Dairy<br>→
127.
                          <input type="checkbox" name="Allergen"</pre>
    class="allergen-checkbox" value="Fish"> Fish<br>←
128.
                          <input type="checkbox" name="Allergen"</pre>
    class="allergen-checkbox" value="Peanuts"> Peanuts<br>
129.
                          <input type="checkbox" name="Allergen"</pre>
    class="allergen-checkbox" value="Shellfish"> Shellfish<br>
✔
                          <input type="checkbox" name="Allergen"</pre>
130.
    class="allergen-checkbox" value="Soya"> Soya <br>
131.
                          <input type="checkbox" name="Allergen"</pre>
    class="allergen-checkbox" value="Tree-Nuts"> Tree-Nuts<br>←
132.
                          <input type="checkbox" name="Allergen"</pre>
    class="allergen-checkbox" value="Wheat"> Wheat <br>
                          <input type="checkbox" name="Allergen"</pre>
133.
    class="allergen-checkbox" value="Allergen-other"> Allergen-other<br/>
                          <input type="checkbox" name="Allergen"</pre>
134.
    class="allergen-checkbox" value="Allergen-none"> Allergen-none
135.
                      </div>
136.
                      <div>
137
                          <input type="hidden" class="form-control"</pre>
    name="recipeAllergen" value="{{recipe.recipeAllergen|join(',')}}">↔
138.
                      </div>
                 </div>
139.
             </div>
140.
         </div>
141.
142.
        <hr width=75%>↔
143.
         <!-- add recipe ingredients -->
144.
         <div class="form-group row recipe-ingredients">←
145.
             <div class="col-12 text-align-centre">←
146.
                 <h5 class="add-recipe-page-heading"> Add ingredients</h5>
147.
             </div>
148.
             <div class="col-10 offset-1 add-recipe-ingredients text-align-</pre>
    centre"></div>
149.
             <div class="col-12 button-center">←
150.
                 <button class="btn btn-outline-info my-2 my-sm-0 add-</pre>
     ingredient-button" type="button">Add ingredient</button>↔
151.
             </div>
152.
             <div class="col-12 button-center ingredient-confirm-button</pre>
    hidden">↔
153.
                 <h6 class="confirm-button-margin">Please confirm
     ingredients:</h6>↔
154.
                 <button class="btn btn-outline-success"</pre>
     type="button">Confirm ingredients</button>↔
155.
             </div>
156.
             <textarea class="form-control hidden" name="recipeIngredients"</pre>
     rows="3" placeholder="Please enter recipe ingredients">←
157.
                 {{recipe.recipeIngredients}}
158.
             </textarea>↔
         </div>
159.
160.
        <hr width=75%>↔
161.
         <!-- add recipe instructions -->
162.
         <div class="form-group row recipe-instructions">
163.
             <div class="col-12 text-align-centre">←
164.
                 <h5 class="add-recipe-page-heading"> Add
```

```
instructions</h5>€
165.
             </div>
166.
             <div class="col-10 offset-1 add-recipe-instructions text-</pre>
    align-centre"></div>
167.
            <div class="col-12 button-center">←
                 <button class="btn btn-outline-info my-2 my-sm-0 add-</pre>
168.
    instruction-button" type="button">Add instruction</button>↔
169.
            </div>
             <div class="col-12 button-center instruction-confirm-button</pre>
170.
    hidden">↩
171.
                 <h6 class="button-margin">Please confirm instructions:
    </h6>
172.
                 <button class="btn btn-outline-success"</pre>
    type="button">Confirm instructions</button>←
173.
            </div>
174.
             <textarea class="form-control hidden"</pre>
    name="recipeInstructions" rows="3" placeholder="Please enter recipe
    instructions">{{recipe.recipeInstructions}}</textarea>↩
175.
        </div>
176.
        <hr width=75%>↔
177.
        <!-- add recipe image -->€
178.
        <div class="form-group row">←
179.
             <div class="col-12 text-align-centre">←
180.
                 <h5 class="add-recipe-page-heading"> Add recipe
    image</h5>
181.
             </div>
182.
             <div class="col-10 offset-1 text-align-centre image margin">\boldsymbol{\leftarrow}
183.
                 <input class="col-12 text-align-centre" type="file"</pre>
    name="file" />ف
184.
             </div>
185.
             <div class="col-12 text-align-centre">←
186.
                 <h5 class="add-recipe-page-heading"> Current recipe
    image</h5>€
187.
             </div>
188.
             <div class="col-10 offset-1 text-align-centre image margin">
189.
                 <input type="hidden" class="col-6 offset-3 form-control</pre>
    text-align-centre" name="recipeImageLink" placeholder="Please enter
    recipe image" value={{recipe.recipeImageLink}}>↔
190.
                 {{recipe.recipeImageLink}}
191.
             </div>
192.
        </div>
193. </form>↩
194. <hr width=75%>←
195. <!-- UPDATE RECIPE BUTTON -->€
196. <div class="row no-gutters">↩
197.
        <div class="col-12 text-align-centre">←
198.
             <h5 class="add-recipe-page-heading">↔
199.
                 Update recipe←
200.
             </h5>↩
201.
        </div>
202. </div>↩
203. <div class="update-button-center">←
        <button type="submit" class="btn btn-outline-success btn-lg</pre>
204.
    recipe button" id="update-recipe-submit"
    form="edit delete form">Update recipe</button>↔
205. </div>↩
206. <hr width=75%>↔
207. <!-- DELETE RECIPE BUTTON -->€
208. <div class="row no-gutters">↔
209.
    <div class="col-12 text-align-centre">↔
210.
             <h5 class="add-recipe-page-heading">←
211.
                 Please delete your recipe here
212.
             </h5>
        </div>
213.
214. </div>
```

About this checker • Report an issue • Version: 19.6.3