## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

```
Checker Input
                                                Options...
\square outline
                              \square image report
Check by text input ☐ CSS
 {% extends "base.html" %}
 {% block title %} Favourites {% endblock %}
 {% block content_two %}
   -- favourites count
 <div class="row no-gutters">
     <div class="col-12 search-text-align-centre">
         {% if favourites_count != 1 %}
         <h4 class="add-recipe-page-heading"> You have {{favourites_count}} favourite recipes</h4>
         <h4 class="add-recipe-page-heading"> You have {{favourites_count}} favourite recipe</h4>
         {% endif %}
     </div>
 </div>
 Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 26

{% extends "base.html" %} 

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

2. Error Non-space characters found without seeing a doctype first. Expected <!DOCTYPE html>.

From line 1, column 1; to line 1, column 26

{% extends "base.html" %} 

POP {% b

3. Error Element head is missing a required instance of child element title.

From line 1, column 1; to line 1, column 26

{% extends "base.html" %} \( \varphi \varphi \) \( \varphi \)

1 of 4

```
Content model for element head:
```

If the document is <u>an iframe srcdoc document</u> or if title information is available from a higher-level protocol: Zero or more elements of <u>metadata content</u>, of which no more than one is a <u>title</u> element and no more than one is a <u>base</u> element.

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

```
[Error] Bad value | { { recipe.recipeImageLink } } | for attribute | src | on
4.
   element <u>img</u>: Illegal character in path segment: { is not allowed.
   From line 21, column 13; to line 21, column 114
               <img class="card-img-top img-fluid image-card"</pre>
   src={{recipe.recipeImageLink}} alt="Image unavailable">←
   [Error] Bad value | { { url for('show recipe',
5.
   recipe id=recipe. id) }} for attribute href on element a: Illegal
   character in path segment: { is not allowed.
   From line 39, column 21; to line 39, column 79
               <a href="{{url for('show recipe',
   recipe id=recipe. id) }}">↩
   Error The element button must not appear as a descendant of the a
6.
   element.
   From line 40, column 25; to line 40, column 77
               <button class="btn btn-outline-success my-2 my-sm-0">View
   r
   [Error] Bad value {{url for('browse all recipes')}} for attribute
   href on element a: Illegal character in path segment: { is not allowed.
   From line 52, column 9; to line 52, column 52
                <a href="{{url for('browse all recipes')}}"><>

   (Error) The element button must not appear as a descendant of the a
8.
   element.
```

Document checking completed.

button">Browse

From line 53, column 13; to line 53, column 70

2 of 4 13/06/2019, 14:44

<button class="btn btn-outline-info redirect-user-</pre>

## Source

```
1. {% extends "base.html" %} ↔
 3. {% block title %} Favourites {% endblock %} ↔
 4. ↩
 5. {% block content two %}↔
 6. <!-- favourites count -->€
7. <div class="row no-gutters">←
       <div class="col-12 search-text-align-centre">
9.
            {% if favourites count != 1 %}←
10.
            <h4 class="add-recipe-page-heading"> You have
   {{favourites count}} favourite recipes</h4>
           {% else %}↩
11.
           <h4 class="add-recipe-page-heading"> You have
   {{favourites count}} favourite recipe</h4>
13.
            {% endif %}↩
       </div>
14.
15. </div>↩
16. <!-- RECIPE CARD -->↔
17. <div class="row no-gutters">↔
       {% for recipe in recipes %}↩
19.
       <div class="col-12 search-results-container">
20.
            <div class="col-10 offset-1 card">←
21.
               <img class="card-img-top img-fluid image-card"</pre>
   src={{recipe.recipeImageLink}} alt="Image unavailable">→
22.
               <div class="card-body">
23.
                    <h4 class="text-align-centre">{{recipe.recipeName}
   } } </h4>
24
                    <div class="row no-gutters show-recipe-info">←
25.
                        <div class="col-5 offset-1">↔
26.
                            Author: {{recipe.recipeAuthor}}
27.
                            Cuisine: {{recipe.recipeCuisine}}↩
28.
                            Preparation time:
   {{recipe.recipePreparationTime}}◆
29.
                            Cooking time:
    {{recipe.recipeCookingTime}}↩
30.
                        </div>
31.
                        <div class="col-5 offset-1">↔
32.
                            Servings: {{recipe.recipeServings}}♣
33.
                            Difficulty:
   {{recipe.recipeDifficulty}}♣
34.
                            Mealtime: {{recipe.recipeMealTime}}♣
35.
                            Likes: {{recipe.recipeUpvotes}}↩
36.
                        </div>
37.
                    </div>
38.
                    <div class="button-center">
39.
                        <a href="{{url for('show recipe',</pre>
   recipe_id=recipe._id) } ">\(\circ\)
40.
                            <button class="btn btn-outline-success my-2</pre>
   my-sm-0">View recipe</button>←
41.
                        </a>↩
42.
                    </div>
43.
                </div>
44.
           </div>
45.
       </div>
46.
       {% else %}↩
47.
       <!-- redirect user to browse all recipes -->
       <div class="col-10 offset-1 text-align-centre">
48.
49.
            <h4 class="add-recipe-page-heading"> Is there perhaps
   something you like here?</h4>↩
50.
       </div>
51.
        <div class="col-12 button-center">↔
52.
           <a href="{{url for('browse all recipes')}}">↔
53.
               <button class="btn btn-outline-info redirect-user-</pre>
   button">Browse all recipes</button>↔
```

3 of 4 13/06/2019, 14:44

```
54. </a>, €
55. </div>, €
56. {% endfor %} €
57. </div>, €
58. {% endblock %}
```

Used the HTML parser.

Total execution time 6 milliseconds.

About this checker • Report an issue • Version: 19.6.3

4 of 4