# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

```
Checker Input
                                                 Options...
\square outline
                              \square image report
Check by text input ☐ CSS
 {% extends "base.html" %}
 {% block title %} Add recipe {% endblock %}
 {% block content_two %}
 <!-- page title -->
 <div class="row no-gutters">
     <div class="col-12 text-align-centre">
         <h4 class="add-recipe-page-heading">
             Please enter a new recipe here
         </h4>
     </div>
 </div>
 <!-- ADD RECIPE FORM -->
 <form action="{{ url_for('insert_recipe') }}" method="POST" autocomplete="off" id="add_recipe_form"</pre>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 26

{% extends "base.html" %} 

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

2. Error Non-space characters found without seeing a doctype first. Expected <!DOCTYPE html>.

From line 1, column 1; to line 1, column 26

{% extends "base.html" %} \(\varphi\varphi\) \(\text{b}\)

3. Error Element head is missing a required instance of child element title.

From line 1, column 1; to line 1, column 26

{% extends "base.html" %} \( \varphi \varphi \) \( \varphi \varphi \varphi \) \( \varphi \v

```
Content model for element head:
```

If the document is <u>an iframe srcdoc document</u> or if title information is available from a higher-level protocol: Zero or more elements of <u>metadata content</u>, of which no more than one is a <u>title</u> element and no more than one is a <u>base</u> element.

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

```
4. Error Bad value {{ url_for('insert_recipe') }} for attribute

action on element form: Illegal character in path segment: { is not allowed.

From line 15, column 1; to line 15, column 130

FORM -->+2<form action="{{ url_for('insert_recipe') }}"

method="POST" autocomplete="off" id="add_recipe_form"
enctype="multipart/form-data">+2
```

```
(Error) Attribute placeholder not allowed on element input at this point.
5.
    From line 38, column 9; to line 38, column 106
    >ب
                 <input type="hidden" class="form-control"</pre>
    name="recipeCuisine" placeholder="Please enter cuisine">←
    Attributes for element <u>input</u>:
       Global attributes
                            when type is file
       accept
                            when type is image
       <u>alt</u>
       autocomplete
                            when type is text, search, url, tel, email, password, date, month,
                            week, time, datetime-local, number, range, or color
       autofocus
                            when type is checkbox or radio
       checked
       dirname
                            when type is text or search
       disabled
       form
                            when type is submit or image
       formaction
                            when type is submit or image
       formenctype
       formmethod
                            when type is submit or image
                            when type is submit or image
       formnovalidate
                            when type is submit or image
       formtarget
       height
                            when type is image
                            when type is text, search, url, tel, email, date, month, week, time,
       list
                            datetime-local, number, range, or color
```

```
when type is date, month, week, time, datetime-local, number, or
max
                      range
                      when type is text, search, url, tel, email, or password
maxlength
                      when type is date, month, week, time, datetime-local, number, or
min
                      range
multiple
                      when type is email or file
name
                      when type is text, search, url, tel, email, or password
pattern
                      when type is text, search, url, tel, email, password, or number
placeholder
                      when type is text, search, url, tel, email, password, date, month,
readonly
                      week, time, datetime-local, or number
                      when type is text, search, url, tel, email, password, date, month,
required
                      week, time, datetime-local, number, checkbox, radio, or file
                      when type is text, search, url, tel, email, or password
size
                      when type is image
src
                      when type is date, month, week, time, datetime-local, number, or
step
                      range
type
                      when type is not file or image
value
                      when type is image
width
```

```
[Error] Attribute placeholder not allowed on element input at this point.
7.
    From line 48, column 9; to line 48, column 124
                <input type="hidden" class="form-control"</pre>
    name="recipeCountryOfOrigin" placeholder="Please enter country of
    origin">↔
    Attributes for element <u>input</u>:
       Global attributes
                           when type is file
       accept
       alt
                           when type is image
       autocomplete
                           when type is text, search, url, tel, email, password, date, month,
                           week, time, datetime-local, number, range, or color
       autofocus
```

checked	when type is checkbox or radio
dirname	when type is text or search
disabled	
<u>form</u>	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image
height	when type is image
<u>list</u>	when type is text, search, url, tel, email, date, month, week, time,
	datetime-local, number, range, or color
max	when type is <u>date</u> , <u>month</u> , <u>week</u> , <u>time</u> , <u>datetime-local</u> , <u>number</u> , or
	range
maxlength	when type is text, search, url, tel, email, or password
<u>min</u>	when type is date, month, week, time, datetime-local, number, or
	<u>range</u>
<u>multiple</u>	when type is email or file
name	
<u>pattern</u>	when type is text, search, url, tel, email, or password
placeholder	when type is text, search, url, tel, email, password, or number
readonly	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , <u>password</u> , <u>date</u> , <u>month</u> ,
	week, time, datetime-local, or number
required	when type is text, search, url, tel, email, password, date, month,
	week, time, datetime-local, number, checkbox, radio, or file
<u>size</u>	when type is text, search, url, tel, email, or password
src	when type is image
step	when type is date, month, week, time, datetime-local, number, or
	<u>range</u>
type	
<u>value</u>	when type is not file or image
width	when type is image

origin">← <

Error Attribute placeholder not allowed on element input at this point. 9. From line 58, column 9; to line 58, column 108 >ب <input type="hidden" class="form-control"</pre> Attributes for element <u>input</u>: Global attributes when type is file accept when type is image alt autocomplete when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, range, or color autofocus when type is checkbox or radio checked when type is  $\underline{text}$  or  $\underline{search}$ dirname disabled form when type is submit or image formaction when type is submit or image formenctype  $\quad \hbox{formmethod} \quad$ when type is submit or image formnovalidate when type is submit or image when type is submit or image formtarget height when type is image when type is text, search, url, tel, email, date, month, week, time, list datetime-local, number, range, or color when type is date, month, week, time, datetime-local, number, or max <u>range</u> when type is text, search, url, tel, email, or password maxlength when type is date, month, week, time, datetime-local, number, or min range when type is email or file multiple name pattern when type is text, search, url, tel, email, or password when type is text, search, url, tel, email, password, or number placeholder when type is text, search, url, tel, email, password, date, month, readonly week, time, datetime-local, or number required when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, checkbox, radio, or file

```
when type is text, search, url, tel, email, or password

when type is image

when type is date, month, week, time, datetime-local, number, or range

type

value

when type is not file or image

width

when type is image
```

```
11.
    (Error) Attribute placeholder not allowed on element input at this point.
    From line 66, column 9; to line 66, column 118
                  <input type="hidden" class="form-control"</pre>
    name="recipeServings" placeholder="Please enter number of
     servings">
    Attributes for element <u>input</u>:
        Global attributes
                            when type is file
        accept
        alt
                            when type is image
                            when type is text, search, url, tel, email, password, date, month,
        autocomplete
                            week, time, datetime-local, number, range, or color
        autofocus
                            when type is checkbox or radio
        checked
        dirname
                            when type is text or search
        disabled
        form
                            when type is submit or image
        formaction
                            when type is submit or image
        formenctype
        formmethod
                            when type is submit or image
                            when type is submit or image
        formnovalidate
                            when type is submit or image
        formtarget
                            when type is image
        height
                            when type is text, search, url, tel, email, date, month, week, time,
        list
                            datetime-local, number, range, or color
```

```
when type is date, month, week, time, datetime-local, number, or
max
                      range
                      when type is text, search, url, tel, email, or password
maxlength
                      when type is date, month, week, time, datetime-local, number, or
min
                      range
multiple
                      when type is email or file
name
                      when type is text, search, url, tel, email, or password
pattern
                      when type is text, search, url, tel, email, password, or number
placeholder
                      when type is text, search, url, tel, email, password, date, month,
readonly
                      week, time, datetime-local, or number
                      when type is text, search, url, tel, email, password, date, month,
required
                      week, time, datetime-local, number, checkbox, radio, or file
                      when type is text, search, url, tel, email, or password
size
                      when type is image
src
                      when type is date, month, week, time, datetime-local, number, or
step
                      range
type
                      when type is not file or image
value
                      when type is image
width
```

```
12. Error Attribute placeholder is only allowed when the input type is

email, number, password, search, tel, text, or url.

From line 66, column 9; to line 66, column 118

> ← <input type="hidden" class="form-control"

name="recipeServings" placeholder="Please enter number of servings"> ← <
```

```
when type is checkbox or radio
checked
                     when type is text or search
dirname
disabled
form
                     when type is submit or image
formaction
                     when type is submit or image
formenctype
                     when type is submit or image
formmethod
                     when type is submit or image
formnovalidate
                     when type is submit or image
formtarget
                     when type is image
height
                     when type is text, search, url, tel, email, date, month, week, time,
list
                     datetime-local, number, range, or color
                     when type is date, month, week, time, datetime-local, number, or
max
                     <u>range</u>
                     when type is text, search, url, tel, email, or password
maxlength
                     when type is date, month, week, time, datetime-local, number, or
min
                     range
                     when type is email or file
multiple
name
                     when type is text, search, url, tel, email, or password
pattern
                     when type is text, search, url, tel, email, password, or number
placeholder
                     when type is text, search, url, tel, email, password, date, month,
readonly
                     week, time, datetime-local, or number
                     when type is text, search, url, tel, email, password, date, month,
required
                     week, time, datetime-local, number, checkbox, radio, or file
                     when type is text, search, url, tel, email, or password
size
                     when type is image
src
                     when type is date, month, week, time, datetime-local, number, or
step
                     range
type
                     when type is not file or image
value
width
                     when type is image
```

```
15.
             Attribute placeholder not allowed on element input at this point.
     From line 84, column 9; to line 84, column 123
                   <input type="hidden" class="form-control"</pre>
     name="recipePreparationTime" placeholder="Please enter preparation
     time">↩
     Attributes for element <u>input</u>:
        Global attributes
                              when type is file
        accept
        alt
                              when type is image
                              when type is text, search, url, tel, email, password, date, month,
        autocomplete
                              week, time, datetime-local, number, range, or color
        autofocus
                              when type is checkbox or radio
        checked
        dirname
                              when type is text or search
        disabled
        form
                              when type is submit or image
        formaction
        formenctype
                              when type is submit or image
                              when type is submit or image
        formmethod
                              when type is submit or image
        formnovalidate
                              when type is submit or image
        formtarget
                              when type is image
        height
                              when type is text, search, url, tel, email, date, month, week, time,
        list
                              datetime-local, number, range, or color
                              when type is date, month, week, time, datetime-local, number, or
        max
                              range
                              when type is text, search, url, tel, email, or password
        maxlength
                              when type is date, month, week, time, datetime-local, number, or
        min
                              range
                              when type is email or file
        multiple
        name
                              when type is text, search, url, tel, email, or password
        pattern
                              when type is text, search, url, tel, email, password, or number
        placeholder
                              when type is text, search, url, tel, email, password, date, month,
        readonly
                              week, time, datetime-local, or number
                              when type is text, search, url, tel, email, password, date, month,
        required
                              week, time, datetime-local, number, checkbox, radio, or file
                              when type is text, search, url, tel, email, or password
        size
```

```
when type is image

when type is date, month, week, time, datetime-local, number, or range

type

value

when type is not file or image

width

when type is image
```

```
16. Error Attribute placeholder is only allowed when the input type is

[email, number, password, search, tel, text, or url.

From line 84, column 9; to line 84, column 123

> <= cinput type="hidden" class="form-control"

name="recipePreparationTime" placeholder="Please enter preparation

time"> <= cinput type="hidden" class="form-control"

name="recipePreparationTime" placeholder="Please enter preparation
```

```
(Error) Attribute placeholder not allowed on element input at this point.
17.
     From line 92, column 9; to line 92, column 115
                  <input type="hidden" class="form-control"</pre>
     name="recipeCookingTime" placeholder="Please enter cooking time">←
     Attributes for element input:
        Global attributes
        accept
                            when type is file
                            when type is image
        alt
                            when type is text, search, url, tel, email, password, date, month,
        autocomplete
                            week, time, datetime-local, number, range, or color
        autofocus
                            when type is checkbox or radio
        checked
        dirname
                            when type is text or search
        disabled
        form
                            when type is submit or image
        formaction
                            when type is submit or image
        formenctype
                            when type is submit or image
        formmethod
                            when type is submit or image
        formnovalidate
                            when type is submit or image
        formtarget
        height
                            when type is image
                            when type is text, search, url, tel, email, date, month, week, time,
        list
                            datetime-local, number, range, or color
```

```
when type is date, month, week, time, datetime-local, number, or
max
                      range
                      when type is text, search, url, tel, email, or password
maxlength
                      when type is date, month, week, time, datetime-local, number, or
min
                      range
multiple
                      when type is email or file
name
                      when type is text, search, url, tel, email, or password
pattern
                      when type is text, search, url, tel, email, password, or number
placeholder
                      when type is text, search, url, tel, email, password, date, month,
readonly
                      week, time, datetime-local, or number
                      when type is text, search, url, tel, email, password, date, month,
required
                      week, time, datetime-local, number, checkbox, radio, or file
                      when type is text, search, url, tel, email, or password
size
                      when type is image
src
                      when type is date, month, week, time, datetime-local, number, or
step
                      range
type
                      when type is not file or image
value
                      when type is image
width
```

```
18. Error Attribute placeholder is only allowed when the input type is

email, number, password, search, tel, text, or url.

From line 92, column 9; to line 92, column 115

> ← <input type="hidden" class="form-control"

name="recipeCookingTime" placeholder="Please enter cooking time"> ← <
```

```
19.
     Error Attribute placeholder not allowed on element input at this point.
     From line 102, column 9; to line 102, column 121
     >ح
                  <input type="hidden" class="form-control"</pre>
     name="recipeMainIngredient" placeholder="Please enter main
     ingredient">↔
     Attributes for element input:
        Global attributes
                            when type is file
        accept
        alt
                            when type is image
                            when type is text, search, url, tel, email, password, date, month,
        autocomplete
                            week, time, datetime-local, number, range, or color
```

```
autofocus
                      when type is checkbox or radio
checked
                      when type is text or search
dirname
disabled
form
                      when type is submit or image
formaction
                      when type is submit or image
formenctype
                      when type is submit or image
\quad \hbox{formmethod} \quad
                      when type is submit or image
formnovalidate
                      when type is submit or image
formtarget
                      when type is image
height
list
                      when type is text, search, url, tel, email, date, month, week, time,
                      datetime-local, number, range, or color
                      when type is date, month, week, time, datetime-local, number, or
max
                      when type is text, search, url, tel, email, or password
maxlength
                      when type is date, month, week, time, datetime-local, number, or
min
                      <u>range</u>
                      when type is email or file
multiple
name
                      when type is text, search, url, tel, email, or password
pattern
                      when type is text, search, url, tel, email, password, or number
placeholder
                      when type is text, search, url, tel, email, password, date, month,
readonly
                      week, time, datetime-local, or number
                      when type is text, search, url, tel, email, password, date, month,
required
                      week, time, datetime-local, number, checkbox, radio, or file
                      when type is text, search, url, tel, email, or password
size
                      when type is image
src
                      when type is date, month, week, time, datetime-local, number, or
step
                      range
type
                      when type is not file or image
value
                      when type is image
width
```

```
20. Error Attribute placeholder is only allowed when the input type is

email, number, password, search, tel, text, or url.

From line 102, column 9; to line 102, column 121

>e <input type="hidden" class="form-control"
```

(Error) Attribute placeholder not allowed on element input at this point. 21. From line 117, column 21; to line 117, column 131 <input type="hidden" class="form-control"</pre> name="recipeDietary" placeholder="Please enter dietary requirements">↩ Attributes for element <u>input</u>: Global attributes when type is file accept alt when type is image when type is text, search, url, tel, email, password, date, month, autocomplete week, time, datetime-local, number, range, or color autofocus when type is checkbox or radio checked dirname when type is text or search disabled form formaction when type is submit or image when type is submit or image formenctype formmethod when type is submit or image when type is submit or image formnovalidate when type is submit or image formtarget height when type is image when type is text, search, url, tel, email, date, month, week, time, list datetime-local, number, range, or color when type is date, month, week, time, datetime-local, number, or max range when type is text, search, url, tel, email, or password maxlength when type is date, month, week, time, datetime-local, number, or min <u>range</u> when type is email or file multiple name when type is text, search, url, tel, email, or password pattern placeholder when type is text, search, url, tel, email, password, or number readonly when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, or number

```
when type is text, search, url, tel, email, password, date, month,

week, time, datetime-local, number, checkbox, radio, or file

when type is text, search, url, tel, email, or password

when type is image

when type is date, month, week, time, datetime-local, number, or range

type

value when type is not file or image

width when type is image
```

```
22. Error Attribute placeholder is only allowed when the input type is

email, number, password, search, tel, text, or url.

From line 117, column 21; to line 117, column 131

<input type="hidden" class="form-control"

name="recipeDietary" placeholder="Please enter dietary
requirements">
Placeholder="Please enter dietary"
requirements
```

### Global attributes

 accept
 when type is file

 alt
 when type is image

 autocomplete
 when type is text, see

 week, time, datetime 

when type is text, search, url, tel, email, password, date, month,

week, time, datetime-local, number, range, or color

autofocus

<u>checked</u> when type is <u>checkbox</u> or <u>radio</u>

<u>dirname</u> when type is <u>text</u> or <u>search</u>

disabled

form

formactionwhen type is submit or imageformenctypewhen type is submit or imageformmethodwhen type is submit or imageformnovalidatewhen type is submit or imageformtargetwhen type is submit or image

```
height
                      when type is image
                      when type is text, search, url, tel, email, date, month, week, time,
list
                      datetime-local, number, range, or color
                      when type is date, month, week, time, datetime-local, number, or
max
                      range
maxlength
                      when type is text, search, url, tel, email, or password
                      when type is date, month, week, time, datetime-local, number, or
min
                      range
multiple
                      when type is email or file
name
                      when type is text, search, url, tel, email, or password
pattern
placeholder
                      when type is text, search, url, tel, email, password, or number
                      when type is text, search, url, tel, email, password, date, month,
readonly
                      week, time, datetime-local, or number
                      when type is text, search, url, tel, email, password, date, month,
required
                      week, time, datetime-local, number, checkbox, radio, or file
size
                      when type is text, search, url, tel, email, or password
                      when type is image
src
                      when type is date, month, week, time, datetime-local, number, or
step
                      <u>range</u>
type
                      when type is not file or image
value
                      when type is image
width
```

```
24. Error Attribute placeholder is only allowed when the input type is

email, number, password, search, tel, text, or url.

From line 137, column 21; to line 137, column 133

<input type="hidden" class="form-control"

name="recipeAllergen" placeholder="Please enter any allergens

present">

present">

Please enter any allergens
```

```
25. Error The width attribute on the hr element is obsolete. Use CSS instead.

From line 142, column 5; to line 142, column 18

//div>
// chr width=75%>
```

26. Error The width attribute on the hr element is obsolete. Use CSS instead.

```
From line 158, column 5; to line 158, column 18
      /div>
                  <hr width=75%>↩
27.
     (Error) The width attribute on the hr element is obsolete. Use CSS
     instead.
     From line 174, column 5; to line 174, column 18
      /div>
                  <hr width=75%>€
28.
     Error A slash was not immediately followed by >.
     At line 181, column 78
      " name="file" / value="file">و
29.
     Error Attribute value not allowed on element <u>input</u> at this point.
     From line 181, column 13; to line 181, column 91
                  <input class="col-12 text-align-centre" type="file"</pre>
     name="file" / value="file">↔
     Attributes for element <u>input</u>:
        Global attributes
                             when type is file
        accept
                             when type is image
        alt
                             when type is text, search, url, tel, email, password, date, month,
        autocomplete
                             week, time, datetime-local, number, range, or color
        autofocus
                             when type is checkbox or radio
        checked
                             when type is text or search
        dirname
        disabled
        form
                             when type is submit or image
        formaction
                             when type is submit or image
        formenctype
                             when type is submit or image
        formmethod
        formnovalidate
                             when type is submit or image
                             when type is submit or image
        formtarget
        height
                             when type is image
                             when type is text, search, url, tel, email, date, month, week, time,
        list
                             datetime-local, number, range, or color
                             when type is date, month, week, time, datetime-local, number, or
        max
                             <u>range</u>
                             when type is text, search, url, tel, email, or password
        maxlength
```

<u>min</u>	when type is <u>date</u> , <u>month</u> , <u>week</u> , <u>time</u> , <u>datetime-local</u> , <u>number</u> , or
	range
multiple	when type is email or file
name	
<u>pattern</u>	when type is text, search, url, tel, email, or password
placeholder	when type is text, search, url, tel, email, password, or number
readonly	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , <u>password</u> , <u>date</u> , <u>month</u> ,
	week, time, datetime-local, or number
required	when type is text, search, url, tel, email, password, date, month,
	week, time, datetime-local, number, checkbox, radio, or file
size	when type is text, search, url, tel, email, or password
src	when type is image
step	when type is <u>date</u> , <u>month</u> , <u>week</u> , <u>time</u> , <u>datetime-local</u> , <u>number</u> , or
	<u>range</u>
type	
<u>value</u>	when type is not file or image
<u>width</u>	when type is image

30. Error Attribute placeholder not allowed on element input at this point.

From line 182, column 13; to line 182, column 117

<input type="hidden" class="form-control"</pre>

name="recipeImageLink" placeholder="Please enter recipe image">←

Attributes for element <u>input</u>:

**Global attributes** 

alt when type is image

autocomplete when type is text, search, url, tel, email, password, date, month,

week, time, datetime-local, number, range, or color

autofocus

<u>checked</u> when type is <u>checkbox</u> or <u>radio</u>

dirname when type is text or search

disabled

form

formactionwhen type is submit or imageformenctypewhen type is submit or imageformmethodwhen type is submit or imageformnovalidatewhen type is submit or imageformtargetwhen type is submit or image

```
height
                        when type is image
                        when type is text, search, url, tel, email, date, month, week, time,
  list
                        datetime-local, number, range, or color
                        when type is date, month, week, time, datetime-local, number, or
  max
                        range
  maxlength
                        when type is text, search, url, tel, email, or password
                        when type is date, month, week, time, datetime-local, number, or
  min
                        range
  multiple
                        when type is email or file
  name
                        when type is text, search, url, tel, email, or password
  pattern
  placeholder
                        when type is text, search, url, tel, email, password, or number
                        when type is text, search, url, tel, email, password, date, month,
  readonly
                        week, time, datetime-local, or number
                        when type is text, search, url, tel, email, password, date, month,
  required
                        week, time, datetime-local, number, checkbox, radio, or file
  size
                        when type is text, search, url, tel, email, or password
                        when type is image
  src
                        when type is date, month, week, time, datetime-local, number, or
  step
                        <u>range</u>
  type
                        when type is not file or image
  value
                        when type is image
  width
Error Attribute placeholder is only allowed when the input type is
```

```
31. Error Attribute placeholder is only allowed when the input type is

email, number, password, search, tel, text, or url.

From line 182, column 13; to line 182, column 117

<input type="hidden" class="form-control"

name="recipeImageLink" placeholder="Please enter recipe image">€
```

```
32. Error The width attribute on the hr element is obsolete. Use CSS instead.

From line 186, column 1; to line 186, column 14

> ← < / form > ← < hr width = 75% > ← < ! --
```

33. Error The value of the for attribute of the label element must be the ID of a non-hidden form control.

From line 18, column 9; to line 18, column 64

```
<label class="col-3 offset-2 col-form-label"</pre>
    for="name">Recipe
    (Error) The value of the for attribute of the label element must be the ID
34.
    of a non-hidden form control.
    From line 25, column 9; to line 25, column 66
                 <label class="col-3 offset-2 col-form-label"</pre>
    for="author">Recipe
    (Error) The value of the for attribute of the label element must be the ID
35.
    of a non-hidden form control.
    From line 32, column 9; to line 32, column 67
                 <label class="col-3 offset-2 col-form-label"</pre>
     for="cuisine">Cuisin
    (Error) The value of the for attribute of the label element must be the ID
36.
    of a non-hidden form control.
    From line 42, column 9; to line 42, column 75
                 <label class="col-3 offset-2 col-form-label"</pre>
     for="CountryOfOrigin">Countr
37. (Error) The value of the for attribute of the label element must be the ID
    of a non-hidden form control.
    From line 52, column 9; to line 52, column 68
              <label class="col-3 offset-2 col-form-label"</pre>
    for="mealtime">Mealti
38.
    (Error) The value of the for attribute of the label element must be the ID
    of a non-hidden form control.
    From line 62, column 9; to line 62, column 68
                 <label class="col-3 offset-2 col-form-label"</pre>
     for="servings">Servin
    (Error) The value of the for attribute of the label element must be the ID
39.
    of a non-hidden form control.
    From line 70, column 9; to line 70, column 70
                <label class="col-3 offset-2 col-form-label"</pre>
     for="difficulty">Diffic
```

```
40.
    (Error) The value of the for attribute of the label element must be the ID
    of a non-hidden form control.
    From line 80, column 9; to line 80, column 75
                 <label class="col-3 offset-2 col-form-label"</pre>
    for="preparationtime">Prepar
41.
    (Error) The value of the for attribute of the label element must be the ID
    of a non-hidden form control.
    From line 88, column 9; to line 88, column 71
                <label class="col-3 offset-2 col-form-label"</pre>
    for="cookingtime">Cookin
    (Error) The value of the for attribute of the label element must be the ID
42.
    of a non-hidden form control.
    From line 96, column 9; to line 96, column 74
                 <label class="col-3 offset-2 col-form-label"</pre>
    for="mainIngredient">Main I
    (Error) The value of the for attribute of the label element must be the ID
43.
    of a non-hidden form control.
    From line 108, column 17; to line 108, column 90
                <label class="col-12 col-form-label dietary-allergen-</pre>
    label" for="Dietary">Dietar
44.
   (Error) The value of the for attribute of the label element must be the ID
    of a non-hidden form control.
    From line 124, column 17; to line 124, column 91
                <label class="col-12 col-form-label dietary-allergen-</pre>
    label" for="Allergen">Allerg
```

## Document checking completed.

#### Source

```
1. {% extends "base.html" %} ↔
2. ↔
3. {% block title %} Add recipe {% endblock %} ↔
4. ↔
5. {% block content_two %} ↔
6. <!-- page title --> ↔
7. <div class="row no-gutters"> ↔
8. <div class="col-12 text-align-centre"> ↔
```

```
9.
            <h4 class="add-recipe-page-heading">
10.
                Please enter a new recipe here
11.
12.
       </div>
13. </div>↩
14. <!-- ADD RECIPE FORM -->←
15. <form action="{{ url for('insert recipe') }}" method="POST"</pre>
   autocomplete="off" id="add recipe form" enctype="multipart/form-
   data">↔
16.
       <!-- recipe name -->↔
17.
        <div class="form-group row">↔
18.
            <label class="col-3 offset-2 col-form-label" for="name">Recipe
   name:</label>↩
19.
            <div class="col-5">←
20.
                <input type="text" class="form-control text-align-centre"</pre>
   name="recipeName" placeholder="Please enter recipe name">
21.
           </div>
       </div>
22.
23.
        <!-- recipe author -->
24.
        <div class="form-group row">
25.
            <label class="col-3 offset-2 col-form-label"</pre>
   for="author">Recipe author:</label>↩
            <div class="col-5">↔
26.
27.
                <input type="text" class="form-control text-align-centre"</pre>
   name="recipeAuthor" placeholder="Please enter recipe author">↔
28.
            </div>
       </div>
29.
        <!-- recipe cuisine -->€
30.
31.
        <div class="form-group row">↔
            <label class="col-3 offset-2 col-form-label"</pre>
   for="cuisine">Cuisine</label>←
33.
            <div class="col-5">←
34.
                <select class="form-control cuisine-menu text-align-</pre>
   centre" name="recipeCuisine" id="recipeCuisine">
35.
                    <option>Please select
36.
                </select>€
37.
            </div>
38.
            <input type="hidden" class="form-control" name="recipeCuisine"</pre>
   placeholder="Please enter cuisine">←
39.
        </div>
40.
        <!-- recipe country of origin -->
41.
        <div class="form-group row">
42.
            <label class="col-3 offset-2 col-form-label"</pre>
   for="CountryOfOrigin">Country of origin:</label>←
43.
           <div class="col-5">↔
                <select class="form-control countryOfOrigin-menu text-</pre>
44
   align-centre" id="recipeCountryOfOrigin">←
45.
                  <option>Please select</option>←
46.
                </select>€
47.
            </div>
48.
            <input type="hidden" class="form-control"</pre>
   name="recipeCountryOfOrigin" placeholder="Please enter country of
   origin">↔
49.
        </div>
50.
        <!-- recipe mealtime -->↔
51.
        <div class="form-group row">↔
52.
            <label class="col-3 offset-2 col-form-label"</pre>
   for="mealtime">Mealtime:</label>←
53.
           <div class="col-5">↔
54
                <select class="form-control mealtime-menu text-align-</pre>
   centre" id="recipeMealTime">
55.
                  <option>Please select
56.
                </select>€
57.
            </div>
58.
            <input type="hidden" class="form-control"</pre>
   name="recipeMealTime" placeholder="Please enter mealtime">
```

```
59.
         </div>
60.
         <!-- recipe servings -->↔
61.
         <div class="form-group row">↔
62.
             <label class="col-3 offset-2 col-form-label"</pre>
    \textbf{for="servings">} \texttt{Servings:} < / \texttt{label>} \boldsymbol{\leftarrow}
            <div class="col-5">€
63.
64
                 <input type="number" class="form-control text-align-</pre>
    centre" id="recipeServings" placeholder="Please select" min="0"
    max="20">↩
65.
             </div>↩
66.
             <input type="hidden" class="form-control"</pre>
    name="recipeServings" placeholder="Please enter number of servings">↔
67.
        </div>
68.
         <!-- recipe difficulty -->↔
69.
         <div class="form-group row">←
70.
             <label class="col-3 offset-2 col-form-label"</pre>
    for="difficulty">Difficulty:</label>↩
71.
            <div class="col-5">↔
72.
                 <select class="form-control difficulty-menu text-align-</pre>
    centre" id="recipeDifficulty">
73.
                   <option>Please select
74.
                 </select>€
75.
             </div>
76.
             <input type="hidden" class="form-control"</pre>
    name="recipeDifficulty" placeholder="Please enter difficulty">↔
77.
         </div>
78.
         <!-- recipe preparation time -->↔
         <div class="form-group row">↔
79.
80
             <label class="col-3 offset-2 col-form-label"</pre>
    for="preparationtime">Preparation time:</label>←
             <div class="col-5">↔
81.
82.
                 <input type="number" class="form-control text-align-</pre>
    centre" id="recipePreparationTime" placeholder="Please select" min="0"
    max="200" step="5">
83.
             </div>
             <input type="hidden" class="form-control"</pre>
    name="recipePreparationTime" placeholder="Please enter preparation
    time">↩
85.
        </div>
86.
         <!-- recipe cooking time -->
87.
         <div class="form-group row">←
88.
             <label class="col-3 offset-2 col-form-label"</pre>
    for="cookingtime">Cooking time:</label>←
89.
             <div class="col-5">←
90.
                 <input type="number" class="form-control text-align-</pre>
    centre" id="recipeCookingTime" placeholder="Please select" min="0"
    max="200" step="5">
91.
             </div>
92.
             <input type="hidden" class="form-control"</pre>
    name="recipeCookingTime" placeholder="Please enter cooking time">↔
93.
94.
         <!-- recipe main ingredient -->↔
95.
         <div class="form-group row">←
96
             <label class="col-3 offset-2 col-form-label"</pre>
    for="mainIngredient">Main Ingredient:</label>←
97.
            <div class="col-5">↔
                 <select class="form-control mainIngredient-menu text-</pre>
98.
    align-centre" id="recipeMainIngredient">←
99.
                   <option>Please select
100.
                 </select>
101.
             </div>
102
             <input type="hidden" class="form-control"</pre>
    name="recipeMainIngredient" placeholder="Please enter main
    ingredient">↔
103.
        </div>
104.
         <div class="form-group row">
105.
             <!-- dietary input -->
```

```
106.
             <div class="col-4 offset-2">←
107.
                  <div class="form-group row">
108.
                      <label class="col-12 col-form-label dietary-allergen-</pre>
    label" for="Dietary">Dietary:</label>↔
109.
                      <div class="col-12 checkbox-text">←
                          <input type="checkbox" name="Dietary"</pre>
110.
    class="dietary-checkbox" value="Vegetarian"> Vegetarian<br>
111.
                          <input type="checkbox" name="Dietary"</pre>
    class="dietary-checkbox" value="Pescetarian"> Pescetarian<br⟩←
112.
                          <input type="checkbox" name="Dietary"</pre>
    class="dietary-checkbox" value="Vegan"> Vegan<br>→
113.
                          <input type="checkbox" name="Dietary"</pre>
    class="dietary-checkbox" value="Dietary-other"> Dietary-other<br>
◆
114.
                          <input type="checkbox" name="Dietary"</pre>
    class="dietary-checkbox" value="Dietary-none"> Dietary-none
115.
                      </div>
116.
                      <u ><->
117.
                          <input type="hidden" class="form-control"</pre>
    name="recipeDietary" placeholder="Please enter dietary requirements">↔
118.
                      </div>
                 </div>
119.
120.
             </div>
121.
             <!-- allergens input -->↔
122.
             <div class="col-5">↔
123.
                 <div class="form-group row">
                      <label class="col-12 col-form-label dietary-allergen-</pre>
124
    label" for="Allergen">Allergens:</label>↔
125.
                      <div class="col-12 checkbox-text">↔
126
                          <input type="checkbox" name="Allergen"</pre>
    class="allergen-checkbox" value="Dairy"> Dairy<br>→
                          <input type="checkbox" name="Allergen"</pre>
127.
    class="allergen-checkbox" value="Fish"> Fish<br>€
128.
                          <input type="checkbox" name="Allergen"</pre>
    class="allergen-checkbox" value="Peanuts"> Peanuts<br>→
                          <input type="checkbox" name="Allergen"</pre>
129.
    class="allergen-checkbox" value="Shellfish"> Shellfish<br>
130.
                          <input type="checkbox" name="Allergen"</pre>
    class="allergen-checkbox" value="Soya"> Soya<br>→
131.
                          <input type="checkbox" name="Allergen"</pre>
    class="allergen-checkbox" value="Tree-Nuts"> Tree-Nuts<br>←
                          <input type="checkbox" name="Allergen"</pre>
132.
    class="allergen-checkbox" value="Wheat"> Wheat <br>
                          <input type="checkbox" name="Allergen"</pre>
133.
    class="allergen-checkbox" value="Allergen-other"> Allergen-other<br/>
←
134.
                          <input type="checkbox" name="Allergen"</pre>
    class="allergen-checkbox" value="Allergen-none"> Allergen-none↔
135.
                      </div>
136.
                      <div>
137.
                          <input type="hidden" class="form-control"</pre>
    name="recipeAllergen" placeholder="Please enter any allergens
    تبح:"present
138.
                      </div>
139.
                 </div>
140.
             </div>
141.
         </div>
142.
         <hr width=75%>↔
143.
         <!-- add recipe ingredients -->€
144.
         <div class="form-group row recipe-ingredients">←
             <div class="col-12 text-align-centre">←
145.
146.
                  <h5 class="add-recipe-page-heading"> Add ingredients</h5>↔
147.
             </div>
148.
             <div class="col-10 offset-1 add-recipe-ingredients text-align-</pre>
    centre"></div>
149.
             <div class="col-12 button-center">←
150.
                 <button class="btn btn-outline-info my-2 my-sm-0 add-</pre>
     ingredient-button" type="button">Add ingredient</button>↔
151
             </div>
```

```
152.
             <div class="col-12 button-center ingredient-confirm-button"</pre>
    hidden">↔
153.
                 <h6 class="confirm-button-margin">Please confirm
    ingredients:</h6>
                 <button class="btn btn-outline-success"</pre>
154.
    type="button">Confirm ingredients</button>←
155.
            </div>
             <textarea class="form-control hidden" name="recipeIngredients"</pre>
156
    rows="3" placeholder="Please enter recipe ingredients"></textarea>
157.
        </div>
158.
        <hr width=75%>↔
159.
        <!-- add recipe instructions -->
160.
        <div class="form-group row recipe-instructions">
161.
             <div class="col-12 text-align-centre">←
162.
                 <h5 class="add-recipe-page-heading"> Add
    instructions</h5>↔
163.
            </div>
            <div class="col-10 offset-1 add-recipe-instructions text-</pre>
164.
    align-centre"></div>
165.
            <div class="col-12 button-center">←
166.
                 <button class="btn btn-outline-info my-2 my-sm-0 add-</pre>
    instruction-button" type="button">Add instruction</button>↔
167.
            </div>
168.
            <div class="col-12 button-center instruction-confirm-button</pre>
    hidden">↔
169.
                 <h6 class="confirm-button-margin">Please confirm
    instructions:</h6>
170.
                 <button class="btn btn-outline-success"</pre>
    type="button">Confirm instructions</button>←
171.
            </div>
172.
            <textarea class="form-control hidden"</pre>
    name="recipeInstructions" rows="3" placeholder="Please enter recipe
    instructions"></textarea>
        </div>
173.
174.
        <hr width=75%>↔
175.
        <!-- add recipe image -->€
176.
        <div class="form-group row">↔
177.
             <div class="col-12 text-align-centre">←
178.
                 <h5 class="add-recipe-page-heading"> Add recipe
    image</h5>↩
179.
             </div>
180.
             <div class="col-10 offset-1 text-align-centre image margin">
181.
                 <input class="col-12 text-align-centre" type="file"</pre>
    name="file" / value="file">↔
182.
                 <input type="hidden" class="form-control"</pre>
    name="recipeImageLink" placeholder="Please enter recipe image">
183.
             </div>
184.
        </div>
185. </form>↩
186. <hr width=75%>↔
187. <!-- SUBMIT RECIPE BUTTON -->€
188. <div class="add-button-center">←
        <button type="submit" class="btn btn-outline-success btn-lg</pre>
    recipe_button" id="add-recipe-submit" form="add_recipe_form">Submit
    recipe</button>€
190. </div>↩
191. {% endblock %}
```

Used the HTML parser.

Total execution time 38 milliseconds.

About this checker • Report an issue • Version: 19.6.3