```
/* global $ */
// create contents for select dropdowns
var select contents = {
       countryOfOrigin: ['America', 'Brazil', 'China', 'England', 'France', 'Germ
            'Ireland', 'Italy', 'Japan', 'Mexico', 'Scotland', 'Spain', 'Thailand'
       course: ['Starter', 'Main', 'Dessert'],
        cuisine: ['American', 'Brazilian', 'Chinese', 'English', 'French', 'German
            'Italian', 'Japanese', 'Mexican', 'Scottish', 'Spanish', 'Thai', 'Cusi:
       difficulty: ['Easy', 'Intermediate', 'Hard'],
       mainIngredient: ['Beef', 'Chicken', 'Fish', 'Pork', 'Seafood', 'Turkey', '
       mealtime: ['Breakfast', 'Brunch', 'Lunch', 'Dinner', 'Dessert', 'Snack']
};
// create field array to add db content to edit/delete form fields
var field array = ['recipeCuisine', 'recipeCountryOfOrigin', 'recipeMealTime', 're-
                   'recipeDifficulty', 'recipePreparationTime', 'recipeCookingTime
                   'recipeDietary','recipeMainIngredient'];
// create empty array variables for checkboxes
var dietary array = [], allergen array = [];
// variables for ingredients and instructions textboxes
var ingredient count = 0, instruction count = 0, ingredient values = '', instruction
// add options to select dropdowns function definition
function add options (option object) {
    for (const entry of Object.entries(option object)) {
       var i, key = entry[0], value = entry[1];
       for (i = 0; i < value.length; i++) {
           var name = '.' + key.toString() + '-menu';
            $(name).append('<option value=' + value[i] + '>' + value[i] + '</option</pre>
// await document readiness
$ (document).ready(function() {
   // stop enter key submitting forms on press other than text-search-form
   $('form:not( #text-search-form )').keypress(
        function(event) {
            if (event.which == '13') {
                event.preventDefault();
```

Metrics

version 2.10.2

There are 23 functions in this file.

(https://github.com

Function with the largest signature take 2 arguments, while the /jshint/releases median is 0. /tag/2.10.2)

Largest function has 39 statements in it, while the median is 2.

The most complex function has a cyclomatic complexity (value bout)

of 9 while the median is 1.

Documentation (/docs)

Install (/install)

Two warnings

Contribute (/contribute)

29 'const' is available in ES6 (use 'esversion: 6') or Mozilla Blog (/blog) JS extensions (use moz).

29 'for of' is available in ES6 (use 'esversion: 6') or Mozilla JS extensions (use moz).

13/06/2019, 14:58 1 of 7

```
47
48
          );
49
50
          // define carousel change interval
51
          $('.carousel').carousel({ interval: 5000 });
52
53
          // toggle show advanced search
54
          $('#advanced-search').click(function() {
55
              $('#advanced-search-form').toggleClass('hidden');
56
              $('#search-form').toggleClass('hidden');
57
          });
58
59
          // toggle show search text form
60
          $('#text-search').click(function()
61
              $('#advanced-search-form').toggleClass('hidden');
62
              $('#search-form').toggleClass('hidden');
63
          });
64
65
          // toggle show data plots
66
          $('#get Data').click(function() {
              $('#recipe-data-plots').toggleClass('hidden');
67
68
          });
69
70
          // check if page is showing recipe ingredients
          if ($('#recipeIngredientsDisplay').length) {
71
72
73
              // run iffy to format ingredients text
74
              (function() {
75
                  var str = document.getElementById('recipeIngredientsDisplay').innerHTM
76
                  document.getElementById('recipeIngredientsDisplay').innerHTML = str.rej
77
              })();
78
79
80
          // check if page is showing recipe instruction
81
          if ($('#recipeInstructionsDisplay').length) {
82
              // run iffy to format ingredients text
83
              (function() {
84
                  var str = document.getElementById('recipeInstructionsDisplay').innerHT
85
                  document.getElementById('recipeInstructionsDisplay').innerHTML = str.re
86
              })();
87
88
89
          // add select options to form dropdowns
90
          add options (select contents);
91
92
          // append select value to submission input text box for db submission
93
          $('select').change(function() {
94
              var select id = $(this).attr('id');
```

JS Hint

Metrics

version 2.10.2

There are 23 functions in this file.

(https://github.com

Function with the largest signature take 2 arguments, while the /jshint/releases median is 0. /tag/2.10.2)

Largest function has 39 statements in it, while the median is 2.

The most complex function has a cyclomatic complexity (valuebout)

of 9 while the median is 1.

Documentation (/docs)

Install (/install)

Two warnings

Contribute (/contribute)

29 'const' is available in ES6 (use 'esversion: 6') or Mozilla JS extensions (use moz).

29 'for of' is available in ES6 (use 'esversion: 6') or Mozilla JS extensions (use moz).

2 of 7 13/06/2019, 14:58

```
95
                             if (select id != 'recipeDietary' && select id != 'recipeAllergen') {
96
                                     $('input[name=' + select id + ']').val($('#' + select id.toString()).val($('#' + select id.toString()).val($('* + select id.t
97
98
                     });
99
100
                     // append number value to submission input text box for db submission
101
                     $('input[type=number]').change(function() {
102
                             var select id = $(this).attr('id');
103
                             $('input[name=' + select id + ']').val($('#' + select id.toString()).val()
104
                     });
105
106
                     // append checkbox value to submission input text box for db submission
107
                     $('.dietary-checkbox').click(function() {
108
                             dietary array = [];
109
                             $('input[name="Dietary"]:checked').each(function() {
110
                                     dietary array.push(this.value);
111
112
                             $('input[name=recipeDietary]').val(dietary array.join(','));
113
                     });
114
115
                     // append checkbox value to submission input text box for db submission
116
                     $('.allergen-checkbox').click(function() {
117
                             allergen array = [];
118
                             $('input[name="Allergen"]:checked').each(function() {
119
                                     allergen array.push(this.value);
120
121
                             $('input[name=recipeAllergen]').val(allergen array.join(','));
122
                     });
123
124
                     // confirm ingredients button and append value to submission input textarea for
125
                     $('.ingredient-confirm-button').click(function() {
126
                             ingredient values = '';
127
                             $('.ingredient-text').each(function() {
128
                                      ingredient values = ingredient values + $(this).val() + '\r\n';
129
                             });
130
                             var ingredient string = ingredient values.substring(0, ingredient values.l
131
                             $('textarea[name=recipeIngredients]').val(ingredient string);
132
                             $('.ingredient-confirm-button').text('Ingredients confirmed!');
133
                     });
134
135
                     // confirm instructions button and append value to submission input textarea for
136
                     $('.instruction-confirm-button').click(function() {
137
                             instruction values = '';
138
                             $('.instruction-text').each(function() +
139
                                     instruction values = instruction values + $(this).val() + '\r\n';
140
                             });
141
                             $('textarea[name=recipeInstructions]').val(instruction values.substring(0,
142
                             $('.instruction-confirm-button').text('Instructions confirmed!');
```

JS Hint

Metrics

version 2.10.2

There are 23 functions in this file.

(https://github.com

Function with the largest signature take 2 arguments, while the /jshint/jshint/releases median is 0. /tag/2.10.2)

Largest function has 39 statements in it, while the median is 2.

The most complex function has a cyclomatic complexity (value bout)

of 9 while the median is 1.

Documentation (/docs)

Install (/install)

Two warnings

Contribute (/contribute)

Or Mozilla

- 29 'const' is available in ES6 (use 'esversion: 6') or Mozilla Blog (/blog)
- 29 'for of' is available in ES6 (use 'esversion: 6') or Mozilla JS extensions (use moz).

3 of 7 13/06/2019, 14:58

```
143
          });
144
145
          // add ingredient textarea on button click
146
          $('.add-ingredient-button').click(function() {
147
               ingredient count = ingredient count + 1;
148
               $('.add-recipe-ingredients').append(
149
                   '<div>' +
150
                   '<textarea class="col-12 form-control ingredient-text button-margin te:
151
                   '<br/>button class="col-3 col-md-2 btn btn-outline-danger remove-ingredien-
152
153
              );
154
              $('.ingredient-confirm-button').removeClass('hidden');
155
              ingredient values = '';
156
          });
157
158
          // add instructions textarea on button click
159
          $('.add-instruction-button').click(function()
160
               instruction count = instruction count + 1;
161
              $('.add-recipe-instructions').append(
                   '<div>' +
162
163
                   '<textarea class="col-12 form-control instruction-text button-margin to
                   '<button class="col-3 col-md-2 btn btn-outline-danger remove-instructive
164
165
166
              );
167
              $('.instruction-confirm-button').removeClass('hidden');
168
               instruction values = '';
169
          });
170
171
          // remove ingredient textarea on button click
172
          $(document).on('click', '.remove-ingredient-button', function(e) {
173
               ingredient count = ingredient count - 1;
174
              $(this).parent().remove();
175
              if (ingredient count == 0)
176
                   $('.ingredient-confirm-button').addClass('hidden');
177
                   ingredient values = '';
178
                   $('textarea[name=recipeIngredients]').val('');
179
180
          });
181
182
           // remove instruction textarea on button click
183
           $(document).on('click', '.remove-instruction-button', function(e) {
184
              instruction count = instruction count - 1;
185
              $(this).parent().remove();
186
              if (instruction count == 0) {
187
                   $('.instruction-confirm-button').addClass('hidden');
188
                   instruction values = '';
189
                   $('textarea[name=recipeInstructions]').val('');
190
```

Metrics

version 2.10.2

There are 23 functions in this file.

(https://github.com

Function with the largest signature take 2 arguments, while the /jshint/jshint/releases median is 0. /tag/2.10.2)

Largest function has 39 statements in it, while the median is 2.

The most complex function has a cyclomatic complexity (Aluebout)

of 9 while the median is 1.

Documentation (/docs)

Install (/install) Two warnings

Contribute (/contribute)

- 29 'const' is available in ES6 (use 'esversion: 6') or Mozilla Blog (/blog) JS extensions (use moz).
- 29 'for of' is available in ES6 (use 'esversion: 6') or Mozilla JS extensions (use moz).

13/06/2019, 14:58 4 of 7

```
191
          });
192
193
           // add values to dropdowns, checkboxes and text inputs from db on edit/delete
194
           if ($('form').is('#edit delete form')) {
195
               // add db values as checked/selected to checkboxes and dropdowns
196
               for (var i = 0; i < field array.length; i++) {</pre>
197
                   var checkbox array = [];
                   if (field array[i] == 'recipeDietary' || field array[i] == 'recipeAlle
198
199
                       checkbox array = $('input[name=' + field array[i] + ']').val().spl
200
                       $.each(checkbox array, function(i, value) {
201
                           $('input[value="' + value + '"]').prop('checked', true);
202
                       });
203
                   }
204
                   else {
205
                       var name = '#' + field array[i];
                       var select value = $('input[name=' + field array[i] + ']').val();
206
207
                       $(name).val(select value).attr('selected', 'selected');
208
209
210
211
               // split ingredients data from db into array
212
               var ingredients array = $('textarea[name=recipeIngredients]').val().trim()
213
214
               // append ingredient array values into ingredients textarea's for modifica-
215
               for (i = 0; i < ingredients array.length; i++) {</pre>
216
                   $('.add-recipe-ingredients').append(
                       '<div>' +
217
218
                       '<textarea class="col-12 form-control ingredient-text button-margi:
219
                       '<br/>button class="col-3 col-md-2 btn btn-outline-danger remove-ingre
                       '</div>'
220
221
222
                   $('input[id=ingredient-confirm-button]').removeClass('hidden');
223
224
225
               // split instructions data from db into array
226
               var instructions array = $('textarea[name=recipeInstructions]').val().spli
227
228
               // append instructions array values into instructions textarea's for modif
229
               for (i = 0; i < instructions array.length; i++) {</pre>
230
                   $('.add-recipe-instructions').append(
231
                       '<div>' +
232
                       '<textarea class="col-12 form-control instruction-text button-marg
233
                       '<button class="col-3 col-md-2 btn btn-outline-danger remove-inst.
                       '</div>'
234
235
                   );
236
                   $('input[id=instruction-confirm-button]').removeClass('hidden');
237
238
```

JS Hint

Metrics

version 2.10.2

There are 23 functions in this file.

(https://github.com

Function with the largest signature take 2 arguments, while the /jshint/releases median is 0. /tag/2.10.2)

Largest function has 39 statements in it, while the median is 2.

The most complex function has a cyclomatic complexity (valuebout)

of 9 while the median is 1.

Documentation (/docs)

Install (/install)

Two warnings

Contribute (/contribute)

29 'const' is available in ES6 (use 'esversion: 6') or Mozilla Blog (/blog)

JS extensions (use moz).

29 'for of' is available in ES6 (use 'esversion: 6') or Mozilla JS extensions (use moz).

5 of 7 13/06/2019, 14:58

```
239
              // Deconstruct image filepath to show only file name
240
              $('input[name="recipeImageLink"]').val(
241
                  $('input[name="recipeImageLink"]').val().slice(26)
242
              );
243
244
              $('#displayed-image-link').text(
                  $('input[name="recipeImageLink"]').val()
245
246
              );
247
248
      });
249
```



Metrics

version 2.10.2

There are 23 functions in this file.

Function with the largest signature take 2 arguments, while the //jshint/jshint/releases median is 0. /tag/2.10.2)

Largest function has 39 statements in it, while the median is 2.

The most complex function has a cyclomatic complexity ovaluabout)

of 9 while the median is 1.

Documentation (/docs)

Install (/install)

Two warnings

Contribute (/contribute)

29 'const' is available in ES6 (use 'esversion: 6') or Mozilla Blog (/blog) JS extensions (use moz).

29 'for of' is available in ES6 (use 'esversion: 6') or Mozilla JS extensions (use moz).

6 of 7

JS Hint

Metrics

There are 23 functions in this file.

version 2.10.2

Function with the largest signature take 2 arguments, while the /jshint/jshint/releases median is 0. /tag/2.10.2)

Largest function has 39 statements in it, while the median is 2.

The most complex function has a cyclomatic complexity (value bout)

of 9 while the median is 1.

Documentation (/docs)

Install (/install)

Two warnings

Contribute (/contribute)

29 'const' is available in ES6 (use 'esversion: 6') or Mozilla Blog (/blog)

JS extensions (use moz).

29 'for of' is available in ES6 (use 'esversion: 6') or Mozilla JS extensions (use moz).

7 of 7