



Republic of the Philippines
QUEZON CITY HEALTH DEPARTMENT

Quezon City, Metro Manila

QC Hall Compound, Mayaman St., corner Kalayaan Ave., Gate 4, Quezon City

Tel No. 8988-42-42 loc 1607

Email: cityhealth@quezoncity.gov.ph

EI

Tel. No. 929-75-39

Meningococcemia

Disease Reporting Unit	Barangay	District
Investigator	Designation	Date Investigated (MM/DD/YYYY)

From Endorsement?	Case ID	Date Endorsed/Reported (MM/DD/YYYY)
· Yes · No		
Disposition of patient during interview: · Still Admitted · At home · Died		

1. PERSONAL AND DEMOGRAPHIC INFORMATION				
1.1. Patient Profile				
Last Name:	First Name:		Middle Name:	Suffix:
Date of Birth (MM/DD/YYYY)	Age: ____ · years · months · days	Sex at birth: · Male · Female	Civil Status: · Single · Married · Widowed	Nationality:
1.2. Current Address in the Philippines and Contact Information				
Lives in a closed setting?	☐ Yes, institution type (nursing home, mental institution, jail, etc.)		Name of institution	
	☐ No (indicate home address below)			
House No./Lot/Bldg.	Street/Purok/Sitio	Barangay	Latitude:	
			Longitude:	
Municipality/City	Province	Region	Length of Residence:	
Contact number (cellphone number or telephone number)				
1.3. Permanent Address (If different from the current address)				
House No./Lot/Bldg.	Street/Purok/Sitio	Barangay	Latitude:	
			Longitude:	
Municipality/City	Province	Region	Length of Residence:	
Contact number (cellphone number or telephone number)				
1.4. Special Population (indicate further details on exposure and travel history in Part 3)				
Healthcare Worker?	· Yes, Name of facility: _____ Facility address: _____ · No			
Returning Overseas Filipino?	· Yes, Country of Origin: _____ · OFW · non-OFW · No			
Foreign National Traveler?	· Yes, Country of Origin: _____ Date of arrival (MM/DD/YYYY): _____ · No			
1.5. Employment/Educational Details				
Current Status: ☐ Working ☐ Student				
1.5.1. Employment Details (if working)				
Employment Status: · Employed · Freelanced · Self-employed · Unemployed · Retired	Occupation (specify): Name of Workplace:	Work Arrangement: · Fixed on-site (Office) · Fully Remote (WFH) · Hybrid · Field-based	Last day attended to work: (MM/DD/YYYY)	
Address of Workplace (if fixed on-site, WFH, & Hybrid):				
House No./Lot/Bldg.	Street/Purok/Sitio	Barangay		

"Matatag, Mapagkakatiwalaan, at Maaasahang Pamunuan"



Management System
ISO 9001:2015
www.tuv.com





Republic of the Philippines
QUEZON CITY HEALTH DEPARTMENT

Quezon City, Metro Manila

QC Hall Compound, Mayaman St., corner Kalayaan Ave., Gate 4, Quezon City

Tel No. 8988-42-42 loc 1607

Email: cityhealth@quezoncity.gov.ph

		Tel. No. 929-75-39		
Municipality/City		Province		Region
If Field-based, give details:				
1.5.2. Educational Details (if student)				
Year Level	Section	No. of students in class	Schedule (days – time)	Last day attended (MM/DD/YYYY)
Name of School:				
Address of School				
House No./Lot/Bldg.		Street/Purok/Sitio		Barangay
Municipality/City		Province		Region

2. MEDICAL INFORMATION					
2.1 Clinical Information					
First symptom experienced: _____ Date onset (MM/DD/YYYY): _____					
Initial Symptoms (include days)		Severe / Complications:		Comorbidities (Check all that apply, if present)	
☐ Sudden fever: _____ days ☐ Severe headache ☐ Nausea / vomiting ☐ General weakness / malaise ☐ Myalgia / body aches ☐ Cold hands and feet ☐ Irritability (infants/children) ☐ Poor feeding (infants) ☐ Neck stiffness ☐ Photophobia ☐ Recent cough / sore throat ☐ Others: _____		☐ Petechial or purpuric rash (non-blanching) ☐ Rapidly spreading rash / purpura fulminans ☐ Signs of shock (very weak, pale, cold clammy skin, fast breathing) ☐ Altered mental status (confused / drowsy / unconscious) ☐ Seizures ☐ Respiratory distress ☐ Bleeding manifestations (eg. gum bleeding, abnormal clotting) ☐ Others: _____ Critical Conditions: ☐ Hospital admission ☐ ICU admission ☐ Death		☐ None ☐ Asthma ☐ Chronic Obstructive Pulmonary Disease (COPD) ☐ Pulmonary Tuberculosis ☐ Hypertension ☐ Diabetes ☐ Heart Disease ☐ HIV/AIDS ☐ Chronic Kidney Disease ☐ Cancer ☐ Others, specify: _____	
Meningeal Signs: ☐ Neck stiffness ☐ Kernig's sign ☐ Brudzinski's sign		Underlying conditions: ☐ Pregnant, LMP (MM/DD/YYYY): _____ ☐ Post-partum (<6 weeks), delivery date (MM/DD/YYYY): _____ ☐ Immunodeficiency ☐ PWD, specify: _____ ☐ Others: _____			
2.2. Medical Consultation and Admission Information					
Have recently consulted a healthcare provider? ☐ Yes ☐ No					
Order	Place of Consultation (can be Health Center/ alternative/ clinic or hospital)	Date & Time Consultation	Diagnosis	Healthcare Provider advised the case to be admitted in a hospital/facility	Admitted?
1st				☐ Yes ☐ No	☐ Yes ☐ No
2nd				☐ Yes ☐ No	☐ Yes ☐ No
3rd				☐ Yes ☐ No	☐ Yes ☐ No
Total no. of consultations: _____					
If more than 5, write on the back					
Health status at consultation: ☐ Asymptomatic ☐ Mild ☐ Moderate ☐ Severe ☐ Critical					

If admitted, fill out the following:						
Order	Place of Admission (Name of facility)	Address	Type of bed occupied (ICU,	Date Admitted	Date Discharged	Reason for Discharge

"Matatag, Mapagkakatiwalaan, at Maaasahang Pamunyan"



Management
System
ISO 9001:2015
www.tuv.com





QC Hall Compound, Mayaman St., corner Kalayaan Ave., Gate 4, Quezon City
Tel No. 8988-42-42 loc 1607
Email: cityhealth@quezoncity.gov.ph

EXPOSURE	
Possible Exposure (tick all that apply) Close Contact / Respiratory Exposure ☐ Household member with fever / meningitis-like illness ☐ Close contact with a confirmed/suspected meningococcal case ☐ Exposure to respiratory secretions (coughing, sneezing) ☐ Sharing of utensils, drinks, cigarettes, vape, or water bottles ☐ Kissing / intimate contact Crowding / Institutional Exposure ☐ Attended mass gathering (school, dormitory, barracks, jail, evacuation center) ☐ Daycare / school exposure ☐ Workplace exposure (closed or poorly ventilated area) Travel / Community Exposure ☐ Recent travel (within 14 days) ☐ Stayed in crowded or poorly ventilated accommodation ☐ Known meningococcal case in community Medical / Occupational Exposure ☐ Health-care worker exposure ☐ Exposure during intubation / suctioning / resuscitation ☐ Inadequate PPE during patient contact ☐ Others: _____	Timeline of Events: (narrative)
MOST PROBABLE EXPOSURE / REMARKS:	
3.2. Travel History Travel History (last 14 days) ☐ Yes ☐ No If Yes:	





Republic of the Philippines
QUEZON CITY HEALTH DEPARTMENT

Quezon City, Metro Manila

QC Hall Compound, Mayaman St., corner Kalayaan Ave., Gate 4, Quezon City

Tel No. 8988-42-42 loc 1607

Email: cityhealth@quezoncity.gov.ph

- Location (Country/City/Province): _____
- Dates of Travel: _____
- Stayed in crowded setting? ☐ Yes ☐ No
(e.g., dorm, barracks, event)

Tel. No. 929-75-39

4. CASE CLASSIFICATION, OUTCOME, AND STATUS

4.1. Case Classification

☐ Suspected Case

A person with:

- ☐ Clinical purpura fulminans in the absence of a positive blood culture; OR
- ☐ Gram-negative diplococci not yet identified, isolated from a normally sterile body site (e.g., blood or CSF).

☐ Note: In patient <1 year, suspect meningitis when fever is accompanied by bulging fontanels.

☐ Probable Case

- ☐ Detection of *Neisseria meningitidis* antigen in formalin-fixed tissue by immunohistochemistry (IHC) or in CSF by latex agglutination.

☐ Confirmed Case

☐ A suspected or probable case PLUS:

- ☐ Isolation of *Neisseria meningitidis* from a sterile site (CSF, blood) OR
- ☐ Positive test for *Neisseria meningitidis* from a sterile site (CSF, blood)

Lab confirmation:

- Positive CSF antigen detection or culture
- Positive blood culture
- Positive PCR test

4.2. Outcome

- Alive
- Died, Date (MM/DD/YYYY): _____

4.3. Health Status

- Still sick
- Recovered, Date (MM/DD/YYYY): _____

5. INTERVENTIONS AND CONTROL MEASURE

ACTIONS	DATE	REMARKS
☐ Case Management		
☐ Immediate antibiotic given		
☐ Hospital referral		
☐ Isolation		
☐ Field Investigation		
☐ Close contacts identified		
☐ Exposure setting identified (school/dorm/household)		
☐ Laboratory Confirmation		
☐ Program Mgmt. & Counter Measures		
☐ Prophylaxis for close contacts		
☐ Active case finding		
☐ Surveillance alert		
☐ Vaccination (if outbreak setting)		
☐ Health Education		
☐ Response Coordination Mechanism		
☐ School coordination		
☐ Barangay notification		
☐ Coordinated with program		
☐ Coordinated with DOH		
☐ Risk Assessment		
☐ Cluster present? Yes/No		
☐ High-risk setting? (school, dorm)		





Republic of the Philippines
QUEZON CITY HEALTH DEPARTMENT

Quezon City, Metro Manila

QC Hall Compound, Mayaman St., corner Kalayaan Ave., Gate 4, Quezon City

Tel No. 8988-42-42 loc 1607

Email: cityhealth@quezoncity.gov.ph

6. CLOSE CONTACTS

6.1. Close Contacts

Tel. No. 929-75-39

Total No. of Close Contacts: _____

**Please use Annex for Close Contact Listing*

6.2. Close Contact Monitoring

**Please use Annex D*

7. SURVEY AND OBSERVATION

Socio-demographic Profile (based on the total monthly income of household):

- Poor (<P12,030)
- Low (>P12,030 to <P24,060)
- Lower Middle (> P24,060 to <P48,120)
- Upper Middle (>P84,210 to <P144,360)
- Upper Income (>P144,360 to <P240,060)
- Rich (>P240,060)

Type of house residence

- Apartment
- Gated Subdivision
- Condominium
- Densely-connected houses

Overall condition of the house

- Excellent
- Good
- Fair
- Poor





Annex D (modified) Contact Tracing Form for Meningococcal Diseases

Tel. No. 929-75-39

Name of Index patient: _____ Age / Sex: _____

Permanent Address: _____

Place of work / School: _____

Settings and Modes of Exposure / Contact

Contacts are individuals who have had close contact with a case at some point during the period 10 days prior to the onset of illness in the case to 24 hours after the start of antibiotic treatment in the case.

Example of **settings**: **(a)** household, **(b)** day care, **(c)** health care, **(d)** school, **(e)** work or occupational settings, **(f)** party / festivity /gathering, **(g)** others, please specify.

Examples of **modes**: **(a)** shared food, beverages, utensils, cigarettes, or other objects, **(b)** kissing or mouth-to-mouth resuscitation, **(c)** inadvertent droplet contact, intubation, suctioning, **(d)** others, please specify.

No	Name of Contact	Age/Sex	Relationship to Patient	Exposure / Contact* (write the corresponding letter)			Present Addresses and Contact Numbers	Prophylaxis				Close Contact Monitoring (The average incubation period is 4 days, ranging between 2 and 10 days)									
				Date of last exposure	Setting*	Mode		Date	Drug	Dose	Given by whom	Follow up Day 1	Follow up Day 2	Follow up Day 3	Follow up Day 4	Follow up Day 5	Follow up Day 6	Follow up Day 7	Follow up Day 8	Follow up Day 9	Follow up Day 10

"Matatag, Mapagkakatiwalaan, at Maaasahang Pamunuan"





Republic of the Philippines
QUEZON CITY HEALTH DEPARTMENT

Quezon City, Metro Manila

QC Hall Compound, Mayaman St., corner Kalayaan Ave., Gate 4, Quezon City

Tel No. 8988-42-42 loc 1607

Email: cityhealth@quezoncity.gov.ph

Tel. No. 929-75-39

"Matatag, Mapagkakatiwalaan, at Maaasahang Pamunuan"

