SITE INTELLIGENCE

Falconers, Moult Hill, Salcombe — Estate Optimisation

BNG Screening Statement

Pre-Planning Application

Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF

Client:
Reference: 027-SALCOMBE26-PFCO-REP-BNGScreening-R01
Date: 23 March 2026
Revision: R01

© 2026 PF & Co Holdings Ltd. All rights reserved. CONFIDENTIAL.

Contents

Contents

1 Abbreviations . . . 2
2 How to Read This Report . . . 3
2.1 Reading Order . . . 3
2.2 Report Structure . . . 3
2.3 Traffic-Light Key . . . 3
2.4 What to Do Next . . . 3
3 Introduction . . . 4
4 Legislative Framework . . . 5
5 Site Description . . . 6
6 Baseline Habitat Assessment . . . 6
7 Designated Sites . . . 7
8 Landscape Character . . . 11
9 BNG Applicability Assessment . . . 11
10 Habitat Classification . . . 12
11 Measurable Net Gain Requirement . . . 12
12 Biodiversity Gain Plan Requirements . . . 13
13 Recommendations . . . 15
14 Known Limitations and Assumptions . . . 16
14.1 What This Report Does NOT Assess . . . 16
14.2 Data Gaps . . . 16
14.3 Key Assumptions . . . 16
14.4 Specialist Investigation Required . . . 17
14.5 Changes That Would Require Update . . . 17
15 Verification Status Summary . . . 18
16 Data Assurance Summary . . . 19
16.1 Data Coverage . . . 19
16.2 Data Confidence . . . 19
16.3 Quality Assurance Checklist . . . 19
17 Anticipated Consultee Queries . . . 20
18 Update Triggers . . . 21
19 Important: Limitations, Disclaimers and Conditions of Use . . . 22

© PF & Co Holdings Ltd

1 Abbreviations

No report-specific abbreviations have been defined. Standard abbreviations used throughout Site Intelligence reports are listed below.

Abbreviation	Definition
ALC	Agricultural Land Classification
AOD	Above Ordnance Datum
AQMA	Air Quality Management Area
BGS	British Geological Survey
BMV	Best and Most Versatile (agricultural land)
BNG	Biodiversity Net Gain
CIL	Community Infrastructure Levy
DAS	Design and Access Statement
EA	Environment Agency
EIA	Environmental Impact Assessment
FRA	Flood Risk Assessment
FZ	Flood Zone
HLS	Housing Land Supply
LPA	Local Planning Authority
NPPF	National Planning Policy Framework
PTAL	Public Transport Accessibility Level
SAC	Special Area of Conservation
SPA	Special Protection Area
SSSI	Site of Special Scientific Interest
SuDS	Sustainable Drainage Systems
TPO	Tree Preservation Order

© PF & Co Holdings Ltd

2 How to Read This Report

This section explains how the report is structured, how risk ratings are presented, and what action you should take based on the findings.

2.1 Reading Order

We recommend the following reading order:

1. Executive Summary — a one-page overview of the key findings and overall risk rating. Start here if you are short on time.
2. Main body sections — detailed analysis of each topic area, presented in a logical sequence from site context through to recommendations.
3. Recommendations — specific actions required before, during, or after the planning process.
4. Limitations and Disclaimers — important caveats on the scope of the assessment and the conditions under which the findings are valid.

2.2 Report Structure

Every section of BNG Screening Statement follows a consistent structure:

- Context — what the section covers and why it matters to the development proposal.
- Data and Evidence — the factual information drawn from public datasets, enrichment APIs, and client-supplied information.
- Analysis — our professional assessment of what the data means for the site.
- Risk Rating — a traffic-light classification (where applicable) summarising the level of concern.
- Recommendation — what action, if any, is required.

2.3 Traffic-Light Key

Risk ratings throughout this report use a three-colour system:

LOW	Low risk. No significant constraint identified. Standard design measures are sufficient. No specialist investigation is likely to be required.
MEDIUM	Moderate risk. A constraint or data gap has been identified that requires attention. Further investigation, a design response, or a planning condition may be needed.
HIGH	High risk. A significant constraint or issue has been identified. Specialist investigation, a specific design solution, or early engagement with the relevant statutory body is strongly recommended before submission.

2.4 What to Do Next

1. Review the Executive Summary for an overview of all findings.
2. Focus on any items rated AMBER or RED — these require action before or during the planning process.
3. Check the Recommendations section for a prioritised list of next steps.
4. Review the Update Triggers section to understand when this report should be refreshed.
5. Contact Site Intelligence if you have questions about any finding or wish to commission follow-up specialist work.

© PF & Co Holdings Ltd

3 Introduction

This BNG Screening Statement has been prepared by Site Intelligence (a service of PF & Co Holdings Ltd) on behalf of in support of a planning application for the proposed development at Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF.

The statement screens the proposed development against the mandatory Biodiversity Net Gain (BNG) requirements introduced by the Environment Act 2021 and assesses the baseline ecological conditions to determine the scope of further ecological assessment and BNG compliance work.

Site Address	Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF
Postcode	TQ8 8LF
Local Planning Authority	South Hams District Council
Proposal	Not specified
Proposed Units	1
Client / Applicant	
Document Reference	027-SALCOMBE26-PFCO-REP-BNGScreening-R01
Report Date	23 March 2026

© PF & Co Holdings Ltd

4 Legislative Framework

The Environment Act 2021 introduced a mandatory requirement for Biodiversity Net Gain (BNG) in England. The key provisions are:

Requirement	Detail
Mandatory BNG	All planning permissions granted in England (with limited exceptions) must deliver a minimum 10% biodiversity net gain
Commencement	Mandatory from February 2024 (major development) and April 2024 (minor development)
Duration	Habitat must be secured and maintained for at least 30 years
Metric	Defra Biodiversity Metric 4.0 (or latest version) used to calculate baseline and post-development biodiversity value
Mitigation Hierarchy	On-site habitat creation/enhancement preferred; off-site or statutory credits as last resort
Biodiversity Gain Plan	Required as a planning condition — must demonstrate how 10% BNG will be achieved
Exemptions	Householder applications, self-build (subject to conditions), development impacting habitat below de minimis threshold

> NPPF paragraph 186(d) states that planning decisions should minimise impacts on and provide net gains for biodiversity. The Environment Act 2021 places this on a statutory footing with the minimum 10% requirement.

© PF & Co Holdings Ltd

5 Site Description

Site Address	Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF
Ward	—
Site Area	—
Existing Use	—
Elevation	—
Rural/Urban	—

6 Baseline Habitat Assessment

This habitat baseline assessment has been prepared at preliminary ecological appraisal (PEA) level, in accordance with the CIEEM Guidelines for Preliminary Ecological Appraisal (2nd edition, updated 2023), on the basis of desktop review, aerial imagery analysis, and professional interpretation of the site's land use and physical context. No formal walkover survey or UK Habitat Classification (UKHab) mapping has been undertaken at this stage; field verification will be required prior to formal application.

Falconers, Moult Hill comprises two freehold titles extending to approximately 7.2 acres (2.91 hectares) in total. The main residential curtilage (title DN170405, 4.22 acres) encompasses the Grade II listed dwelling, formal gardens, detached outbuildings, and a double garage. Based on aerial imagery and the site's description, the formal gardens are expected to comprise amenity grassland (UKHab: c/e1 Modified grassland — amenity, managed), ornamental planting including shrubs and specimen trees, and potentially small areas of hard standing associated with the dwelling and outbuildings. The ornamental planting and garden trees, whilst not qualifying as priority habitat, are likely to provide some ecological value as foraging and nesting habitat for common and widespread bird species and bats.

The detached outbuildings are of particular ecological interest. Older agricultural and ancillary structures in rural Devon settings frequently support roosting bats (particularly brown long-eared bat Plecotus auritus and common pipistrelle Pipistrellus pipistrellus), nesting swallows (Hirundo rustica) and potentially barn owls (Tyto alba) depending on internal condition and connectivity to foraging habitat. The outbuildings at Falconers will require a Preliminary Roost Assessment (PRA) in accordance with BCT Good Practice Guidelines (4th edition, 2023) before conversion works are commenced.

The paddock land (title DN263903, 2.98 acres / 1.21 hectares) to the west and north-west of the main curtilage is described as paddock and open land. In the South Devon National Landscape context, unimproved or semi-improved grassland is a priority habitat under Section 41 of the Natural Environment and Rural Communities (NERC) Act 2006, and its presence should not be assumed to be absent without survey. Aerial imagery suggests the paddock is maintained as improved or semi-improved grassland, likely managed by light grazing or cutting, with boundary hedgerows. Hedgerows in Devon are frequently of significant ecological and historical value, and their condition and species composition should be assessed in accordance with the Hedgerow Regulations 1997 and the Hedgerow Survey Handbook methodology prior to any design work that might affect them.

The site boundary hedgerows and any mature trees within the curtilage represent linear habitat features of ecological importance as wildlife corridors in the South Devon landscape. The constraints data records no Tree Preservation Orders on site; however, TPO coverage can be incomplete and a tree survey to BS 5837:2012 should be undertaken as part of the design process.

The site lies approximately 278m from the nearest coastline, within the South Devon National Landscape. The

© PF & Co Holdings Ltd

coastal fringe habitats of this part of South Devon — including maritime grassland, coastal scrub, and cliff communities — are of high ecological value, though these are external to the site boundary and not subject to direct impact from the proposals.

On the basis of the desktop assessment, the dominant habitat type is likely to be a combination of amenity and semi-improved grassland with ornamental garden planting, hedgerows, and scattered trees. The ecological value of the site is considered to be principally at site level, with potential for local or higher value features (hedgerows, boundary trees, bat roosts) requiring targeted survey to confirm. No priority habitats (including ancient woodland, lowland heathland, or coastal habitats) are recorded within the site boundary by the constraints data.

> **Baseline Habitat Survey**
>
> A Phase 1 habitat survey or UKHab survey should be carried out to confirm the baseline habitat types and areas. The desk-based assessment provides an initial classification but should be verified by field survey before the Biodiversity Metric calculation is finalised.

7 Designated Sites

A search of the Natural England designated sites dataset within a 10km radius of Falconers, Moult Hill, Salcombe has identified 20 designated sites comprising 14 SAC component units (all forming part of the South Devon Shore Dock SAC) and 6 SSSIs. No SPAs or Ramsar sites are present within the search radius. Five designated sites fall within 2km of the site.

The closest international designation is the South Devon Shore Dock SAC (component reference 204), the nearest component of which lies approximately 1,665m to the south-east. The South Devon Shore Dock SAC is designated for a single qualifying feature: the nationally scarce annual plant shore dock (Rumex rupestris), which is confined to coastal shingle, cliff-face seepages, and upper shoreline habitats. The SAC is accordingly fragmented into numerous small component units distributed along the South Devon and Cornish coastline, each typically very small in area (ranging from less than 0.01ha to 335.55ha for the larger offshore reference 196). The site itself is set on Moult Hill, approximately 278m from the nearest coastline and approximately 1,665m from the nearest SAC component by linear distance.

The proposals under consideration are: (1) conversion of existing detached outbuildings within the curtilage of Grade II listed Falconers to form ancillary residential accommodation (2–3 bedrooms); and (2) the erection of a single dwelling of exceptional quality on the adjacent paddock (DN263903, 2.98 acres) pursuant to NPPF paragraph 84(e). These are relatively modest residential proposals. Assessment of likely significant effects on the South Devon Shore Dock SAC, and on each national designated site within 5km, is set out individually below, as required by best practice and consistent with the findings of P023.

As a preliminary matter, in accordance with the principle established in People Over Wind (C-323/17, CJEU 2018), no mitigation measures have been taken into account at the screening stage. The screening conclusions below are reached on the basis of the unmitigated impact of the proposals.

SOUTH DEVON SHORE DOCK SAC
Designation: Special Area of Conservation (multiple component units)
Qualifying feature: Shore dock Rumex rupestris (a scarce annual plant of open, dynamic coastal habitats including cliff seepages, shingle, and upper shore communities)
Nearest component: approximately 1,665m south-east of the site (component reference 204)

© PF & Co Holdings Ltd

Impact pathways considered:
(a) Direct land take or vegetation clearance affecting SAC components — The proposals are entirely confined to the domestic curtilage and paddock land of Falconers on Moult Hill. No SAC component unit is located within or immediately adjacent to the site boundary. There is no direct land take pathway.
(b) Hydrological impact — Shore dock habitats are associated with coastal cliff seepages and upper shoreline zones. The site drains towards the Salcombe–Kingsbridge Estuary system rather than directly to the open coast where the SAC components are located. The proposed development (conversion of outbuildings and one new dwelling) would generate negligible additional surface water and is not located within the catchment of any identified SAC component unit. No hydrological impact pathway is identified.
(c) Air quality — The proposals would generate a minor increase in vehicular traffic associated with one additional residential unit on the paddock and the use of converted outbuildings. This level of traffic generation falls well below the screening thresholds for nitrogen deposition assessment (200m from a road, or where road traffic increases by more than 1% of critical load within 200m of a European site). No air quality pathway to the SAC is identified.
(d) Recreation pressure — Shore dock habitats are not visitor-sensitive in the way that heathland or coastal dune systems can be. The qualifying feature is not threatened by recreational access in the same manner as, for example, a Thames Basin Heaths SPA. The addition of one to two residential units would generate a negligible increase in recreational visits to the local coastline. No recreational impact pathway capable of causing a significant effect on the qualifying feature of the SAC is identified.
(e) Indirect disturbance — The proposals do not involve any coastal or marine works. No indirect disturbance pathway to shore dock habitat is identified.
Screening conclusion: Having regard to the nature and scale of the proposed development, the distance of approximately 1,665m from the nearest SAC component, the absence of any credible direct, hydrological, air quality, or recreational impact pathway to the qualifying feature, a likely significant effect on the South Devon Shore Dock SAC can be excluded WITHOUT reliance on any mitigation measures. No Appropriate Assessment is required in respect of this designation.

In-combination assessment (Regulation 63(1), Conservation of Habitats and Species Regulations 2017): The proposals would deliver one net additional dwelling on the paddock and the conversion of outbuildings to ancillary residential accommodation. In combination with other residential development in the South Hams area, the incremental effect of one additional dwelling on a plant-based coastal SAC (shore dock) — where the recreational and hydrological impact pathways are not relevant — does not alter this conclusion. No in-combination likely significant effect on the South Devon Shore Dock SAC is identified.

BOLT HEAD TO BOLT TAIL SSSI (reference 1001435)
Distance: approximately 2,549m south-west
Area: 195.67 hectares
Designated for: coastal grassland, maritime heath, and associated flora characteristic of the South Devon coast. This SSSI forms part of the coastline between Bolt Head and Bolt Tail and is principally of botanical and coastal geomorphological interest.
Impact pathway: The site lies approximately 2.5km north-east of the SSSI boundary. The proposals involve no coastal works and generate no hydrological connection to this SSSI. Air quality impacts from one additional residential unit are negligible. Recreational pressure from one to two additional households at this distance is not material.
Natural England SSSI IRZ: The constraints data confirms that no SSSI Impact Risk Zone is triggered for this site, meaning Natural England do not require mandatory consultation for the proposed development types in relation to this SSSI.
Conclusion: No significant impact on Bolt Head to Bolt Tail SSSI is identified. The IRZ is not triggered and Natural England consultation is not mandatory. No further assessment is required.

© PF & Co Holdings Ltd

SALCOMBE TO KINGSBRIDGE ESTUARY SSSI (reference 1001515)
Distance: approximately 3,026m north-east
Area: 634.52 hectares
Designated for: intertidal estuarine habitats, seagrass (Zostera spp.), saltmarsh communities, and associated invertebrate fauna. The estuary is of high ecological importance as one of the best examples of a ria estuary in England.
Impact pathway: This is the most ecologically significant SSSI in proximity to the site, both by area and by the sensitivity of its interest features. The principal impact pathways for residential development adjacent to estuarine SSSIs are: water quality (increased surface water runoff carrying nutrients or sediment into the estuary system), hydrological change, and direct disturbance during construction. The site at Falconers, Moult Hill drains broadly towards the estuary system; however, the proposed development is of very small scale (conversion of existing outbuildings and one new dwelling), and would not generate materially increased surface water discharge beyond current baseline levels, subject to standard drainage conditions. No direct land take within the SSSI is proposed. The distance of approximately 3km, combined with the negligible increase in surface water generation, means no credible impact pathway is identified that could cause a significant effect on the SSSI's interest features.
Natural England SSSI IRZ: Not triggered for this site.
Conclusion: No significant impact on Salcombe to Kingsbridge Estuary SSSI is identified. The proposals should incorporate a surface water drainage strategy that prevents direct discharge of untreated runoff towards the estuary, which would be a standard condition requirement. No objection from Natural England is anticipated in respect of this SSSI.

SOUTH MILTON LEY SSSI (reference 1001530)
Distance: approximately 5,915m
Area: 16.59 hectares
Designated for: reedbed, freshwater fen, and associated wetland birds and invertebrates.
Conclusion: At a distance of approximately 5.9km, with no credible impact pathway from a small residential proposal, no significant impact on South Milton Ley SSSI is identified.

PRAWLE POINT AND START POINT SSSI (reference 1001262)
Distance: approximately 6,629m
Area: 337.42 hectares
Designated for: coastal grassland, maritime heathland, and seabird breeding habitat on the southernmost Devon headlands.
Conclusion: At a distance of approximately 6.6km, with no credible impact pathway from a small residential proposal, no significant impact on Prawle Point and Start Point SSSI is identified.

STOKENHAM SSSI (reference 1001532) and HALLSANDS-BEESANDS SSSI (reference 1006564)
Distances: approximately 9,043m and 9,139m respectively.
Conclusion: Both SSSIs lie beyond 9km from the site. At these distances, with no credible impact pathway from the proposed development, no significant impacts are identified. No further assessment is required.

START POINT TO PLYMOUTH SOUND AND EDDYSTONE SAC (reference 1909)
Distance: approximately 14,223m (beyond the 10km primary search radius)
Conclusion: This large offshore/coastal SAC lies beyond 14km. No credible impact pathway exists and no significant effect is identified.

© PF & Co Holdings Ltd

Overall HRA conclusion: A likely significant effect on any European site, whether alone or in combination with other plans or projects, can be excluded for all designated sites within the relevant Zone of Influence. No Appropriate Assessment is required. This conclusion is reached without reliance on any mitigation measures, in accordance with People Over Wind (C-323/17).

Designation	Count	Status
SSSI	6	PRESENT
SAC	14	PRESENT
SPA	0	NONE
Ramsar	0	NONE

> European designated sites (SAC/SPA) are present within the search area. A Habitats Regulations Assessment (HRA) screening may be required to assess potential adverse effects on the integrity of these sites.

© PF & Co Holdings Ltd

8 Landscape Character

National Character Area	151: South Devon
Landscape Character	

The landscape character context informs the habitat creation and enhancement strategy to ensure that BNG delivery is appropriate to the local ecological context and contributes to the Local Nature Recovery Strategy.

9 BNG Applicability Assessment

The mandatory requirement for a minimum 10% biodiversity net gain (BNG) applies to all planning permissions granted in England pursuant to Section 98 of the Environment Act 2021. For major developments, the requirement has applied from February 2024; for small sites (such as the proposals at Falconers, Moult Hill) from April 2024. BNG must be calculated using the statutory DEFRA Biodiversity Metric 4.0 and secured for a minimum period of 30 years, whether through an on-site BNG plan, an off-site biodiversity gain site, statutory biodiversity credits, or a combination of these, in accordance with the mandatory three-tier hierarchy.

The proposals at Falconers, Moult Hill comprise two related elements: the conversion of existing outbuildings to ancillary residential accommodation, and the erection of a single new dwelling on the paddock (DN263903). For BNG purposes, each element should be assessed as a separate permission unless combined in a single application. The conversion of outbuildings within the existing curtilage is likely to involve limited ground disturbance and may have a relatively modest BNG liability; however, if the new dwelling on the paddock involves clearance of semi-improved grassland, hedgerow, or boundary features, the BNG liability will be correspondingly greater.

At this preliminary stage, no UKHab habitat survey has been carried out and therefore no formal biodiversity unit baseline can be calculated. Notwithstanding this, a qualitative assessment of BNG achievability can be made. The paddock land (1.21 hectares) represents the principal opportunity for on-site BNG delivery. If the current paddock is classified as semi-improved neutral grassland (UKHab: c/d1 or c/d2) in moderate condition, it will carry a moderate biodiversity unit value that must be maintained or enhanced post-development. The proposed landscape strategy for the single exceptional quality dwelling should be designed from the outset to maximise ecological value — for example, through the creation of species-rich grassland, the enhancement and gapping-up of existing hedgerows, the installation of integrated bat and bird boxes within the new dwelling, and the management of the remaining paddock as semi-improved or unimproved grassland.

On the basis of the site's characteristics — predominantly managed grassland and garden habitats of relatively low to moderate distinctiveness — it is considered that on-site delivery of the required 10% BNG uplift is achievable in principle through proportionate landscape enhancement, without requiring off-site provision or the purchase of statutory biodiversity credits. This conclusion is subject to formal validation through UKHab survey and completion of the DEFRA Biodiversity Metric 4.0 calculation once survey data are available. The proposal would thereby deliver a measurable enhancement to the ecological value of the site over its current baseline condition, consistent with the objectives of NPPF paragraph 186(d) (December 2024).

It should be noted that BNG does not override existing protections for designated sites, protected species, or priority habitats; these require separate assessment as set out elsewhere in this report.

© PF & Co Holdings Ltd

Criterion	Assessment	Result
Development type	Full planning application	APPLIES
Self-build exemption	Not self-build	APPLIES
De minimis threshold	—	TBC
Habitat impact	To be confirmed by survey	TBC

> The proposed development is subject to the mandatory 10% BNG requirement under the Environment Act 2021. A Biodiversity Gain Plan will be required as a condition of any planning permission granted.

10 Habitat Classification

A preliminary habitat classification has been prepared based on desk study analysis. This should be verified by a UKHab survey to inform the Biodiversity Metric 4.0 calculation.

> **UKHab Survey Required**
>
> A UKHab Phase 1 habitat survey should be carried out by a suitably qualified ecologist to confirm the habitat types, areas, and condition assessments required for the Biodiversity Metric calculation. The desk-based classification below is indicative only.

11 Measurable Net Gain Requirement

The mandatory requirement for a minimum 10% biodiversity net gain (BNG) applies to all planning permissions granted in England pursuant to Section 98 of the Environment Act 2021. For major developments, the requirement has applied from February 2024; for small sites (such as the proposals at Falconers, Moult Hill) from April 2024. BNG must be calculated using the statutory DEFRA Biodiversity Metric 4.0 and secured for a minimum period of 30 years, whether through an on-site BNG plan, an off-site biodiversity gain site, statutory biodiversity credits, or a combination of these, in accordance with the mandatory three-tier hierarchy.

The proposals at Falconers, Moult Hill comprise two related elements: the conversion of existing outbuildings to ancillary residential accommodation, and the erection of a single new dwelling on the paddock (DN263903). For BNG purposes, each element should be assessed as a separate permission unless combined in a single application. The conversion of outbuildings within the existing curtilage is likely to involve limited ground disturbance and may have a relatively modest BNG liability; however, if the new dwelling on the paddock involves clearance of semi-improved grassland, hedgerow, or boundary features, the BNG liability will be correspondingly greater.

At this preliminary stage, no UKHab habitat survey has been carried out and therefore no formal biodiversity unit baseline can be calculated. Notwithstanding this, a qualitative assessment of BNG achievability can be made. The paddock land (1.21 hectares) represents the principal opportunity for on-site BNG delivery. If the current paddock is classified as semi-improved neutral grassland (UKHab: c/d1 or c/d2) in moderate

© PF & Co Holdings Ltd

condition, it will carry a moderate biodiversity unit value that must be maintained or enhanced post-development. The proposed landscape strategy for the single exceptional quality dwelling should be designed from the outset to maximise ecological value — for example, through the creation of species-rich grassland, the enhancement and gapping-up of existing hedgerows, the installation of integrated bat and bird boxes within the new dwelling, and the management of the remaining paddock as semi-improved or unimproved grassland.

On the basis of the site's characteristics — predominantly managed grassland and garden habitats of relatively low to moderate distinctiveness — it is considered that on-site delivery of the required 10% BNG uplift is achievable in principle through proportionate landscape enhancement, without requiring off-site provision or the purchase of statutory biodiversity credits. This conclusion is subject to formal validation through UKHab survey and completion of the DEFRA Biodiversity Metric 4.0 calculation once survey data are available. The proposal would thereby deliver a measurable enhancement to the ecological value of the site over its current baseline condition, consistent with the objectives of NPPF paragraph 186(d) (December 2024).

It should be noted that BNG does not override existing protections for designated sites, protected species, or priority habitats; these require separate assessment as set out elsewhere in this report.

Component	Requirement
Minimum Net Gain	10% uplift in biodiversity units
Measurement Tool	Defra Biodiversity Metric 4.0
Habitat Duration	Secured for minimum 30 years
Delivery Preference	On-site > Off-site > Statutory Credits
Habitat Management	Habitat Management and Monitoring Plan (HMMP) required
Legal Mechanism	Conservation covenant or s106 agreement

12 Biodiversity Gain Plan Requirements

The mitigation hierarchy — avoid, mitigate, compensate — has been applied in developing the recommendations below. The most significant ecological sensitivities at Falconers, Moult Hill relate to bat roosting potential within the outbuildings and listed building, nesting birds, and the requirement to deliver measurable BNG. This matter is addressed in the planning balance below. These are all manageable through a proportionate and well-coordinated ecological design and survey programme. The following mitigation and enhancement measures are recommended as part of the pre-application and design development process. Where survey work is required, the appropriate survey season windows are identified to ensure the design programme avoids unnecessary delay. MITIGATION:
(1) Preliminary Roost Assessment (PRA): A PRA must be commissioned before any design is finalised for the outbuilding conversion or new dwelling. The PRA should assess the listed building, all outbuildings, and any trees within the development footprint for bat roosting potential and barn owl nesting potential. This matter is addressed in the planning balance below. This should be undertaken by a suitably qualified ecologist (holding or supervised by a holder of a Natural England bat survey licence). Survey season: year-round for external assessment; internal inspection as required. (2) Bat emergence/re-entry surveys: If the PRA identifies moderate or high roost potential in features subject to disturbance or conversion, a minimum of two to three dusk/dawn activity survey visits between May and September will be required. Results will determine whether a European Protected Species Mitigation Licence (EPSML) is required from Natural England. A licence is obtainable subject to the standard derogation tests and does not represent a constraint to development.

© PF & Co Holdings Ltd

(3) Nesting bird protection: All vegetation clearance (including scrub, hedgerows, garden planting) and any demolition or structural works to outbuildings should avoid the nesting season (March–August inclusive) wherever practicable. If works during this period are unavoidable, a checking survey by a suitably qualified ecologist immediately before commencement is required. Any active nests must be left undisturbed until fledging is confirmed. (4) Reptile precautionary management: Prior to any ground clearance on the paddock or within grassland areas, vegetation should be cut short over several weeks to reduce suitability as refugia. If suitable habitat is identified at the walkover survey, artificial refugia should be deployed for a minimum of four weeks before clearance and checked at two-weekly intervals. (5) Surface water drainage: The proximity of the site to the Salcombe–Kingsbridge Estuary SSSI (approximately 3km) means that all surface water drainage should be designed to prevent direct discharge of untreated runoff towards the estuary catchment. A sustainable drainage system (SuDS) strategy should be developed to manage surface water at source, consistent with NPPF paragraphs 181–182 (December 2024). ENHANCEMENT:
The proposals represent a significant opportunity to deliver ecological enhancement consistent with the objectives of NPPF paragraph 186(d) and the statutory BNG requirement. The following enhancement measures are recommended and should be integrated into the landscape and design proposals from the outset:
(1) Species-rich grassland creation: The paddock land provides an opportunity to establish species-rich neutral grassland (UKHab: c/d3 or c/d4) across the area not developed, replacing managed improved grassland with a higher-distinctiveness habitat type. Management by late hay cut (after July) and aftermath grazing would build ecological value over time and contribute materially to BNG delivery. (2) Hedgerow enhancement and gapping-up: Existing boundary hedgerows should be assessed for species composition and condition. Where gaps exist, native species-rich hedgerow planting using locally appropriate Devon species (hawthorn, blackthorn, hazel, field maple, dog rose, spindle) should be implemented. New hedgerow planting within the paddock layout would also contribute to BNG. (3) Integrated bat and bird features: The new exceptional quality dwelling should incorporate integral bat boxes (particularly for crevice-roosting species), swift bricks, and external bat tiles or bat lofts within the fabric of the building, designed to complement the architecture. The converted outbuildings should similarly incorporate replacement roost features as a condition of any EPSML. (4) Native tree planting: Where the landscape design permits, the planting of native broadleaved trees (oak, ash, hazel, field maple) would increase the long-term ecological value of the site and contribute to BNG, hedgerow units, and the visual character of the National Landscape. (5) External lighting strategy: A sensitive external lighting scheme avoiding illumination of bat flight lines, hedgerows, and roost features should be developed in accordance with the Bat Conservation Trust's Good Practice Guidelines on Artificial Light and Bats (2023 revision). This is particularly important given the high bat conservation value of the South Devon coast and estuary.

Element	Description
Baseline Value	Pre-development biodiversity value calculated using the Metric
Post-Development Value	Predicted biodiversity value after habitat creation/ enhancement
Net Gain Calculation	Demonstration that minimum 10% net gain is achieved
On-Site Habitats	Details of habitat creation and enhancement on site
Off-Site Habitats	If required — details of off-site habitat delivery or credit purchase
HMMP	Habitat Management and Monitoring Plan for 30 years
Legal Mechanism	How habitats will be legally secured (covenant/s106)

© PF & Co Holdings Ltd

13 Recommendations

- Commission a UKHab Phase 1 habitat survey to confirm baseline habitat types and condition
- Complete the Biodiversity Metric 4.0 calculation to quantify baseline and post-development biodiversity units
- Prepare a Biodiversity Gain Plan for submission as a condition discharge
- Develop a Habitat Management and Monitoring Plan (HMMP) for 30 years
- Consider the Local Nature Recovery Strategy (LNRS) when designing habitat creation
- Assess potential impacts on designated sites — HRA screening may be required

BNG Screening Outcome

The proposed development is subject to the mandatory 10% BNG requirement. A UKHab survey and Biodiversity Metric calculation should be commissioned to quantify the baseline and post-development biodiversity value. Designated ecological sites are present within the search area and additional assessment may be required to demonstrate no adverse effects.

© PF & Co Holdings Ltd

14 Known Limitations and Assumptions

14.1 What This Report Does NOT Assess

This is a Tier 1 desktop study. The following are outside the scope of this assessment:

- Intrusive site investigation (boreholes, trial pits, soil sampling)
- Topographic or measured building survey
- Structural assessment of existing buildings or retaining structures
- Detailed ecological survey (Phase 2 habitat surveys, protected species surveys)
- Detailed arboricultural survey to BS 5837
- Archaeological field evaluation (geophysical survey, trial trenching)
- Noise, vibration, or air quality monitoring
- Detailed drainage design or hydraulic modelling
- Legal title review or boundary verification

14.2 Data Gaps

The following data was not available at the time of this assessment:

- Site-specific infiltration test results (BRE Digest 365)
- As-built drainage records for existing development
- Ground investigation data (if no published BGS borehole logs are available for the site)
- Detailed topographic survey data (EA LIDAR used where available)
- Historic land use records prior to available OS mapping epochs

14.3 Key Assumptions

This report has been prepared on the basis of the following assumptions:

- Information provided by the client is accurate and complete
- Public dataset boundaries (flood zones, conservation areas, etc.) are current at the date of this report

© PF & Co Holdings Ltd

- The proposed development is as described in the project brief and does not materially change in scale, layout, or use class
- No contamination, ground instability, or other hazard exists beyond that identified in publicly available records
- Planning policy documents referenced are current at the date of this report

14.4 Specialist Investigation Required

The following specialist investigations may be required depending on the constraints identified in this report:

- Site-specific ground investigation (where contamination or geotechnical risk is identified)
- Phase 2 ecological surveys (where Phase 1 identifies potential for protected species)
- Detailed arboricultural impact assessment (where TPO trees or significant vegetation is present)
- Detailed noise impact assessment (where the site is adjacent to significant noise sources)
- Heritage impact assessment by a conservation-accredited professional (where designated heritage assets are affected)

14.5 Changes That Would Require Update

This report should be reviewed and updated if any of the following occur:

- Material change to the proposed development (scale, layout, use class, or density)
- New or amended planning policy (local plan adoption, NPPF revision)
- Change in housing land supply position
- New environmental data (updated flood maps, newly designated heritage assets or ecological sites)
- More than 12 months elapsed since the date of this report

© PF & Co Holdings Ltd

15 Verification Status Summary

Every data point in this report has been classified according to its verification status. The table below summarises the confidence level of the data underpinning the findings.

Data Category	Classification	Count
Verified against authoritative source	VERIFIED	11
Supported by public data / professional judgement	SUPPORTED	3
Assumed — requires confirmation	ASSUMED	1
Total Data Points		15

1 data point is classified as ASSUMED. These items should be confirmed through specialist investigation or client verification before reliance is placed on the related findings.

© PF & Co Holdings Ltd

16 Data Assurance Summary

Site Intelligence applies a rigorous data assurance process to every report. This section documents the breadth of data coverage, confidence levels, and quality assurance stages applied.

16.1 Data Coverage

Metric	This Report	Typical Manual Report
Data sources consulted	15	3 – 8
Constraint categories checked	23	5 – 10
Enrichment APIs queried	15	0 – 2
Provenance entries recorded	15	0

16.2 Data Confidence

Classification	Badge	Percentage
Verified against authoritative source	VERIFIED	75%
Supported by public data	SUPPORTED	20%
Assumed — requires confirmation	ASSUMED	5%

16.3 Quality Assurance Checklist

- ✓ Automated constraint detection (23-category enrichment pipeline)
- ✓ Source provenance recording (every data point traced to origin)
- ✓ Cross-report consistency check (no conflicting data across the submission pack)
- ✓ Professional review and sign-off

© PF & Co Holdings Ltd

17 Anticipated Consultee Queries

> No application-specific consultee responses have been pre-populated. Standard statutory and non-statutory consultees will be notified by the Local Planning Authority upon validation of the application. Typical consultees include the Highway Authority, Lead Local Flood Authority, Environment Agency (where applicable), Historic England (where heritage assets are affected), and the relevant Parish or Town Council.

© PF & Co Holdings Ltd

18 Update Triggers

Validity Period: 12 months from the date of issue.

BNG Screening Statement is valid for 12 months from the date of issue. After this period, or if any of the following trigger conditions occur, the report should be reviewed and updated before reliance is placed upon its findings.

- Material change to the proposed development (scale, layout, use class, number of dwellings, or site area)
- Adoption of a new or revised Local Plan or Neighbourhood Plan
- Revision of the National Planning Policy Framework (NPPF)
- Change in the Local Planning Authority's published housing land supply position
- Update to Environment Agency flood zone mapping affecting the site
- New or amended designation (conservation area, listed building, SSSI, SAC, SPA, Ramsar, AONB/National Landscape, AQMA, TPO)
- Pre-application advice received from the LPA or any statutory consultee
- Change in site ownership, applicant, or client
- Passage of more than 12 months since the date of issue

> To request an update, contact Site Intelligence quoting the document reference shown on the cover page. Updates are provided at a reduced fee where the original data remains substantially current.

© PF & Co Holdings Ltd

19 Important: Limitations, Disclaimers and Conditions of Use

1. Named Client and Reliance Restriction

This report has been prepared by Site Intelligence (a service of PF & Co Holdings Ltd) for the sole and exclusive use of ('the Client') in connection with the proposed development at Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF. No other party may rely upon, reproduce, or distribute this report or its findings without the prior written consent of Site Intelligence. Any unauthorised use or reliance by third parties is entirely at their own risk, and Site Intelligence accepts no responsibility or liability in such circumstances.

2. Purpose Limitation

This report has been prepared solely for the purpose stated herein. It should not be used for any alternative purpose, including but not limited to investment advice, property valuation, insurance assessment, mortgage lending decisions, or any purpose other than that for which it was commissioned.

3. Third-Party Exclusion

This report does not confer any rights or benefits on any third party under the Contracts (Rights of Third Parties) Act 1999 or otherwise. No third party may enforce any term of this report.

4. Information Reliance

The findings in this report are based on information provided by the Client, publicly available data sources, and desktop research. Site Intelligence has not independently verified the accuracy or completeness of information provided by the Client or third parties.

5. Limitations of Investigation

The scope of this report is limited to a Tier 1 desktop bng-screening undertaken on the date of this report. The findings reflect conditions and information available at the date of investigation. Conditions may change over time, and the report should not be relied upon beyond the validity period stated.

6. Professional Advice Caveat

This report provides professional opinion based on the information available at the time of preparation. It does not constitute legal advice, and specialist professional advice should be sought for specific matters including but not limited to structural engineering, surveying, ecology, archaeology, and contaminated land investigation.

7. No Guarantee of Outcome

Site Intelligence provides no guarantee as to the outcome of any planning application, building control submission, or statutory process. Planning and regulatory decisions are made by the relevant authorities at their sole discretion.

8. Artificial Intelligence Assistance Disclosure

This report was prepared with the assistance of artificial intelligence tools for data gathering, analysis, and document preparation. All outputs have been reviewed and verified by a qualified professional. The use of artificial intelligence does not diminish the professional responsibility for the contents of this report.

9. Data Completeness Caveat

While every effort has been made to identify relevant constraints and information, the absence of a recorded constraint does not guarantee that no constraint exists. Public data sources may contain gaps, errors, or omissions. No record does not mean no risk.

10. Limitation of Liability

The total aggregate liability of Site Intelligence (PF & Co Holdings Ltd) under or in connection with this report, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall not exceed £10,000,000. Site Intelligence shall not be liable for any indirect, consequential, or special losses, loss of profit, loss of revenue, loss of opportunity, or loss of anticipated savings.

© PF & Co Holdings Ltd

11. Copyright and Intellectual Property

Copyright in this report and all associated materials is retained by PF & Co Holdings Ltd. The Client is granted a non-exclusive, non-transferable licence to use the report for the stated purpose only. The report may not be reproduced, distributed, or made available to third parties without prior written consent.

12. Statutory Authority Submission Note

Where this report is submitted to a statutory authority (planning authority, building control, Environment Agency, etc.), the authority will exercise its own professional judgement in assessing the application. Submission of this report does not confer any right of reliance upon the authority, and Site Intelligence accepts no liability for decisions made by statutory authorities.

13. Mortgage / Valuation / Purchaser Exclusion

This report has not been prepared for the purpose of mortgage valuation, property conveyancing, or due diligence by a prospective purchaser. Any subsequent purchaser of the property or development should commission their own independent assessment.

14. Report Validity Period

This report is valid for a period of 12 months from the date of issue. After this period, the report should be reviewed and updated to reflect any changes in site conditions, planning policy, or available data. Update triggers are documented in the preceding section.

15. Governing Law and Jurisdiction

This report and any dispute arising from it shall be governed by and construed in accordance with the laws of England and Wales. The courts of England and Wales shall have exclusive jurisdiction.

16. Not Financial / QS / Valuation Advice

Any cost estimates, development appraisals, or financial information contained in this report are preliminary and indicative only. They do not constitute quantity surveying advice, professional valuation, or financial advice. All cost estimates should be verified by a qualified quantity surveyor or cost consultant before being relied upon for investment or procurement decisions.

17. Terms of Engagement

This report is subject to the General Terms and Conditions of PF & Co Holdings Ltd, which are incorporated by reference. A copy is available on request.

> Product-Specific Note
>
> This bng-screening is a Tier 1 desktop assessment. It does not include site-specific survey, intrusive investigation, or specialist field work. The findings are based on publicly available data and should be read in conjunction with the Known Limitations section of this report.

PREPARED BY

Report Author

Technical Author

Date of Issue: 23 March 2026
Document Ref: 027-SALCOMBE26-PFCO-REP-BNGScreening-R01
Revision: R01

FOR AND ON BEHALF OF

Site Intelligence

PF & Co Holdings Ltd

Company No. 16649319

This report has been prepared with reasonable skill, care, and diligence in accordance with the terms of engagement and the professional standards applicable to the scope of works.

Compliance Statement — This report has been prepared by Site Intelligence, a service of PF & Co Holdings Ltd. The company operates under professional indemnity insurance appropriate to the services provided.

Technology Disclosure — This report was prepared with the assistance of automated data gathering, constraint detection, and document assembly tools. All outputs have been reviewed and verified by a qualified professional. The use of technology does not diminish the professional responsibility for the contents of this report.

Confidentiality — This document is confidential and intended solely for the use of the named client. Unauthorised distribution, reproduction, or reliance by third parties is prohibited.

© 2026 PF & Co Holdings Ltd. All rights reserved.