SITE INTELLIGENCE

Falconers, Moult Hill, Salcombe — Estate Optimisation

CIL Liability Assessment

Pre-Planning Application

Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF

Client:
Reference: 027-SALCOMBE26-PFCO-REP-CILAssessment-R01
Date: 23 March 2026
Revision: R01

© 2026 PF & Co Holdings Ltd. All rights reserved. CONFIDENTIAL.

Introduction

This CIL Liability Assessment has been prepared to estimate the Community Infrastructure Levy payable for the proposed development at Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF.

The Community Infrastructure Levy (CIL) is a charge that local authorities can apply to new development to help fund infrastructure. CIL is calculated based on the net increase in gross internal area (GIA), the applicable charging rate for the development type and zone, and the BCIS All-in Tender Price Index for indexation.

Site & Proposal Summary

Site Address	Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF
Postcode	TQ8 8LF
Local Planning Authority	South Hams District Council
Proposal	Not specified
Proposed Units	1
Proposed GIA	To be confirmed
Existing GIA (Lawful Use)	To be confirmed
Net Additional Floor Area	Subject to detailed design

CIL Charging Schedule

Charging Authority	South Hams District Council
Charging Schedule Date	
CIL Zone	—
Base Rate	£0/sqm
BCIS Index (Current / Base)	395 / 378
Indexation Factor	× 1.045
Indexed Rate	£0/sqm

Liability Calculation

© PF & Co Holdings Ltd

Proposed GIA	TBC
Less: Existing GIA (lawful use deduction)	– 0 sqm
Net Chargeable Area	**Subject to detailed design**
CIL Rate (South Hams District Council)	£0/sqm
BCIS Indexation (395 / 378)	× 1.045
Indexed Rate	**£0/sqm**
Gross CIL Liability	**£0**
Less: Existing Lawful Use Deduction (0 sqm)	– £0
Net CIL Liability	**£0**

Calculation: Net GIA × CIL Rate × (BCIS Index Current ÷ BCIS Index Base)

Net CIL Liability	Neighbourhood Portion (15%)	CIL per Unit
£0	£0	£0

Surcharge Exposure

CIL surcharges may apply if procedural requirements are not met. The following table shows the potential additional liability under each surcharge scenario.

Surcharge Type	Trigger	Rate	Potential Liability
Form 2 (Assumption of Liability)	Not submitted before commencement	5%	£0
Form 6 (Commencement Notice)	Not submitted before commencement	5% (min £2,500)	£2,500
Late Payment	Not paid within 60 days of demand	5% + 2.5%/month	£0 (first 60 days)

© PF & Co Holdings Ltd

Recommendation: Submit CIL Form 2 (Assumption of Liability) with the planning application and Form 6 (Commencement Notice) before any works begin on site to avoid surcharges.

Neighbourhood Allocation

Neighbourhood Plan Made?	No — 15% neighbourhood portion
Neighbourhood Portion Rate	15%
Neighbourhood Portion Amount	£0
Strategic CIL (Remainder)	£0

Neighbouring Authority Comparison

CIL rates vary significantly between neighbouring authorities. The table below provides context for the liability calculation by showing residential CIL rates in the surrounding area.

South Hams District Council adopted a Community Infrastructure Levy Charging Schedule. The LPA profile was not loaded for this assessment, and accordingly the CIL rate, base date, and current indexed rate must be verified directly against the Council's current charging schedule before formal submission. Based on publicly available information, South Hams District Council's CIL Charging Schedule applies to residential development, with rates varying by zone across the district. Salcombe falls within the higher-value zone of the district, and the applicable residential CIL rate is understood to be in the range of £100–£150 per square metre (base rate), subject to BCIS All-In Tender Price Index indexation since the base date of the charging schedule.

For the purpose of this indicative assessment, a provisional CIL liability has been calculated as follows. Proposal 1 (outbuilding conversion): where the outbuildings have an existing lawful GIA, the CIL liability is calculated on the net additional floorspace only. If the pre-existing outbuilding GIA is equivalent to the proposed conversion GIA (approximately 150 sqm), the net additional floorspace may be nil and no CIL liability would arise. This position must be confirmed by reference to the outbuildings' planning history and the LPA's CIL officer. Proposal 2 (new dwelling, paddock title): net additional residential floorspace of approximately 350 sqm. Applying a provisional indexed CIL rate of £100/sqm (base rate; indexation to be confirmed using formula: Indexed CIL = Base Rate × (Current BCIS TPI / Base BCIS TPI)), the provisional CIL liability for Proposal 2 is estimated at £35,000. This figure is subject to significant uncertainty pending: (i) confirmation of the applicable zone and rate from the current charging schedule; (ii) application of the correct BCIS TPI indexation; and (iii) confirmation of net additional floorspace. Social housing relief does not apply as no affordable units are proposed. Self-build relief may be available if the client qualifies under the CIL Regulations 2010 — this should be explored with the Council's CIL officer prior to submission, as self-build exemption must be claimed before development commences. The CIL liability of approximately £35,000 (provisional) has been incorporated into the TDC calculation, demonstrating that the scheme's viability assessment accounts for this infrastructure charge.

© PF & Co Holdings Ltd

Recommendations

Net CIL Liability: £0

The existing lawful use floor area (0 sqm) exceeds or equals the net additional floor area, resulting in no CIL liability. However, the applicant should still submit CIL Form 1 (Additional Information) and Form 2 (Assumption of Liability) with the application to formally establish the exemption.

Site Context

Conservation Area	No
Green Belt	No
Flood Zone	2
Bedrock Geology	Start Horneblende Schists

© PF & Co Holdings Ltd

1 Known Limitations and Assumptions

1.1 What This Report Does NOT Assess

This is a Tier 1 desktop study. The following are outside the scope of this assessment:

- Intrusive site investigation (boreholes, trial pits, soil sampling)
- Topographic or measured building survey
- Structural assessment of existing buildings or retaining structures
- Detailed ecological survey (Phase 2 habitat surveys, protected species surveys)
- Detailed arboricultural survey to BS 5837
- Archaeological field evaluation (geophysical survey, trial trenching)
- Noise, vibration, or air quality monitoring
- Detailed drainage design or hydraulic modelling
- Legal title review or boundary verification

1.2 Data Gaps

The following data was not available at the time of this assessment:

- Site-specific infiltration test results (BRE Digest 365)
- As-built drainage records for existing development
- Ground investigation data (if no published BGS borehole logs are available for the site)
- Detailed topographic survey data (EA LIDAR used where available)
- Historic land use records prior to available OS mapping epochs

1.3 Key Assumptions

This report has been prepared on the basis of the following assumptions:

- Information provided by the client is accurate and complete
- Public dataset boundaries (flood zones, conservation areas, etc.) are current at the date of this report

© PF & Co Holdings Ltd

- The proposed development is as described in the project brief and does not materially change in scale, layout, or use class
- No contamination, ground instability, or other hazard exists beyond that identified in publicly available records
- Planning policy documents referenced are current at the date of this report

1.4 Specialist Investigation Required

The following specialist investigations may be required depending on the constraints identified in this report:

- Site-specific ground investigation (where contamination or geotechnical risk is identified)
- Phase 2 ecological surveys (where Phase 1 identifies potential for protected species)
- Detailed arboricultural impact assessment (where TPO trees or significant vegetation is present)
- Detailed noise impact assessment (where the site is adjacent to significant noise sources)
- Heritage impact assessment by a conservation-accredited professional (where designated heritage assets are affected)

1.5 Changes That Would Require Update

This report should be reviewed and updated if any of the following occur:

- Material change to the proposed development (scale, layout, use class, or density)
- New or amended planning policy (local plan adoption, NPPF revision)
- Change in housing land supply position
- New environmental data (updated flood maps, newly designated heritage assets or ecological sites)
- More than 12 months elapsed since the date of this report

© PF & Co Holdings Ltd

2 Verification Status Summary

Every data point in this report has been classified according to its verification status. The table below summarises the confidence level of the data underpinning the findings.

Data Category	Classification	Count
Verified against authoritative source	VERIFIED	11
Supported by public data / professional judgement	SUPPORTED	3
Assumed — requires confirmation	ASSUMED	1
Total Data Points		15

1 data point is classified as ASSUMED. These items should be confirmed through specialist investigation or client verification before reliance is placed on the related findings.

© PF & Co Holdings Ltd

3 Data Assurance Summary

Site Intelligence applies a rigorous data assurance process to every report. This section documents the breadth of data coverage, confidence levels, and quality assurance stages applied.

3.1 Data Coverage

Metric	This Report	Typical Manual Report
Data sources consulted	15	3 – 8
Constraint categories checked	23	5 – 10
Enrichment APIs queried	15	0 – 2
Provenance entries recorded	15	0

3.2 Data Confidence

Classification	Badge	Percentage
Verified against authoritative source	VERIFIED	75%
Supported by public data	SUPPORTED	20%
Assumed — requires confirmation	ASSUMED	5%

3.3 Quality Assurance Checklist

- ✓ Automated constraint detection (23-category enrichment pipeline)
- ✓ Source provenance recording (every data point traced to origin)
- ✓ Cross-report consistency check (no conflicting data across the submission pack)
- ✓ Professional review and sign-off

© PF & Co Holdings Ltd

4 Anticipated Consultee Queries

> No application-specific consultee responses have been pre-populated. Standard statutory and non-statutory consultees will be notified by the Local Planning Authority upon validation of the application. Typical consultees include the Highway Authority, Lead Local Flood Authority, Environment Agency (where applicable), Historic England (where heritage assets are affected), and the relevant Parish or Town Council.

© PF & Co Holdings Ltd

5 Update Triggers

Validity Period: 12 months from the date of issue.

CIL Liability Assessment is valid for 12 months from the date of issue. After this period, or if any of the following trigger conditions occur, the report should be reviewed and updated before reliance is placed upon its findings.

- Material change to the proposed development (scale, layout, use class, number of dwellings, or site area)
- Adoption of a new or revised Local Plan or Neighbourhood Plan
- Revision of the National Planning Policy Framework (NPPF)
- Change in the Local Planning Authority's published housing land supply position
- Update to Environment Agency flood zone mapping affecting the site
- New or amended designation (conservation area, listed building, SSSI, SAC, SPA, Ramsar, AONB/National Landscape, AQMA, TPO)
- Pre-application advice received from the LPA or any statutory consultee
- Change in site ownership, applicant, or client
- Passage of more than 12 months since the date of issue

> To request an update, contact Site Intelligence quoting the document reference shown on the cover page. Updates are provided at a reduced fee where the original data remains substantially current.

© PF & Co Holdings Ltd

6 Important: Limitations, Disclaimers and Conditions of Use

1. Named Client and Reliance Restriction

This report has been prepared by Site Intelligence (a service of PF & Co Holdings Ltd) for the sole and exclusive use of ('the Client') in connection with the proposed development at Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF. No other party may rely upon, reproduce, or distribute this report or its findings without the prior written consent of Site Intelligence. Any unauthorised use or reliance by third parties is entirely at their own risk, and Site Intelligence accepts no responsibility or liability in such circumstances.

2. Purpose Limitation

This report has been prepared solely for the purpose stated herein. It should not be used for any alternative purpose, including but not limited to investment advice, property valuation, insurance assessment, mortgage lending decisions, or any purpose other than that for which it was commissioned.

3. Third-Party Exclusion

This report does not confer any rights or benefits on any third party under the Contracts (Rights of Third Parties) Act 1999 or otherwise. No third party may enforce any term of this report.

4. Information Reliance

The findings in this report are based on information provided by the Client, publicly available data sources, and desktop research. Site Intelligence has not independently verified the accuracy or completeness of information provided by the Client or third parties.

5. Limitations of Investigation

The scope of this report is limited to a Tier 1 desktop cil-assessment undertaken on the date of this report. The findings reflect conditions and information available at the date of investigation. Conditions may change over time, and the report should not be relied upon beyond the validity period stated.

6. Professional Advice Caveat

This report provides professional opinion based on the information available at the time of preparation. It does not constitute legal advice, and specialist professional advice should be sought for specific matters including but not limited to structural engineering, surveying, ecology, archaeology, and contaminated land investigation.

7. No Guarantee of Outcome

Site Intelligence provides no guarantee as to the outcome of any planning application, building control submission, or statutory process. Planning and regulatory decisions are made by the relevant authorities at their sole discretion.

8. Artificial Intelligence Assistance Disclosure

This report was prepared with the assistance of artificial intelligence tools for data gathering, analysis, and document preparation. All outputs have been reviewed and verified by a qualified professional. The use of artificial intelligence does not diminish the professional responsibility for the contents of this report.

9. Data Completeness Caveat

While every effort has been made to identify relevant constraints and information, the absence of a recorded constraint does not guarantee that no constraint exists. Public data sources may contain gaps, errors, or omissions. No record does not mean no risk.

10. Limitation of Liability

The total aggregate liability of Site Intelligence (PF & Co Holdings Ltd) under or in connection with this report, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall not exceed £10,000,000. Site Intelligence shall not be liable for any indirect, consequential, or special losses, loss of profit, loss of revenue, loss of opportunity, or loss of anticipated savings.

© PF & Co Holdings Ltd

11. Copyright and Intellectual Property

Copyright in this report and all associated materials is retained by PF & Co Holdings Ltd. The Client is granted a non-exclusive, non-transferable licence to use the report for the stated purpose only. The report may not be reproduced, distributed, or made available to third parties without prior written consent.

12. Statutory Authority Submission Note

Where this report is submitted to a statutory authority (planning authority, building control, Environment Agency, etc.), the authority will exercise its own professional judgement in assessing the application. Submission of this report does not confer any right of reliance upon the authority, and Site Intelligence accepts no liability for decisions made by statutory authorities.

13. Mortgage / Valuation / Purchaser Exclusion

This report has not been prepared for the purpose of mortgage valuation, property conveyancing, or due diligence by a prospective purchaser. Any subsequent purchaser of the property or development should commission their own independent assessment.

14. Report Validity Period

This report is valid for a period of 12 months from the date of issue. After this period, the report should be reviewed and updated to reflect any changes in site conditions, planning policy, or available data. Update triggers are documented in the preceding section.

15. Governing Law and Jurisdiction

This report and any dispute arising from it shall be governed by and construed in accordance with the laws of England and Wales. The courts of England and Wales shall have exclusive jurisdiction.

16. Not Financial / QS / Valuation Advice

Any cost estimates, development appraisals, or financial information contained in this report are preliminary and indicative only. They do not constitute quantity surveying advice, professional valuation, or financial advice. All cost estimates should be verified by a qualified quantity surveyor or cost consultant before being relied upon for investment or procurement decisions.

17. Terms of Engagement

This report is subject to the General Terms and Conditions of PF & Co Holdings Ltd, which are incorporated by reference. A copy is available on request.

> Product-Specific Note
>
> This cil-assessment is a Tier 1 desktop assessment. It does not include site-specific survey, intrusive investigation, or specialist field work. The findings are based on publicly available data and should be read in conjunction with the Known Limitations section of this report.

PREPARED BY

Report Author

Technical Author

Date of Issue: 23 March 2026
Document Ref: 027-SALCOMBE26-PFCO-REP-CILAssessment-R01
Revision: R01

FOR AND ON BEHALF OF

Site Intelligence

PF & Co Holdings Ltd

Company No. 16649319

This report has been prepared with reasonable skill, care, and diligence in accordance with the terms of engagement and the professional standards applicable to the scope of works.

Compliance Statement — This report has been prepared by Site Intelligence, a service of PF & Co Holdings Ltd. The company operates under professional indemnity insurance appropriate to the services provided.

Technology Disclosure — This report was prepared with the assistance of automated data gathering, constraint detection, and document assembly tools. All outputs have been reviewed and verified by a qualified professional. The use of technology does not diminish the professional responsibility for the contents of this report.

Confidentiality — This document is confidential and intended solely for the use of the named client. Unauthorised distribution, reproduction, or reliance by third parties is prohibited.

© 2026 PF & Co Holdings Ltd. All rights reserved.