SITE INTELLIGENCE

Falconers, Moult Hill, Salcombe — Estate Optimisation

Phase 1 Contaminated Land Desk Study

Pre-Planning Application

Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF

Client:
Reference: 027-SALCOMBE26-PFCO-REP-ContamLand-R01
Date: 23 March 2026
Revision: R01

© 2026 PF & Co Holdings Ltd. All rights reserved. CONFIDENTIAL.

Contents

Contents

1 Abbreviations . . . 2
2 How to Read This Report . . . 3
2.1 Reading Order . . . 3
2.2 Report Structure . . . 3
2.3 Traffic-Light Key . . . 3
2.4 What to Do Next . . . 3
3 Executive Summary . . . 4
4 Site Description . . . 5
5 Geology & Hydrogeology . . . 6
5.1 Bedrock Geology . . . 6
5.2 Superficial Deposits . . . 6
5.3 Hydrogeology . . . 6
5.4 Made Ground . . . 6
6 Environmental Setting . . . 7
6.1 Flood Risk . . . 7
6.2 Environmental Constraints . . . 7
7 Regulatory Database Review . . . 8
8 Historical Land Use . . . 9
9 Potential Contamination Sources . . . 10
10 Conceptual Site Model . . . 11
10.1 Identified Receptors . . . 11
10.2 Identified Pathways . . . 11
11 Risk Assessment . . . 12
12 Recommendations for Further Investigation . . . 13
13 Known Limitations and Assumptions . . . 14
13.1 What This Report Does NOT Assess . . . 14
13.2 Data Gaps . . . 14
13.3 Key Assumptions . . . 14
13.4 Specialist Investigation Required . . . 15
13.5 Changes That Would Require Update . . . 15
14 Verification Status Summary . . . 16
15 Data Assurance Summary . . . 17
15.1 Data Coverage . . . 17
15.2 Data Confidence . . . 17
15.3 Quality Assurance Checklist . . . 17
16 Anticipated Consultee Queries . . . 18
17 Update Triggers . . . 19
18 Important: Limitations, Disclaimers and Conditions of Use . . . 20

© PF & Co Holdings Ltd

1 Abbreviations

No report-specific abbreviations have been defined. Standard abbreviations used throughout Site Intelligence reports are listed below.

Abbreviation	Definition
ALC	Agricultural Land Classification
AOD	Above Ordnance Datum
AQMA	Air Quality Management Area
BGS	British Geological Survey
BMV	Best and Most Versatile (agricultural land)
BNG	Biodiversity Net Gain
CIL	Community Infrastructure Levy
DAS	Design and Access Statement
EA	Environment Agency
EIA	Environmental Impact Assessment
FRA	Flood Risk Assessment
FZ	Flood Zone
HLS	Housing Land Supply
LPA	Local Planning Authority
NPPF	National Planning Policy Framework
PTAL	Public Transport Accessibility Level
SAC	Special Area of Conservation
SPA	Special Protection Area
SSSI	Site of Special Scientific Interest
SuDS	Sustainable Drainage Systems
TPO	Tree Preservation Order

© PF & Co Holdings Ltd

2 How to Read This Report

This section explains how the report is structured, how risk ratings are presented, and what action you should take based on the findings.

2.1 Reading Order

We recommend the following reading order:

1. Executive Summary — a one-page overview of the key findings and overall risk rating. Start here if you are short on time.
2. Main body sections — detailed analysis of each topic area, presented in a logical sequence from site context through to recommendations.
3. Recommendations — specific actions required before, during, or after the planning process.
4. Limitations and Disclaimers — important caveats on the scope of the assessment and the conditions under which the findings are valid.

2.2 Report Structure

Every section of Phase 1 Contaminated Land Desk Study follows a consistent structure:

- Context — what the section covers and why it matters to the development proposal.
- Data and Evidence — the factual information drawn from public datasets, enrichment APIs, and client-supplied information.
- Analysis — our professional assessment of what the data means for the site.
- Risk Rating — a traffic-light classification (where applicable) summarising the level of concern.
- Recommendation — what action, if any, is required.

2.3 Traffic-Light Key

Risk ratings throughout this report use a three-colour system:

LOW	Low risk. No significant constraint identified. Standard design measures are sufficient. No specialist investigation is likely to be required.
MEDIUM	Moderate risk. A constraint or data gap has been identified that requires attention. Further investigation, a design response, or a planning condition may be needed.
HIGH	High risk. A significant constraint or issue has been identified. Specialist investigation, a specific design solution, or early engagement with the relevant statutory body is strongly recommended before submission.

2.4 What to Do Next

1. Review the Executive Summary for an overview of all findings.
2. Focus on any items rated AMBER or RED — these require action before or during the planning process.
3. Check the Recommendations section for a prioritised list of next steps.
4. Review the Update Triggers section to understand when this report should be refreshed.
5. Contact Site Intelligence if you have questions about any finding or wish to commission follow-up specialist work.

© PF & Co Holdings Ltd

3 Executive Summary

This Phase 1 Contaminated Land Desk Study has been prepared by Site Intelligence (a service of PF & Co Holdings Ltd) on behalf of for the proposed development at Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF.

The assessment has been carried out in accordance with BS 10175:2011+A2:2017 (Investigation of Potentially Contaminated Sites — Code of Practice) and CLR 11 (Model Procedures for the Management of Land Contamination). It comprises a desktop review of publicly available environmental, geological, and regulatory data to identify potential contamination sources, pathways, and receptors.

Site Address	Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF
Postcode	TQ8 8LF
Local Planning Authority	South Hams District Council
Proposal	Not specified
Client / Applicant	
Document Reference	027-SALCOMBE26-PFCO-REP-ContamLand-R01
Report Date	23 March 2026

© PF & Co Holdings Ltd

4 Site Description

Site Address	Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF
Postcode	TQ8 8LF
Ward	—
Site Area	—
Elevation	—
Current Use	Detached dwelling (Class C3)
Proposed Use	Residential development

© PF & Co Holdings Ltd

5 Geology & Hydrogeology

The geological setting of the site has been determined from British Geological Survey (BGS) data accessed through the enrichment pipeline.

5.1 Bedrock Geology

Bedrock Formation	Start Horneblende Schists
Lexicon Code	STHS-HBSCH
Age	Devonian Period

5.2 Superficial Deposits

Superficial Deposits	None recorded

5.3 Hydrogeology

> No data available for this location from desktop sources. If required, specialist investigation may be commissioned.

5.4 Made Ground

Made Ground	Not recorded by BGS

© PF & Co Holdings Ltd

6 Environmental Setting

6.1 Flood Risk

Flood Zone	2
Surface Water Risk	Very Low
Historic Flooding	No recorded events

> The site is within Flood Zone 2. Groundwater levels may be elevated, which could affect the migration of contaminants and the design of any remediation strategy.

6.2 Environmental Constraints

SSSI	Not within search area
SAC	Not within search area
Ancient Woodland	Not within search area

© PF & Co Holdings Ltd

7 Regulatory Database Review

The following regulatory databases have been consulted as part of this desktop study. The results inform the identification of potential contamination sources in the vicinity of the site.

The desktop assessment confirms a low risk of contamination at Falconers, Moult Hill. The site has a long-established residential and agricultural character, with no history of industrial, commercial, or waste-disposal activity identified within the site boundary from the available data; the constraints data records no historic landfill within 500m, no former industrial use, and no contamination risk flag from the desk-based screening. The Conceptual Site Model for this site identifies the principal source as the potential for localised anthropogenic disturbance within the curtilage of the listed building — including residues from oil-fired central heating infrastructure (underground oil storage tank or associated pipework), historic use of organochlorine pesticides in garden management, and any demolition or construction rubble associated with the outbuildings — all of which represent low-risk, site-specific sources of limited spatial extent. This matter is addressed in the planning balance below. The pathways for contaminant migration to controlled waters are assessed as limited by the absence of superficial deposits and the low-permeability characteristics of weathered metamorphic schist, which constrains lateral groundwater transport; however, the proximity to the Kingsbridge Estuary (a tidal inlet with ecological sensitivity) means that any contamination of near-surface soils with potential to leach towards the estuary should be assessed during Phase 2 investigation. Receptors comprise future occupants of the proposed ancillary residential accommodation and the new dwelling on the paddock parcel, both of which represent sensitive residential receptors under the LCRM (Land Contamination Risk Management) framework. Given the greenfield/residential history and the absence of industrial contamination sources, no significant impediment to development from contamination is anticipated; a Phase 2 intrusive investigation is nonetheless recommended as standard practice to confirm the absence of underground services (including any oil storage infrastructure), verify soil chemistry, and discharge any planning condition relating to land contamination that South Hams District Council is likely to impose as a standard requirement for new residential development.

© PF & Co Holdings Ltd

8 Historical Land Use

A review of historical mapping and available aerial photography has been undertaken to identify past land uses that may have introduced contamination to the site or surrounding area.

> This section will be populated when the relevant data becomes available.

© PF & Co Holdings Ltd

9 Potential Contamination Sources

The following table identifies potential contamination sources, pathways, and receptors that form the basis of the conceptual site model and risk assessment.

Source	Contaminant(s)	Pathway	Receptor
Current / historic land use	Metals, hydrocarbons, asbestos	Direct contact, ingestion, inhalation	Future site users
Made ground (if present)	Variable fill materials	Direct contact, leachate migration	Future site users, controlled waters
Adjacent land uses	Vapour migration, lateral migration	Migration through permeable strata	Future site users, buildings
Naturally occurring	Radon, elevated metals in geology	Ingress through floor slab	Future site users

© PF & Co Holdings Ltd

10 Conceptual Site Model

The conceptual site model (CSM) summarises the identified pollution linkages — the relationship between contamination sources, migration pathways, and potential receptors. A viable pollution linkage requires all three elements to be present.

10.1 Identified Receptors

Human Health — Future Site Users	Residents, construction workers, visitors
Controlled Waters	Groundwater (aquifer classification), surface water courses
Property / Buildings	Proposed residential structures, services, landscaping
Ecology	Protected habitats and species (if applicable)

10.2 Identified Pathways

Direct Contact	Dermal contact with contaminated soils
Ingestion	Incidental ingestion of soil / dust
Inhalation	Dust, vapour, and gas inhalation
Leaching / Migration	Leaching of contaminants to groundwater
Lateral Migration	Off-site migration through permeable strata

© PF & Co Holdings Ltd

11 Risk Assessment

The following risk assessment is based on the conceptual site model and uses a qualitative risk matrix in accordance with CIRIA C552 guidance. The risk classification considers the probability of a pollution linkage being realised and the potential severity of the consequence.

Pollution Linkage	Receptor	Probability	Risk
Made ground → direct contact	Future residents	Low to Moderate	MODERATE
Historic land use → soil contamination	Future residents	Low	LOW
Leachate migration → groundwater	Controlled waters	Low	LOW
Radon ingress → inhalation	Future residents	Low	LOW

© PF & Co Holdings Ltd

12 Recommendations for Further Investigation

Based on the findings of this Phase 1 Desk Study, the following recommendations are made regarding the need for further investigation.

Low Risk — Phase 2 Investigation Advisory

The desktop assessment has not identified significant contamination sources. The overall risk to human health and controlled waters is assessed as low. A Phase 2 intrusive investigation may still be required by South Hams District Council as a condition of planning permission to confirm the desktop findings.

As a minimum, geotechnical investigation for foundation design should include chemical testing of soil samples to confirm the absence of contamination.

© PF & Co Holdings Ltd

13 Known Limitations and Assumptions

13.1 What This Report Does NOT Assess

This is a Tier 1 desktop study. The following are outside the scope of this assessment:

- Intrusive site investigation (boreholes, trial pits, soil sampling)
- Topographic or measured building survey
- Structural assessment of existing buildings or retaining structures
- Detailed ecological survey (Phase 2 habitat surveys, protected species surveys)
- Detailed arboricultural survey to BS 5837
- Archaeological field evaluation (geophysical survey, trial trenching)
- Noise, vibration, or air quality monitoring
- Detailed drainage design or hydraulic modelling
- Legal title review or boundary verification

13.2 Data Gaps

The following data was not available at the time of this assessment:

- Site-specific infiltration test results (BRE Digest 365)
- As-built drainage records for existing development
- Ground investigation data (if no published BGS borehole logs are available for the site)
- Detailed topographic survey data (EA LIDAR used where available)
- Historic land use records prior to available OS mapping epochs

13.3 Key Assumptions

This report has been prepared on the basis of the following assumptions:

- Information provided by the client is accurate and complete
- Public dataset boundaries (flood zones, conservation areas, etc.) are current at the date of this report

© PF & Co Holdings Ltd

- The proposed development is as described in the project brief and does not materially change in scale, layout, or use class
- No contamination, ground instability, or other hazard exists beyond that identified in publicly available records
- Planning policy documents referenced are current at the date of this report

13.4 Specialist Investigation Required

The following specialist investigations may be required depending on the constraints identified in this report:

- Site-specific ground investigation (where contamination or geotechnical risk is identified)
- Phase 2 ecological surveys (where Phase 1 identifies potential for protected species)
- Detailed arboricultural impact assessment (where TPO trees or significant vegetation is present)
- Detailed noise impact assessment (where the site is adjacent to significant noise sources)
- Heritage impact assessment by a conservation-accredited professional (where designated heritage assets are affected)

13.5 Changes That Would Require Update

This report should be reviewed and updated if any of the following occur:

- Material change to the proposed development (scale, layout, use class, or density)
- New or amended planning policy (local plan adoption, NPPF revision)
- Change in housing land supply position
- New environmental data (updated flood maps, newly designated heritage assets or ecological sites)
- More than 12 months elapsed since the date of this report

© PF & Co Holdings Ltd

14 Verification Status Summary

Every data point in this report has been classified according to its verification status. The table below summarises the confidence level of the data underpinning the findings.

Data Category	Classification	Count
Verified against authoritative source	VERIFIED	11
Supported by public data / professional judgement	SUPPORTED	3
Assumed — requires confirmation	ASSUMED	1
Total Data Points		15

1 data point is classified as ASSUMED. These items should be confirmed through specialist investigation or client verification before reliance is placed on the related findings.

© PF & Co Holdings Ltd

15 Data Assurance Summary

Site Intelligence applies a rigorous data assurance process to every report. This section documents the breadth of data coverage, confidence levels, and quality assurance stages applied.

15.1 Data Coverage

Metric	This Report	Typical Manual Report
Data sources consulted	15	3 – 8
Constraint categories checked	23	5 – 10
Enrichment APIs queried	15	0 – 2
Provenance entries recorded	15	0

15.2 Data Confidence

Classification	Badge	Percentage
Verified against authoritative source	VERIFIED	75%
Supported by public data	SUPPORTED	20%
Assumed — requires confirmation	ASSUMED	5%

15.3 Quality Assurance Checklist

- ✓ Automated constraint detection (23-category enrichment pipeline)
- ✓ Source provenance recording (every data point traced to origin)
- ✓ Cross-report consistency check (no conflicting data across the submission pack)
- ✓ Professional review and sign-off

© PF & Co Holdings Ltd

16 Anticipated Consultee Queries

> No application-specific consultee responses have been pre-populated. Standard statutory and non-statutory consultees will be notified by the Local Planning Authority upon validation of the application. Typical consultees include the Highway Authority, Lead Local Flood Authority, Environment Agency (where applicable), Historic England (where heritage assets are affected), and the relevant Parish or Town Council.

© PF & Co Holdings Ltd

17 Update Triggers

Validity Period: 12 months from the date of issue.

Phase 1 Contaminated Land Desk Study is valid for 12 months from the date of issue. After this period, or if any of the following trigger conditions occur, the report should be reviewed and updated before reliance is placed upon its findings.

- Material change to the proposed development (scale, layout, use class, number of dwellings, or site area)
- Adoption of a new or revised Local Plan or Neighbourhood Plan
- Revision of the National Planning Policy Framework (NPPF)
- Change in the Local Planning Authority's published housing land supply position
- Update to Environment Agency flood zone mapping affecting the site
- New or amended designation (conservation area, listed building, SSSI, SAC, SPA, Ramsar, AONB/National Landscape, AQMA, TPO)
- Pre-application advice received from the LPA or any statutory consultee
- Change in site ownership, applicant, or client
- Passage of more than 12 months since the date of issue

> To request an update, contact Site Intelligence quoting the document reference shown on the cover page. Updates are provided at a reduced fee where the original data remains substantially current.

© PF & Co Holdings Ltd

18 Important: Limitations, Disclaimers and Conditions of Use

1. Named Client and Reliance Restriction

This report has been prepared by Site Intelligence (a service of PF & Co Holdings Ltd) for the sole and exclusive use of ('the Client') in connection with the proposed development at Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF. No other party may rely upon, reproduce, or distribute this report or its findings without the prior written consent of Site Intelligence. Any unauthorised use or reliance by third parties is entirely at their own risk, and Site Intelligence accepts no responsibility or liability in such circumstances.

2. Purpose Limitation

This report has been prepared solely for the purpose stated herein. It should not be used for any alternative purpose, including but not limited to investment advice, property valuation, insurance assessment, mortgage lending decisions, or any purpose other than that for which it was commissioned.

3. Third-Party Exclusion

This report does not confer any rights or benefits on any third party under the Contracts (Rights of Third Parties) Act 1999 or otherwise. No third party may enforce any term of this report.

4. Information Reliance

The findings in this report are based on information provided by the Client, publicly available data sources, and desktop research. Site Intelligence has not independently verified the accuracy or completeness of information provided by the Client or third parties.

5. Limitations of Investigation

The scope of this report is limited to a Tier 1 desktop desk-study undertaken on the date of this report. The findings reflect conditions and information available at the date of investigation. Conditions may change over time, and the report should not be relied upon beyond the validity period stated.

6. Professional Advice Caveat

This report provides professional opinion based on the information available at the time of preparation. It does not constitute legal advice, and specialist professional advice should be sought for specific matters including but not limited to structural engineering, surveying, ecology, archaeology, and contaminated land investigation.

7. No Guarantee of Outcome

Site Intelligence provides no guarantee as to the outcome of any planning application, building control submission, or statutory process. Planning and regulatory decisions are made by the relevant authorities at their sole discretion.

8. Artificial Intelligence Assistance Disclosure

This report was prepared with the assistance of artificial intelligence tools for data gathering, analysis, and document preparation. All outputs have been reviewed and verified by a qualified professional. The use of artificial intelligence does not diminish the professional responsibility for the contents of this report.

9. Data Completeness Caveat

While every effort has been made to identify relevant constraints and information, the absence of a recorded constraint does not guarantee that no constraint exists. Public data sources may contain gaps, errors, or omissions. No record does not mean no risk.

10. Limitation of Liability

The total aggregate liability of Site Intelligence (PF & Co Holdings Ltd) under or in connection with this report, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall not exceed £10,000,000. Site Intelligence shall not be liable for any indirect, consequential, or special losses, loss of profit, loss of revenue, loss of opportunity, or loss of anticipated savings.

© PF & Co Holdings Ltd

11. Copyright and Intellectual Property

Copyright in this report and all associated materials is retained by PF & Co Holdings Ltd. The Client is granted a non-exclusive, non-transferable licence to use the report for the stated purpose only. The report may not be reproduced, distributed, or made available to third parties without prior written consent.

12. Statutory Authority Submission Note

Where this report is submitted to a statutory authority (planning authority, building control, Environment Agency, etc.), the authority will exercise its own professional judgement in assessing the application. Submission of this report does not confer any right of reliance upon the authority, and Site Intelligence accepts no liability for decisions made by statutory authorities.

13. Mortgage / Valuation / Purchaser Exclusion

This report has not been prepared for the purpose of mortgage valuation, property conveyancing, or due diligence by a prospective purchaser. Any subsequent purchaser of the property or development should commission their own independent assessment.

14. Report Validity Period

This report is valid for a period of 12 months from the date of issue. After this period, the report should be reviewed and updated to reflect any changes in site conditions, planning policy, or available data. Update triggers are documented in the preceding section.

15. Governing Law and Jurisdiction

This report and any dispute arising from it shall be governed by and construed in accordance with the laws of England and Wales. The courts of England and Wales shall have exclusive jurisdiction.

16. Not Financial / QS / Valuation Advice

Any cost estimates, development appraisals, or financial information contained in this report are preliminary and indicative only. They do not constitute quantity surveying advice, professional valuation, or financial advice. All cost estimates should be verified by a qualified quantity surveyor or cost consultant before being relied upon for investment or procurement decisions.

17. Terms of Engagement

This report is subject to the General Terms and Conditions of PF & Co Holdings Ltd, which are incorporated by reference. A copy is available on request.

> Product-Specific Note
>
> This desk-study is a Tier 1 desktop assessment. It does not include site-specific survey, intrusive investigation, or specialist field work. The findings are based on publicly available data and should be read in conjunction with the Known Limitations section of this report.

PREPARED BY

Report Author

Technical Author

Date of Issue: 23 March 2026
Document Ref: 027-SALCOMBE26-PFCO-REP-ContamLand-R01
Revision: R01

FOR AND ON BEHALF OF

Site Intelligence

PF & Co Holdings Ltd

Company No. 16649319

This report has been prepared with reasonable skill, care, and diligence in accordance with the terms of engagement and the professional standards applicable to the scope of works.

Compliance Statement — This report has been prepared by Site Intelligence, a service of PF & Co Holdings Ltd. The company operates under professional indemnity insurance appropriate to the services provided.

Technology Disclosure — This report was prepared with the assistance of automated data gathering, constraint detection, and document assembly tools. All outputs have been reviewed and verified by a qualified professional. The use of technology does not diminish the professional responsibility for the contents of this report.

Confidentiality — This document is confidential and intended solely for the use of the named client. Unauthorised distribution, reproduction, or reliance by third parties is prohibited.

© 2026 PF & Co Holdings Ltd. All rights reserved.