SITE INTELLIGENCE

Falconers, Moult Hill, Salcombe — Estate Optimisation

Pre-Planning Application Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF

Planning Statement

Pre-Planning Application

Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF

Client:
Reference: 027-SALCOMBE26-PFCO-REP-PlanningStatement-R01
Date: 23 March 2026
Revision: R01

© 2026 PF & Co Holdings Ltd. All rights reserved. CONFIDENTIAL.

Contents

Contents

1 Abbreviations . . . 2
2 How to Read This Report . . . 3
2.1 Reading Order . . . 3
2.2 Report Structure . . . 3
2.3 Traffic-Light Key . . . 3
2.4 What to Do Next . . . 3
3 Introduction . . . 4
4 Site Description & Context . . . 5
4.1 Site Location . . . 5
4.2 Landscape Character . . . 6
4.3 Ground Conditions . . . 6
5 Site Constraints . . . 6
5.1 Ecological Designations . . . 7
5.2 Agricultural Land Classification . . . 7
6 Planning Policy Framework . . . 8
6.1 National Policy . . . 8
6.2 Local Policy . . . 9
6.3 Housing Land Supply . . . 10
6.4 Key Policy Compliance . . . 10
7 Sustainable Location Assessment . . . 12
7.1 Transport Accessibility . . . 12
7.2 Amenity Provision . . . 12
7.3 Housing Need . . . 12
8 Heritage Impact Assessment . . . 13
8.1 Heritage Balance (NPPF paragraphs 213–215) . . . 13
9 Sequential Test — Flood Risk . . . 14
9.1 Sequential Test Assessment . . . 14
10 Conclusions . . . 15
11 Known Limitations and Assumptions . . . 16
11.1 What This Report Does NOT Assess . . . 16
11.2 Data Gaps . . . 16
11.3 Key Assumptions . . . 16
11.4 Specialist Investigation Required . . . 17
11.5 Changes That Would Require Update . . . 17
12 Verification Status Summary . . . 18
13 Data Assurance Summary . . . 19
13.1 Data Coverage . . . 19
13.2 Data Confidence . . . 19
13.3 Quality Assurance Checklist . . . 19
14 Anticipated Consultee Queries . . . 20
15 Update Triggers . . . 21
16 Important: Limitations, Disclaimers and Conditions of Use . . . 22

© PF & Co Holdings Ltd

1 Abbreviations

No report-specific abbreviations have been defined. Standard abbreviations used throughout Site Intelligence reports are listed below.

Abbreviation	Definition
ALC	Agricultural Land Classification
AOD	Above Ordnance Datum
AQMA	Air Quality Management Area
BGS	British Geological Survey
BMV	Best and Most Versatile (agricultural land)
BNG	Biodiversity Net Gain
CIL	Community Infrastructure Levy
DAS	Design and Access Statement
EA	Environment Agency
EIA	Environmental Impact Assessment
FRA	Flood Risk Assessment
FZ	Flood Zone
HLS	Housing Land Supply
LPA	Local Planning Authority
NPPF	National Planning Policy Framework
PTAL	Public Transport Accessibility Level
SAC	Special Area of Conservation
SPA	Special Protection Area
SSSI	Site of Special Scientific Interest
SuDS	Sustainable Drainage Systems
TPO	Tree Preservation Order

© PF & Co Holdings Ltd

2 How to Read This Report

This section explains how the report is structured, how risk ratings are presented, and what action you should take based on the findings.

2.1 Reading Order

We recommend the following reading order:

1. Executive Summary — a one-page overview of the key findings and overall risk rating. Start here if you are short on time.
2. Main body sections — detailed analysis of each topic area, presented in a logical sequence from site context through to recommendations.
3. Recommendations — specific actions required before, during, or after the planning process.
4. Limitations and Disclaimers — important caveats on the scope of the assessment and the conditions under which the findings are valid.

2.2 Report Structure

Every section of Planning Statement follows a consistent structure:

- Context — what the section covers and why it matters to the development proposal.
- Data and Evidence — the factual information drawn from public datasets, enrichment APIs, and client-supplied information.
- Analysis — our professional assessment of what the data means for the site.
- Risk Rating — a traffic-light classification (where applicable) summarising the level of concern.
- Recommendation — what action, if any, is required.

2.3 Traffic-Light Key

Risk ratings throughout this report use a three-colour system:

LOW	Low risk. No significant constraint identified. Standard design measures are sufficient. No specialist investigation is likely to be required.
MEDIUM	Moderate risk. A constraint or data gap has been identified that requires attention. Further investigation, a design response, or a planning condition may be needed.
HIGH	High risk. A significant constraint or issue has been identified. Specialist investigation, a specific design solution, or early engagement with the relevant statutory body is strongly recommended before submission.

2.4 What to Do Next

1. Review the Executive Summary for an overview of all findings.
2. Focus on any items rated AMBER or RED — these require action before or during the planning process.
3. Check the Recommendations section for a prioritised list of next steps.
4. Review the Update Triggers section to understand when this report should be refreshed.
5. Contact Site Intelligence if you have questions about any finding or wish to commission follow-up specialist work.

© PF & Co Holdings Ltd

3 Introduction

This Planning Statement has been prepared by Site Intelligence (a service of PF & Co Holdings Ltd) on behalf of the Applicant in support of a planning application for the proposed development at Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF.

The statement assesses the proposal against national and local planning policy, identifies relevant site constraints, and demonstrates how the development accords with the adopted development plan and any other material considerations.

Site Address	Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF
Postcode	TQ8 8LF
Local Planning Authority	South Hams District Council
Proposal	Not specified
Proposed Units	1
Application Type	Pre-Planning Application
Client / Applicant	To be confirmed
Document Reference	027-SALCOMBE26-PFCO-REP-PlanningStatement-R01
Report Date	23 March 2026

> This is a single dwelling proposal. The statement focuses on site-specific policy compliance and material considerations proportionate to the scale of development.

© PF & Co Holdings Ltd

4 Site Description & Context

4.1 Site Location

Site Address	Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF
Ward	—
Site Area	—
Elevation	—
Rural/Urban	—
Settlement Boundary	—



Site Location Plan — Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF SITE INTELLIGENCE

Figure 1: Figure 1 — Site Location Plan



Figure 2: Figure 2 — Planning Constraints

4.2 Landscape Character

National Character Area	151: South Devon
Landscape Character	

4.3 Ground Conditions

Bedrock Geology	Start Horneblende Schists
Superficial Deposits	None recorded
Made Ground	Not recorded

5 Site Constraints

The following constraints have been identified from desktop analysis including automated constraint detection across 23 environmental and planning datasets.

Constraint	Status
Conservation Area	NO
Green Belt	NO
Listed Building	YES
AONB / National Landscape	YES
SSSI	NO
TPO Trees	NO
Flood Zone	ZONE 2
AQMA	NO

5.1 Ecological Designations

SSSI	6 within search area
SAC	14 within search area
SPA	0 within search area
Ramsar	0 within search area

5.2 Agricultural Land Classification

No Agricultural Land Classification grade is recorded for this site on the DEFRA MAGIC provisional ALC dataset. This typically indicates that the land is within or adjacent to an existing urban area and has not been classified for agricultural quality. The site is not Best and Most Versatile (BMV) agricultural land, and NPPF paragraph 180(b) is not engaged.

© PF & Co Holdings Ltd

6 Planning Policy Framework

6.1 National Policy

The South Hams and West Devon Joint Local Plan 2019 (JLP) sets out the development plan framework for the site. The following policies are the most important for determining the two proposals at Falconers, Moult Hill, assessed in the context of the pre-application stage and the available policy evidence. JLP Policy SPT2 (Sustainable Rural Communities): This strategic policy establishes the spatial framework for rural development across South Hams, directing development to sustainable locations and limiting sporadic rural development that would harm the character of the countryside. Both proposals must be assessed against SPT2's requirements for sustainable rural communities, including the relationship of the development to the rural economy, housing need, and the character of the area. The outbuilding conversion (Proposal 1) is more readily aligned with SPT2 — it represents the re-use of existing built form within an established curtilage — whereas the new dwelling on the paddock (Proposal 2) will face greater scrutiny under the strategic rural development framework. JLP Policy TTV26 (Development in the Countryside): This policy sets out the criteria for development in the countryside (outside defined settlement boundaries). Salcombe is a defined settlement, but the site at Moult Hill lies in the countryside beyond any settlement boundary. TTV26 requires that development in the countryside be of a type that is appropriate in rural areas and that it does not harm the character of the area. The policy is likely to direct the assessment of both proposals toward the specific countryside exceptions in NPPF paragraph 84, which provides the only national policy route for new residential development at this location. JLP Policy DEV21 (The Historic Environment): Policy DEV21 requires that development preserve or enhance the significance of designated and non-designated heritage assets and their settings. For the outbuilding conversion (Proposal 1), which is physically within the curtilage of the Grade II listed Falconers, Listed Building Consent will be required in addition to planning permission. This matter is addressed in the planning balance below. The assessment of the outbuildings' significance — as curtilage structures to the listed building — is the starting point for the heritage impact assessment. This matter is addressed in the planning balance below. For Proposal 2, the relationship of a new dwelling on the paddock to the setting of the listed building will need to be assessed through the five-step GPA3 methodology. JLP Policy DEV25 (Nationally Protected Landscapes): Policy DEV25 reflects NPPF paragraph 189 and requires that development within or affecting the South Devon National Landscape (AONB) conserve and enhance landscape and scenic beauty. The policy applies to both proposals and is reinforced by the South Devon AONB Management Plan, which identifies the special qualities of the landscape. The design strategy for both proposals must be demonstrably responsive to the landscape character of Moult Hill, the coastal setting, and the special qualities identified in the AONB Management Plan. JLP Policy DEV2 (Valued Landscapes): In addition to DEV25, Policy DEV2 protects valued landscapes more broadly, including scenic views and landscape character. The elevated position of Falconers on Moult Hill, with coastal views toward the Salcombe Estuary, means that both proposals will need to address their visual impact on the wider landscape and on valued views. JLP Policy DEV8 (Meeting Local Housing Needs in Rural Areas): Where development in rural areas can meet a demonstrable local need, the JLP provides a framework for considering this. The principal residence restriction proposed for Proposal 2 (via S106 condition SALC H3) is relevant here — it aligns the development with the JLP's objective of ensuring rural housing meets genuine local need rather than contributing to second home and holiday let pressure, which is a significant concern in Salcombe given the district's 12.3 house price to earnings affordability ratio. JLP Policy DEV32 (Flood Risk): The Flood Zone 2 designation of part of the site requires compliance with DEV32, which applies the sequential and exception tests for development in areas at risk of flooding. The paddock title (DN263903) must be assessed in detail to determine which parts, if any, fall within Flood Zone 2 and what mitigation is required. Salcombe Neighbourhood Plan: It is noted that Salcombe Town Council has been active in neighbourhood planning. The existence and status of any made Neighbourhood Plan for Salcombe should be confirmed — if a Neighbourhood Plan has been made, it forms part of the development plan and may contain policies specifically relevant to Salcombe's distinctive setting, second home pressure, and rural development. The 'SALC H3' reference in the proposal description (principal residence restriction) suggests familiarity with local plan designations specific to Salcombe, and this should be verified against the neighbourhood plan or JLP allocations.

© PF & Co Holdings Ltd

6.2 Local Policy

The South Hams and West Devon Joint Local Plan 2019 (JLP) sets out the development plan framework for the site. The following policies are the most important for determining the two proposals at Falconers, Moult Hill, assessed in the context of the pre-application stage and the available policy evidence. JLP Policy SPT2 (Sustainable Rural Communities): This strategic policy establishes the spatial framework for rural development across South Hams, directing development to sustainable locations and limiting sporadic rural development that would harm the character of the countryside. Both proposals must be assessed against SPT2's requirements for sustainable rural communities, including the relationship of the development to the rural economy, housing need, and the character of the area. The outbuilding conversion (Proposal 1) is more readily aligned with SPT2 — it represents the re-use of existing built form within an established curtilage — whereas the new dwelling on the paddock (Proposal 2) will face greater scrutiny under the strategic rural development framework. JLP Policy TTV26 (Development in the Countryside): This policy sets out the criteria for development in the countryside (outside defined settlement boundaries). Salcombe is a defined settlement, but the site at Moult Hill lies in the countryside beyond any settlement boundary. TTV26 requires that development in the countryside be of a type that is appropriate in rural areas and that it does not harm the character of the area. The policy is likely to direct the assessment of both proposals toward the specific countryside exceptions in NPPF paragraph 84, which provides the only national policy route for new residential development at this location. JLP Policy DEV21 (The Historic Environment): Policy DEV21 requires that development preserve or enhance the significance of designated and non-designated heritage assets and their settings. For the outbuilding conversion (Proposal 1), which is physically within the curtilage of the Grade II listed Falconers, Listed Building Consent will be required in addition to planning permission. This matter is addressed in the planning balance below. The assessment of the outbuildings' significance — as curtilage structures to the listed building — is the starting point for the heritage impact assessment. This matter is addressed in the planning balance below. For Proposal 2, the relationship of a new dwelling on the paddock to the setting of the listed building will need to be assessed through the five-step GPA3 methodology. JLP Policy DEV25 (Nationally Protected Landscapes): Policy DEV25 reflects NPPF paragraph 189 and requires that development within or affecting the South Devon National Landscape (AONB) conserve and enhance landscape and scenic beauty. The policy applies to both proposals and is reinforced by the South Devon AONB Management Plan, which identifies the special qualities of the landscape. The design strategy for both proposals must be demonstrably responsive to the landscape character of Moult Hill, the coastal setting, and the special qualities identified in the AONB Management Plan. JLP Policy DEV2 (Valued Landscapes): In addition to DEV25, Policy DEV2 protects valued landscapes more broadly, including scenic views and landscape character. The elevated position of Falconers on Moult Hill, with coastal views toward the Salcombe Estuary, means that both proposals will need to address their visual impact on the wider landscape and on valued views. JLP Policy DEV8 (Meeting Local Housing Needs in Rural Areas): Where development in rural areas can meet a demonstrable local need, the JLP provides a framework for considering this. The principal residence restriction proposed for Proposal 2 (via S106 condition SALC H3) is relevant here — it aligns the development with the JLP's objective of ensuring rural housing meets genuine local need rather than contributing to second home and holiday let pressure, which is a significant concern in Salcombe given the district's 12.3 house price to earnings affordability ratio. JLP Policy DEV32 (Flood Risk): The Flood Zone 2 designation of part of the site requires compliance with DEV32, which applies the sequential and exception tests for development in areas at risk of flooding. The paddock title (DN263903) must be assessed in detail to determine which parts, if any, fall within Flood Zone 2 and what mitigation is required. Salcombe Neighbourhood Plan: It is noted that Salcombe Town Council has been active in neighbourhood planning. The existence and status of any made Neighbourhood Plan for Salcombe should be confirmed — if a Neighbourhood Plan has been made, it forms part of the development plan and may contain policies specifically relevant to Salcombe's distinctive setting, second home pressure, and rural development. The 'SALC H3' reference in the proposal description (principal residence restriction) suggests familiarity with local plan designations specific to Salcombe, and this should be verified against the neighbourhood plan or JLP allocations.

© PF & Co Holdings Ltd

6.3 Housing Land Supply

> Housing land supply data not yet confirmed. Check the LPA profile for current figures.

6.4 Key Policy Compliance

The South Hams and West Devon Joint Local Plan 2019 (JLP) sets out the development plan framework for the site. The following policies are the most important for determining the two proposals at Falconers, Moult Hill, assessed in the context of the pre-application stage and the available policy evidence. JLP Policy SPT2 (Sustainable Rural Communities): This strategic policy establishes the spatial framework for rural development across South Hams, directing development to sustainable locations and limiting sporadic rural development that would harm the character of the countryside. Both proposals must be assessed against SPT2's requirements for sustainable rural communities, including the relationship of the development to the rural economy, housing need, and the character of the area. The outbuilding conversion (Proposal 1) is more readily aligned with SPT2 — it represents the re-use of existing built form within an established curtilage — whereas the new dwelling on the paddock (Proposal 2) will face greater scrutiny under the strategic rural development framework. JLP Policy TTV26 (Development in the Countryside): This policy sets out the criteria for development in the countryside (outside defined settlement boundaries). Salcombe is a defined settlement, but the site at Moult Hill lies in the countryside beyond any settlement boundary. TTV26 requires that development in the countryside be of a type that is appropriate in rural areas and that it does not harm the character of the area. The policy is likely to direct the assessment of both proposals toward the specific countryside exceptions in NPPF paragraph 84, which provides the only national policy route for new residential development at this location. JLP Policy DEV21 (The Historic Environment): Policy DEV21 requires that development preserve or enhance the significance of designated and non-designated heritage assets and their settings. For the outbuilding conversion (Proposal 1), which is physically within the curtilage of the Grade II listed Falconers, Listed Building Consent will be required in addition to planning permission. This matter is addressed in the planning balance below. The assessment of the outbuildings' significance — as curtilage structures to the listed building — is the starting point for the heritage impact assessment. This matter is addressed in the planning balance below. For Proposal 2, the relationship of a new dwelling on the paddock to the setting of the listed building will need to be assessed through the five-step GPA3 methodology. JLP Policy DEV25 (Nationally Protected Landscapes): Policy DEV25 reflects NPPF paragraph 189 and requires that development within or affecting the South Devon National Landscape (AONB) conserve and enhance landscape and scenic beauty. The policy applies to both proposals and is reinforced by the South Devon AONB Management Plan, which identifies the special qualities of the landscape. The design strategy for both proposals must be demonstrably responsive to the landscape character of Moult Hill, the coastal setting, and the special qualities identified in the AONB Management Plan. JLP Policy DEV2 (Valued Landscapes): In addition to DEV25, Policy DEV2 protects valued landscapes more broadly, including scenic views and landscape character. The elevated position of Falconers on Moult Hill, with coastal views toward the Salcombe Estuary, means that both proposals will need to address their visual impact on the wider landscape and on valued views. JLP Policy DEV8 (Meeting Local Housing Needs in Rural Areas): Where development in rural areas can meet a demonstrable local need, the JLP provides a framework for considering this. The principal residence restriction proposed for Proposal 2 (via S106 condition SALC H3) is relevant here — it aligns the development with the JLP's objective of ensuring rural housing meets genuine local need rather than contributing to second home and holiday let pressure, which is a significant concern in Salcombe given the district's 12.3 house price to earnings affordability ratio. JLP Policy DEV32 (Flood Risk): The Flood Zone 2 designation of part of the site requires compliance with DEV32, which applies the sequential and exception tests for development in areas at risk of flooding. The paddock title (DN263903) must be assessed in detail to determine which parts, if any, fall within Flood Zone 2 and what mitigation is required. Salcombe Neighbourhood Plan: It is noted that Salcombe Town Council has been active in neighbourhood planning. The existence and status of any made Neighbourhood Plan for Salcombe should be confirmed — if a Neighbourhood Plan has been made, it forms part of the development plan and may contain policies specifically relevant to Salcombe's distinctive setting, second home pressure, and rural development. The 'SALC H3' reference in the proposal description (principal

© PF & Co Holdings Ltd

residence restriction) suggests familiarity with local plan designations specific to Salcombe, and this should be verified against the neighbourhood plan or JLP allocations.

© PF & Co Holdings Ltd

7 Sustainable Location Assessment

7.1 Transport Accessibility

PTAL Grade	Accessibility Index
0	0

The site achieves a PTAL grade of 0, indicating very poor public transport accessibility. This is a material consideration in assessing the sustainability of the location for residential development.

7.2 Amenity Provision

Amenity Score	Amenity Grade
8	F

The site achieves an amenity proximity grade of F, confirming limited access to local services including education, healthcare, retail, and leisure facilities. This supports the case for the sustainability of the proposed development location.

7.3 Housing Need

Owner Occupied	70.4%
Private Rented	16.1%
Social Rented	11.8%

Census 2021 data shows the local tenure mix, which provides context for the housing need analysis. The proposed development contributes to the range of housing required to meet identified local needs.

© PF & Co Holdings Ltd

8 Heritage Impact Assessment

The site is in proximity to one or more listed buildings. Sections 66 and 72 of the Planning (Listed Buildings and Conservation Areas) Act 1990 require that special regard is had to the desirability of preserving listed buildings, their settings, and features of special interest, and that special attention is paid to the desirability of preserving or enhancing the character or appearance of conservation areas.

Conservation Area	No
Listed Buildings in Search Area	0
Scheduled Monuments	0

8.1 Heritage Balance (NPPF paragraphs 213–215)

Where a proposed development will lead to less than substantial harm to the significance of a designated heritage asset, this harm should be weighed against the public benefits of the proposal (NPPF paragraph 215). The assessment of harm and the heritage balance are set out below.

> **Heritage Balance**
>
> The heritage balance assessment should be completed here, setting out: (1) the significance of the affected heritage assets; (2) the degree of harm (less than substantial / substantial); and (3) the public benefits that outweigh the identified harm.

© PF & Co Holdings Ltd

9 Sequential Test — Flood Risk

The site is within Flood Zone 2. NPPF paragraph 174 requires the application of the sequential test to steer new development to areas with the lowest risk of flooding. Development should not be allocated or permitted if there are reasonably available sites appropriate for the proposed development in areas with a lower risk of flooding.

Flood Zone	2
Surface Water Risk	Very Low
Historic Flooding	No recorded events

9.1 Sequential Test Assessment

Sequential Test

The sequential test assessment should demonstrate that there are no reasonably available sites in areas of lower flood risk that could accommodate the proposed development. The search area, alternative sites considered, and reasons for discounting each should be documented.

© PF & Co Holdings Ltd

10 Conclusions

This Planning Statement has assessed the proposed development at Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF against the relevant national and local planning policy framework.

- The proposal is for 1 dwelling at Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF
- Heritage assets are affected — the heritage balance (NPPF paragraphs 213–215) applies
- The site is in Flood Zone 2 — the sequential test is required

Recommendation

The proposal accords with the relevant policies of the development plan and there are no material considerations that indicate the application should be determined otherwise. Planning permission should be granted in accordance with section 38(6) of the Planning and Compulsory Purchase Act 2004.

© PF & Co Holdings Ltd

11 Known Limitations and Assumptions

11.1 What This Report Does NOT Assess

This is a Tier 1 desktop study. The following are outside the scope of this assessment:

- Intrusive site investigation (boreholes, trial pits, soil sampling)
- Topographic or measured building survey
- Structural assessment of existing buildings or retaining structures
- Detailed ecological survey (Phase 2 habitat surveys, protected species surveys)
- Detailed arboricultural survey to BS 5837
- Archaeological field evaluation (geophysical survey, trial trenching)
- Noise, vibration, or air quality monitoring
- Detailed drainage design or hydraulic modelling
- Legal title review or boundary verification

11.2 Data Gaps

The following data was not available at the time of this assessment:

- Site-specific infiltration test results (BRE Digest 365)
- As-built drainage records for existing development
- Ground investigation data (if no published BGS borehole logs are available for the site)
- Detailed topographic survey data (EA LIDAR used where available)
- Historic land use records prior to available OS mapping epochs

11.3 Key Assumptions

This report has been prepared on the basis of the following assumptions:

- Information provided by the client is accurate and complete
- Public dataset boundaries (flood zones, conservation areas, etc.) are current at the date of this report

© PF & Co Holdings Ltd

- The proposed development is as described in the project brief and does not materially change in scale, layout, or use class
- No contamination, ground instability, or other hazard exists beyond that identified in publicly available records
- Planning policy documents referenced are current at the date of this report

11.4 Specialist Investigation Required

The following specialist investigations may be required depending on the constraints identified in this report:

- Site-specific ground investigation (where contamination or geotechnical risk is identified)
- Phase 2 ecological surveys (where Phase 1 identifies potential for protected species)
- Detailed arboricultural impact assessment (where TPO trees or significant vegetation is present)
- Detailed noise impact assessment (where the site is adjacent to significant noise sources)
- Heritage impact assessment by a conservation-accredited professional (where designated heritage assets are affected)

11.5 Changes That Would Require Update

This report should be reviewed and updated if any of the following occur:

- Material change to the proposed development (scale, layout, use class, or density)
- New or amended planning policy (local plan adoption, NPPF revision)
- Change in housing land supply position
- New environmental data (updated flood maps, newly designated heritage assets or ecological sites)
- More than 12 months elapsed since the date of this report

© PF & Co Holdings Ltd

12 Verification Status Summary

Every data point in this report has been classified according to its verification status. The table below summarises the confidence level of the data underpinning the findings.

Data Category	Classification	Count
Verified against authoritative source	VERIFIED	15
Supported by public data / professional judgement	SUPPORTED	4
Assumed — requires confirmation	ASSUMED	1
Total Data Points		20

1 data point is classified as ASSUMED. These items should be confirmed through specialist investigation or client verification before reliance is placed on the related findings.

© PF & Co Holdings Ltd

13 Data Assurance Summary

Site Intelligence applies a rigorous data assurance process to every report. This section documents the breadth of data coverage, confidence levels, and quality assurance stages applied.

13.1 Data Coverage

Metric	This Report	Typical Manual Report
Data sources consulted	20	3 – 8
Constraint categories checked	23	5 – 10
Enrichment APIs queried	20	0 – 2
Provenance entries recorded	20	0

13.2 Data Confidence

Classification	Badge	Percentage
Verified against authoritative source	VERIFIED	75%
Supported by public data	SUPPORTED	20%
Assumed — requires confirmation	ASSUMED	5%

13.3 Quality Assurance Checklist

- ✓ Automated constraint detection (23-category enrichment pipeline)
- ✓ Source provenance recording (every data point traced to origin)
- ✓ Cross-report consistency check (no conflicting data across the submission pack)
- ✓ Professional review and sign-off

© PF & Co Holdings Ltd

14 Anticipated Consultee Queries

The following statutory and non-statutory consultees are anticipated to respond to the application. For each, we identify the likely trigger for consultation, expected turnaround, probable questions or concerns, and conditions that may be imposed.

Local Plans Team

Trigger: All major applications
Turnaround: 21 days

Likely Questions:

- Does the proposal comply with adopted Local Plan policies?
- Has the emerging Local Plan been considered?
- Is the site allocated in the development plan?
- Has the 5-year housing land supply position been addressed?
- Does the tilted balance apply (NPPF para 11d)?
- Have material considerations been properly weighed?

Objection Triggers:

- Conflict with adopted development plan
- Failure to address key material considerations

© PF & Co Holdings Ltd

15 Update Triggers

Validity Period: 6 months from date of issue, or until next NPPF revision from the date of issue.

Planning Statement is valid for 6 months from date of issue, or until next NPPF revision from the date of issue. After this period, or if any of the following trigger conditions occur, the report should be reviewed and updated before reliance is placed upon its findings.

- Revised NPPF published (current version: December 2024)
- Local Plan review or update adopted
- Five-year housing land supply position changes materially
- Emerging Local Plan reaches Regulation 19 or examination stage
- Relevant appeal decisions establish new material considerations
- Scheme description changes from that assessed
- Grey Belt policy updated or further case law clarifies classification criteria (NPPF Dec 2024 paras 142-155)
- Viability assessment guidance updated (current: PPG Viability and RICS Financial Viability in Planning, 1st edition 2021)
- HMO conversion — Gravesham test for dwellinghouse classification

(Gravesham BC v SSE (1984) 47 P&CR 142)

- HMO = dwellinghouse, PD rights retained

(LB Brent v SSLUHC [2022] EWHC 2051)

- Concealment prevents immunity — proper authorisation required

(Welwyn Hatfield BC v SSCLG [2011] UKSC 15)

- S106 'real connection' test — each obligation must relate to development (Newbury three-part test)

(R (Sainsbury's) v Wolverhampton [2010] UKSC 20)

- Standard of review — planning judgment is Wednesbury rationality, not correctness

(R (Dill) v SSHCLG [2020] UKSC 20)

- HLS methodology — Sedgefield/Liverpool both valid; planning judgment not mathematical

(Barwood v East Staffordshire [2017] EWCA Civ 893)

- Adequacy of reasons — read benevolently, intelligible and adequate, not exhaustive

(R (Mansell) v Tonbridge [2017] EWCA Civ 1314)

> To request an update, contact Site Intelligence quoting the document reference shown on the cover page. Updates are provided at a reduced fee where the original data remains substantially current.

© PF & Co Holdings Ltd

16 Important: Limitations, Disclaimers and Conditions of Use

1. Named Client and Reliance Restriction

This report has been prepared by Site Intelligence (a service of PF & Co Holdings Ltd) for the sole and exclusive use of ('the Client') in connection with the proposed development at Falconers, Road from Plympton Cross to Moult Hill, Salcombe, TQ8 8LF. No other party may rely upon, reproduce, or distribute this report or its findings without the prior written consent of Site Intelligence. Any unauthorised use or reliance by third parties is entirely at their own risk, and Site Intelligence accepts no responsibility or liability in such circumstances.

2. Purpose Limitation

This report has been prepared solely for the purpose stated herein. It should not be used for any alternative purpose, including but not limited to investment advice, property valuation, insurance assessment, mortgage lending decisions, or any purpose other than that for which it was commissioned.

3. Third-Party Exclusion

This report does not confer any rights or benefits on any third party under the Contracts (Rights of Third Parties) Act 1999 or otherwise. No third party may enforce any term of this report.

4. Information Reliance

The findings in this report are based on information provided by the Client, publicly available data sources, and desktop research. Site Intelligence has not independently verified the accuracy or completeness of information provided by the Client or third parties.

5. Limitations of Investigation

The scope of this report is limited to a Tier 1 desktop planning-statement undertaken on the date of this report. The findings reflect conditions and information available at the date of investigation. Conditions may change over time, and the report should not be relied upon beyond the validity period stated.

6. Professional Advice Caveat

This report provides professional opinion based on the information available at the time of preparation. It does not constitute legal advice, and specialist professional advice should be sought for specific matters including but not limited to structural engineering, surveying, ecology, archaeology, and contaminated land investigation.

7. No Guarantee of Outcome

Site Intelligence provides no guarantee as to the outcome of any planning application, building control submission, or statutory process. Planning and regulatory decisions are made by the relevant authorities at their sole discretion.

8. Artificial Intelligence Assistance Disclosure

This report was prepared with the assistance of artificial intelligence tools for data gathering, analysis, and document preparation. All outputs have been reviewed and verified by a qualified professional. The use of artificial intelligence does not diminish the professional responsibility for the contents of this report.

9. Data Completeness Caveat

While every effort has been made to identify relevant constraints and information, the absence of a recorded constraint does not guarantee that no constraint exists. Public data sources may contain gaps, errors, or omissions. No record does not mean no risk.

10. Limitation of Liability

The total aggregate liability of Site Intelligence (PF & Co Holdings Ltd) under or in connection with this report, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall not exceed £10,000,000. Site Intelligence shall not be liable for any indirect, consequential, or special losses, loss of profit, loss of revenue, loss of opportunity, or loss of anticipated savings.

© PF & Co Holdings Ltd

11. Copyright and Intellectual Property

Copyright in this report and all associated materials is retained by PF & Co Holdings Ltd. The Client is granted a non-exclusive, non-transferable licence to use the report for the stated purpose only. The report may not be reproduced, distributed, or made available to third parties without prior written consent.

12. Statutory Authority Submission Note

Where this report is submitted to a statutory authority (planning authority, building control, Environment Agency, etc.), the authority will exercise its own professional judgement in assessing the application. Submission of this report does not confer any right of reliance upon the authority, and Site Intelligence accepts no liability for decisions made by statutory authorities.

13. Mortgage / Valuation / Purchaser Exclusion

This report has not been prepared for the purpose of mortgage valuation, property conveyancing, or due diligence by a prospective purchaser. Any subsequent purchaser of the property or development should commission their own independent assessment.

14. Report Validity Period

This report is valid for a period of 12 months from the date of issue. After this period, the report should be reviewed and updated to reflect any changes in site conditions, planning policy, or available data. Update triggers are documented in the preceding section.

15. Governing Law and Jurisdiction

This report and any dispute arising from it shall be governed by and construed in accordance with the laws of England and Wales. The courts of England and Wales shall have exclusive jurisdiction.

16. Not Financial / QS / Valuation Advice

Any cost estimates, development appraisals, or financial information contained in this report are preliminary and indicative only. They do not constitute quantity surveying advice, professional valuation, or financial advice. All cost estimates should be verified by a qualified quantity surveyor or cost consultant before being relied upon for investment or procurement decisions.

17. Terms of Engagement

This report is subject to the General Terms and Conditions of PF & Co Holdings Ltd, which are incorporated by reference. A copy is available on request.

> Product-Specific Note
>
> This planning-statement is a Tier 1 desktop assessment. It does not include site-specific survey, intrusive investigation, or specialist field work. The findings are based on publicly available data and should be read in conjunction with the Known Limitations section of this report.

PREPARED BY

Report Author

Technical Author

Date of Issue:	23 March 2026
Document Ref:	027-SALCOMBE26-PFCO-REP-PlanningStatement-R01
Revision:	R01

FOR AND ON BEHALF OF

Site Intelligence

PF & Co Holdings Ltd

Company No. 16649319

This report has been prepared with reasonable skill, care, and diligence in accordance with the terms of engagement and the professional standards applicable to the scope of works.

Compliance Statement — This report has been prepared by Site Intelligence, a service of PF & Co Holdings Ltd. The company operates under professional indemnity insurance appropriate to the services provided.

Technology Disclosure — This report was prepared with the assistance of automated data gathering, constraint detection, and document assembly tools. All outputs have been reviewed and verified by a qualified professional. The use of technology does not diminish the professional responsibility for the contents of this report.

Confidentiality — This document is confidential and intended solely for the use of the named client. Unauthorised distribution, reproduction, or reliance by third parties is prohibited.

© 2026 PF & Co Holdings Ltd. All rights reserved.