Project: TIS	Incident Number/Reference: 053

DESCRIPTION *(data and sequence of actions leading to fault, details of actual and expected response)*

The user manual needs to clarify the following points:

1.   One needs administrator privileges to update the path.
2.   It should be clear that the system only prompts for the Floppy if it is not present when required.
3.   The system can be un-enrolled for test purposes by removing the contents of the System directory.

Found in test:

Supporting documentation attached   ~~YES~~/NO   *Continued*   ~~YES~~/NO

Found during: *(use actual project stages)*	~~Reqs/Sys spec/Security Spec/Proof of Spec/Formal Design/INFORMED Design/Proof of Design/Code/Code Proof/Integration/~~Sys test~~/Acceptance~~

Date: 09/09/2003	Signature of Originator:

EVALUATION *(include list of items affected, details of work required, other similar faults, tests to be re-run)*

Cover the above points in the User Manual S.P1229.73.1 in sections 2.2 (for point 1), 3.2 and 3.5.2 (for point 2) and section 3.3 (for point 3).

Continued   NO

Classification:	~~Critical / Major~~ / Minor~~/ Interfaces / Test / No Fault~~

Introduced during: *(use actual project stages)*	~~Reqs/Sys spec/Security Spec/Formal Design/INFORMED Design/Code/Integration/Sys test/Acceptance~~ (User Manual)

Date: 09/09/2003	Signature of Evaluator:

RESPONSE *(detail how incident is to be resolved, identify cause of problem, related faults and change requests)*

Update as described in evaluation.

Continued   ~~YES~~/NO

Date: 09/09/2003	Signature of Project Manager:

IMPLEMENTATION *(if applicable)*

Assigned to: janet	Signature of Project Manager:

Item modified	Date/Version	Signature of Checker	Signature of Integrator
S.P1229.73.1 (User Manual)	v1.1	*[signature]*	
			Continued NO