

1.0.0-beta.0

MIT

perfectui

The design system as the library ships it: every token of `dist/perfectui.css` in both modes, and every component in its 4 styles × 7 colours, rendered by the real stylesheet with no component CSS of our own.

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/@chrisgson/perfectui@1.0.0-beta.0/dist/perfectui.css">
```

1 • Colour tokens

The eleven `:root` custom properties. Each is a `light-dark()` pair; the swatches read the property itself, so each panel shows what the stylesheet resolves in that mode.

```
:root { --pui-bg: light-dark(#fff, #000); ... } /* dark: <html data-pui-mode="dark"> */
```

data-pui-mode="light"

	--pui-bg	#FFFFFF	Page background; label on a solid fill
	--pui-bg-muted	#F3F4F6	Card headers, addons, stripes, hover rows
	--pui-bg-emphasis	#E5E7EB	Third level for authors (code blocks)
	--pui-text	#000000	Body text
	--pui-text-muted	#6B7280	Secondary text, labels, table headers
	--pui-border	#D1D5DB	Every border that carries no role colour
	--pui-theme	#0092CD	Brand colour
	--pui-success	#16A34A	Positive
	--pui-warn	#D97706	Caution
	--pui-error	#DC2626	Destructive, invalid
	--pui-muted	#6B7280	Neutral

data-pui-mode="dark"

	--pui-bg	#000000	Page background; label on a solid fill
	--pui-bg-muted	#111827	Card headers, addons, stripes, hover rows
	--pui-bg-emphasis	#1F2937	Third level for authors (code blocks)
	--pui-text	#FFFFFF	Body text
	--pui-text-muted	#9CA3AF	Secondary text, labels, table headers
	--pui-border	#374151	Every border that carries no role colour
	--pui-theme	#07B6F0	Brand colour
	--pui-success	#22C55E	Positive
	--pui-warn	#F59E0B	Caution
	--pui-error	#EF4444	Destructive, invalid
	--pui-muted	#9CA3AF	Neutral

2 • Colour roles and slots

Seven roles, each with the same slots. The two live samples are `pui-badge` `pui-solid` and `pui-soft` with the role; the hexes are the resolved values from `DESIGN-SYSTEM.md`. `Soft` is the role at 15% (22% on hover), outline hover 10%, `solid` hover 12% toward the text colour; `ink` is the role 25% toward the text colour.

data-pui-mode="light"

	fill	fill-hover	on-fill	edge	ink	soft 15%
theme	 Aa  Aa	 #0092CD  #007AAD	 #FFFFFF	 #0092CD  #00628B	 #0092CD  #00628B	 #D9EFF8
success	 Aa  Aa	 #16A34A  #11893D	 #FFFFFF	 #16A34A  #0B6E2F	 #16A34A  #0B6E2F	 #DCF1E4
warn	 Aa  Aa	 #D97706  #B76304	 #FFFFFF	 #D97706  #934F03	 #D97706  #934F03	 #F9EBDA
error	 Aa  Aa	 #DC2626  #B91E1E	 #FFFFFF	 #DC2626  #951616	 #DC2626  #951616	 #FADFDF
muted	 Aa  Aa	 #6B7280  #595F6B	 #FFFFFF	 #6B7280  #464B55	 #6B7280  #464B55	 #E9EAEAC
surface	 Aa  Aa	 #FFFFFF  #D7D7D7	 #000000	 #D1D5DB  #000000	 #D1D5DB  #000000	 #FFFFFF
inverse	 Aa  Aa	 #000000  #060606	 #FFFFFF	 #000000  #000000	 #000000  #000000	 #D9D9D9

data-pui-mode="dark"

	fill	fill-hover	on-fill	edge	ink	soft 15%
theme	 Aa  Aa	 #07B6F0  #48BFF2	 #000000	 #07B6F0  #68C9F5	 #07B6F0  #68C9F5	 #011B24
success	 Aa  Aa	 #22C55E  #50CD73	 #000000	 #22C55E  #71D588	 #22C55E  #71D588	 #051D0E
warn	 Aa  Aa	 #F59E0B  #F7AA45	 #000000	 #F59E0B  #F9B867	 #F59E0B  #F9B867	 #251802
error	 Aa  Aa	 #EF4444  #F5615B	 #000000	 #EF4444  #FA7B73	 #EF4444  #FA7B73	 #240A0A
muted	 Aa  Aa	 #9CA3AF  #A7AEB8	 #000000	 #9CA3AF  #B4B9C3	 #9CA3AF  #B4B9C3	 #17181A
surface	 Aa  Aa	 #000000  #060606	 #FFFFFF	 #374151  #FFFFFF	 #374151  #FFFFFF	 #000000
inverse	 Aa  Aa	 #FFFFFF  #D7D7D7	 #000000	 #FFFFFF  #FFFFFF	 #FFFFFF  #FFFFFF	 #262626

3 • Type

Inter for text and interface, Fira Code for code. The library imports no font and sets only the component sizes (14 px, and 12 px for the small ones, line-height 1.25); the site scale sits around it.

```
body { font-family: "Inter", sans-serif; }
code, pre, kbd { font-family: "Fira Code", monospace; }
```

Perfect UI

Crafting elegant interfaces

Native HTML, native CSS

Shape, style and colour

An exceptionally lightweight and highly customizable CSS and JavaScript library.

Behaviour comes from the browser; JavaScript only fills in what a browser is missing.

LABEL · 12 / 16

Component · 14/17.5 (--pui-font-size)

Button 14 px **Chip 14 px** **Badge 12 px**

`<button class="pui-btn pui-solid pui-theme">Save</button>`







4 • Space, radius, border, focus, motion

Four base values generate every size: `--pui-space` 0.25rem, `--pui-font-size` 0.875rem, `--pui-radius` 0.375rem, `--pui-border-width` 1px. No shadows: the library draws none.

space · 4 px unit (steps used by the library)

×0.5	2 px	
×1	4 px	
×1.25	5 px	
×1.5	6 px	
×1.75	7 px	
×2	8 px	
×2.5	10 px	
×3	12 px	
×4	16 px	
×6	24 px	
×7	28 px	
×8	32 px	

radius

					
3 px	5 px	6 px	9 px	20 px	full
checkbox	inner corner	--pui-radius	card ×1.5	framed site container	pill, radio, switch

border · 1 px, --pui-border

focus-visible · 2 px ring in the element's colour, offset 2 px (drawn here)

Focused **Focused error** **Focused input**

motion · 150 ms on background, border and text colour; none under prefers-reduced-motion

elevation · none — no shadow tokens, no shadows

5 • Brand accents (marketing pages)

Two blurred glows, purple #7340D9 at 12% and blue #1A8CBF at 10%, inside a framed container with a 20 px radius and a 1 px border. Everything else on the page is library components.

data-pui-mode="light"

1.0.0-beta.0

Crafting elegant interfaces

An exceptionally lightweight and highly customizable CSS and JavaScript library.

Get started

Components

data-pui-mode="dark"

1.0.0-beta.0

Crafting elegant interfaces

An exceptionally lightweight and highly customizable CSS and JavaScript library.

Get started

Components

Components

shape + style + colour. A colour class alone never paints; it needs a style class beside it (checked controls and the focus ring are the exceptions).

6.1 · Button — pui-btn

Padding 8/16, 35.5 px tall. Also: pui-rounded-full (pill), disabled at 50% opacity, the same classes on an <a>.

```
<button class="pui-btn pui-solid pui-theme">Save</button>
```

	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	Button	Button	Button	Button
pui-success	Button	Button	Button	Button
pui-warn	Button	Button	Button	Button
pui-error	Button	Button	Button	Button
pui-muted	Button	Button	Button	Button
pui-surface	Button	Button	Button	Button
pui-inverse	Button	Button	Button	Button

	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	Button	Button	Button	Button
pui-success	Button	Button	Button	Button
pui-warn	Button	Button	Button	Button
pui-error	Button	Button	Button	Button
pui-muted	Button	Button	Button	Button
pui-surface	Button	Button	Button	Button
pui-inverse	Button	Button	Button	Button

```
data-pui-mode="light"
```

Pill

Disabled

Disabled

Link as button

+ With icon

```
data-pui-mode="dark"
```

Pill

Disabled

Disabled

Link as button

+ With icon

6.2 · Chip — pui-chip

Padding 4/12, 27.5 px tall. Clickable on a <button>; pill with pui-rounded-full.

```
<span class="pui-chip pui-soft pui-success">Active</span>
```

	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	Chip	Chip	Chip	Chip
pui-success	Chip	Chip	Chip	Chip
pui-warn	Chip	Chip	Chip	Chip
pui-error	Chip	Chip	Chip	Chip
pui-muted	Chip	Chip	Chip	Chip
pui-surface	Chip	Chip	Chip	Chip
pui-inverse	Chip	Chip	Chip	Chip

	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	Chip	Chip	Chip	Chip
pui-success	Chip	Chip	Chip	Chip
pui-warn	Chip	Chip	Chip	Chip
pui-error	Chip	Chip	Chip	Chip
pui-muted	Chip	Chip	Chip	Chip
pui-surface	Chip	Chip	Chip	Chip
pui-inverse	Chip	Chip	Chip	Chip

6.3 · Badge — pui-badge

Padding 2/7, 12 px text, 21 px tall. Counts as a pill with pui-rounded-full.

```
<span class="pui-badge pui-solid pui-error pui-rounded-full">3</span>
```

	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	Badge 3	Badge 3	Badge 3	Badge 3
pui-success	Badge 3	Badge 3	Badge 3	Badge 3
pui-warn	Badge 3	Badge 3	Badge 3	Badge 3
pui-error	Badge 3	Badge 3	Badge 3	Badge 3
pui-muted	Badge 3	Badge 3	Badge 3	Badge 3
pui-surface	Badge 3	Badge 3	Badge 3	Badge 3
pui-inverse	Badge 3	Badge 3	Badge 3	Badge 3

	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	Badge 3	Badge 3	Badge 3	Badge 3
pui-success	Badge 3	Badge 3	Badge 3	Badge 3
pui-warn	Badge 3	Badge 3	Badge 3	Badge 3
pui-error	Badge 3	Badge 3	Badge 3	Badge 3
pui-muted	Badge 3	Badge 3	Badge 3	Badge 3
pui-surface	Badge 3	Badge 3	Badge 3	Badge 3
pui-inverse	Badge 3	Badge 3	Badge 3	Badge 3

6.4 · Card — pui-card (recoloured)

The card needs no colour class; with one it takes a style like any shape. Radius 9 px (radius × 1.5), header 8/16, content 16 with a 12 px gap.

```
<div class="pui-card">
  <div class="pui-card-header">Card header</div>
  <div class="pui-card-content">Content goes here.</div>
</div>
```

	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	Header Content	Header Content	Header Content	Header Content
pui-success	Header Content	Header Content	Header Content	Header Content
pui-warn	Header Content	Header Content	Header Content	Header Content
pui-error	Header Content	Header Content	Header Content	Header Content
pui-muted	Header Content	Header Content	Header Content	Header Content
pui-surface	Header Content	Header Content	Header Content	Header Content
pui-inverse	Header Content	Header Content	Header Content	Header Content

	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	Header Content	Header Content	Header Content	Header Content
pui-success	Header Content	Header Content	Header Content	Header Content
pui-warn	Header Content	Header Content	Header Content	Header Content
pui-error	Header Content	Header Content	Header Content	Header Content
pui-muted	Header Content	Header Content	Header Content	Header Content
pui-surface	Header Content	Header Content	Header Content	Header Content
pui-inverse	Header Content	Header Content	Header Content	Header Content

6.5 · List item — pui-list-item

Padding 8/16, radius 6. A selected item is pui-soft with a colour; a bordered one pui-outline pui-surface.

```
<ul class="pui-list" style="list-style: none">
  <li class="pui-list-item pui-soft pui-theme">Selected</li>
</ul>
```

data-pui-mode="light"				
	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	List item	List item	List item	List item
pui-success	List item	List item	List item	List item
pui-warn	List item	List item	List item	List item
pui-error	List item	List item	List item	List item
pui-muted	List item	List item	List item	List item
pui-surface	List item	List item	List item	List item
pui-inverse	List item	List item	List item	List item

data-pui-mode="dark"				
	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	List item	List item	List item	List item
pui-success	List item	List item	List item	List item
pui-warn	List item	List item	List item	List item
pui-error	List item	List item	List item	List item
pui-muted	List item	List item	List item	List item
pui-surface	List item	List item	List item	List item
pui-inverse	List item	List item	List item	List item

6.6 · Timeline icon — pui-checkpoint-icon

24.5 px circle, 12 px text; coloured like a badge.

```
<i class="pui-checkpoint-icon pui-solid pui-success">&check;</i>
```

data-pui-mode="light"				
	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	✓	✓	✓	✓
pui-success	✓	✓	✓	✓
pui-warn	✓	✓	✓	✓
pui-error	✓	✓	✓	✓
pui-muted	✓	✓	✓	✓
pui-surface	✓	✓	✓	✓
pui-inverse	✓	✓	✓	✓

data-pui-mode="dark"				
	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	✓	✓	✓	✓
pui-success	✓	✓	✓	✓
pui-warn	✓	✓	✓	✓
pui-error	✓	✓	✓	✓
pui-muted	✓	✓	✓	✓
pui-surface	✓	✓	✓	✓
pui-inverse	✓	✓	✓	✓

6.7 · Tooltip — pui-tooltip (recoloured)

Padding 5/10, 12 px text, max width 320. pui-solid pui-inverse is v0's black tooltip. Shown in place: position static on the board only.

```
<div class="pui-tooltip pui-solid pui-inverse" id="help" popover="hint">...</div>
```

data-pui-mode="light"				
	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	Tooltip	Tooltip	Tooltip	Tooltip
pui-success	Tooltip	Tooltip	Tooltip	Tooltip
pui-warn	Tooltip	Tooltip	Tooltip	Tooltip
pui-error	Tooltip	Tooltip	Tooltip	Tooltip
pui-muted	Tooltip	Tooltip	Tooltip	Tooltip
pui-surface	Tooltip	Tooltip	Tooltip	Tooltip
pui-inverse	Tooltip	Tooltip	Tooltip	Tooltip

data-pui-mode="dark"				
	pui-solid	pui-soft	pui-outline	pui-link
pui-theme	Tooltip	Tooltip	Tooltip	Tooltip
pui-success	Tooltip	Tooltip	Tooltip	Tooltip
pui-warn	Tooltip	Tooltip	Tooltip	Tooltip
pui-error	Tooltip	Tooltip	Tooltip	Tooltip
pui-muted	Tooltip	Tooltip	Tooltip	Tooltip
pui-surface	Tooltip	Tooltip	Tooltip	Tooltip
pui-inverse	Tooltip	Tooltip	Tooltip	Tooltip

6.8 · Table row — pui-table (recoloured rows)

Cells 8/16 with a 1 px rule below; header 600 in muted text; the last row draws no rule. A style and a colour class on a <tr> colour the row.

```
<tr class="pui-soft pui-success">...</tr>
```

data-pui-mode="light"			
tr.pui-solid		tr.pui-soft	
Colour	Value	Colour	Value
pui-theme	42	pui-theme	42
pui-success	42	pui-success	42
pui-warn	42	pui-warn	42
pui-error	42	pui-error	42
pui-muted	42	pui-muted	42
pui-surface	42	pui-surface	42
pui-inverse	42	pui-inverse	42
tr.pui-outline		tr.pui-link	
Colour	Value	Colour	Value
pui-theme	42	pui-theme	42
pui-success	42	pui-success	42
pui-warn	42	pui-warn	42
pui-error	42	pui-error	42
pui-muted	42	pui-muted	42
pui-surface	42	pui-surface	42
pui-inverse	42	pui-inverse	42

data-pui-mode="dark"			
tr.pui-solid		tr.pui-soft	
Colour	Value	Colour	Value
pui-theme	42	pui-theme	42
pui-success	42	pui-success	42
pui-warn	42	pui-warn	42
pui-error	42	pui-error	42
pui-muted	42	pui-muted	42
pui-surface	42	pui-surface	42
pui-inverse	42	pui-inverse	42
tr.pui-outline		tr.pui-link	
Colour	Value	Colour	Value
pui-theme	42	pui-theme	42
pui-success	42	pui-success	42
pui-warn	42	pui-warn	42
pui-error	42	pui-error	42
pui-muted	42	pui-muted	42
pui-surface	42	pui-surface	42
pui-inverse	42	pui-inverse	42

6.9 · Checkbox, radio, switch — pui-checkbox, pui-radio, pui-switch

Native inputs. These take a colour class alone (no style class): a checked control reads the colour directly, theme by default. Checkbox and radio 16 px, switch 32 × 16.

```
<label><input type="checkbox" class="pui-checkbox pui-success" checked> Accept</label>
```

data-pui-mode="light"			
	checkbox	radio	switch
pui-theme	✓	●	☑
pui-success	✓	●	☑
pui-warn	✓	●	☑
pui-error	✓	●	☑
pui-muted	✓	●	☑
pui-surface	✓	●	☑
pui-inverse	✓	●	☑
default	☐  ☐	● ●	☐ ☑
off · indeterminate · disabled			
off · disabled			
off · disabled on			

data-pui-mode="dark"			
	checkbox	radio	switch
pui-theme	✓	●	☑
pui-success	✓	●	☑
pui-warn	✓	●	☑
pui-error	✓	●	☑
pui-muted	✓	●	☑
pui-surface	✓	●	☑
pui-inverse	✓	●	☑
default	☐  ☐	● ●	☐ ☑
off · indeterminate · disabled			
off · disabled			
off · disabled on			

Structures and forms

Components that carry their own surface, and the form controls.

7.1 · Card, list, table

Card with and without a header, a table flush inside a card; lists plain, striped and hoverable; a striped table with a footer.

data-pui-mode="light"

Card header

Title

Content goes here.

A card without its header band.

pui-list

First

Second

Third

pui-list pui-striped

First

Second

Third

pui-list pui-hoverable

Hover me

And me

list-item pui-soft pui-theme = selected

Inbox

Starred

Sent

pui-table pui-striped inside a card, withtfoot

#	Name	Role
1	Mark	Owner
2	Jacob	Editor
3	Larry	Viewer
3 members		

data-pui-mode="dark"

Card header

Title

Content goes here.

A card without its header band.

pui-list

First

Second

Third

pui-list pui-striped

First

Second

Third

pui-list pui-hoverable

Hover me

And me

list-item pui-soft pui-theme = selected

Inbox

Starred

Sent

pui-table pui-striped inside a card, withtfoot

#	Name	Role
1	Mark	Owner
2	Jacob	Editor
3	Larry	Viewer
3 members		

7.2 · Accordion — <details>

Consecutive items join into one block (only the ends round). The same name makes them exclusive. pui-highlighted marks the open item with the muted background; pui-accordion-icon replaces the drawn chevron.

<div class="pui-accordion pui-highlighted">
 <details class="pui-accordion-item" name="faq" open>
 <summary>What is Perfect UI?</summary>
 <p>A lightweight CSS and JavaScript library.</p>
 </details>
</div>

data-pui-mode="light"

pui-accordion

What is Perfect UI?

A lightweight CSS and JavaScript library.

Does it need JavaScript?

Is there a reset?

pui-accordion pui-highlighted

What is Perfect UI?

A lightweight CSS and JavaScript library.

Custom icon

data-pui-mode="dark"

pui-accordion

What is Perfect UI?

A lightweight CSS and JavaScript library.

Does it need JavaScript?

Is there a reset?

pui-accordion pui-highlighted

What is Perfect UI?

A lightweight CSS and JavaScript library.

Custom icon

7.3 · Modal, dropdown, tooltip

Open states drawn in place (position set to static on the board only; the backdrop is the library's #00000080). The last row holds the real triggers — commandfor/command, popovertarget, interestfor — and works in browsers that support them.

<button class="pui-btn pui-solid pui-error" commandfor="confirm" command="show-modal">Delete project</button>
<dialog class="pui-modal" id="confirm" closedby="any">...</dialog>
<button class="pui-btn pui-outline pui-surface" popovertarget="menu">Menu</button>
<div class="pui-dropdown" id="menu" popover>...</div>
<button class="pui-btn pui-outline pui-surface" interestfor="help">?</button>
<div class="pui-tooltip" id="help" popover="hint">...</div>

data-pui-mode="light"

Delete project

This cannot be undone.

CancelDelete

Menu

Profile

Settings

Sign out

We never share your email.

pui-solid pui-inverse

?

live · native triggers

Delete projectMenu?

data-pui-mode="dark"

Delete project

This cannot be undone.

CancelDelete

Menu

Profile

Settings

Sign out

We never share your email.

pui-solid pui-inverse

?

live · native triggers

Delete projectMenu?

7.4 · Input, input group, field group

One class for input, select and textarea (padding 6/12, 31.5 px tall). aria-invalid turns the border and the message to the error token.

<label class="pui-field-group">
 Email
 <input class="pui-input" type="email" aria-describedby="email-help">
 <small id="email-help">We never share it.</small>
</label>

data-pui-mode="light"

Name

Your name

Role

Owner

Email

you@example.com

We never share it.

Email

not an email

Enter a valid email.

Disabled

Read only

Message

Your message

Website

https:// perfectui.dev

Without the protocol.

Price

R\$ 0,00

Search

Go

@ not an email

data-pui-mode="dark"

Name

Your name

Role

Owner

Email

you@example.com

We never share it.

Email

not an email

Enter a valid email.

Disabled

Read only

Message

Your message

Website

https:// perfectui.dev

Without the protocol.

Price

R\$ 0,00

Search

Go

@ not an email

7.5 · Groups, timeline, float

pui-group-row / pui-group-col join children: inner corners squared, borders overlapped by 1 px. pui-group-responsive is a row above 1024 px and a column below. pui-rounded detaches one child. pui-float pins an element 24 px from the bottom-start corner of the viewport (drawn here inside a frame).

<div class="pui-group-row">
 <button class="pui-btn pui-outline pui-surface">Day</button>
 <button class="pui-btn pui-solid pui-theme">Week</button>
 <button class="pui-btn pui-outline pui-surface">Month</button>
</div>

data-pui-mode="light"

DayWeekMonth

Profile

Billing

Sign out

All ▾Query

Search

LeftMiddlepui-rounded

Released v1.0.0

Shipped this morning.

Beta feedback

Quick bug fix

ReleasedPlanningLaunch

viewport

New post

data-pui-mode="dark"

DayWeekMonth

Profile

Billing

Sign out

All ▾Query

Search

LeftMiddlepui-rounded

Released v1.0.0

Shipped this morning.

Beta feedback

Quick bug fix

ReleasedPlanningLaunch

viewport

New post

8 · Not in the files, and assumptions

1. The published 1.0.0-beta.0 on jsDelivr is older than dist/perfectui.css: it has no pui-highlighted, keeps accordion items apart with a gap instead of joining them into one block, and mixes tints in oklch (dist uses oklab). This page loads dist/perfectui.css; a design loaded from the CDN will not match 6.6, 7.2 and the flattened tint hexes until a new beta is published.

2. Inter and Fira Code, the site scale (96, 56, 42, 24, 18, 16, 12) and the 600 heading weight come from the brief; the library sets only 14 and 12 px. Line heights other than 16/24 are our choice: 96/96, 56/60, 42/48, 24/32, 18/28, 12/16, with −0.02em tracking from 42 px up.

3. The glow colours #7340D9 and #1A8CBF, the 20 px framed-container radius and the glows' size and blur (360–560 px, 96–120 px blur) are not in the repository.

4. Hover colours are listed as hexes but not drawn; :focus-visible is drawn with an inline outline equal to the library's rule, because a static board cannot hold keyboard focus.

5. Overlays (modal, dropdown, tooltip) and pui-float are drawn in place with position overridden on the board only; in a page they open in the top layer or pin to the viewport.

6. An indeterminate checkbox has no HTML attribute; the board sets the property from script, as the library's loader does.

7. --pui-edge, --pui-ink and --pui-shade are internal variables set by the colour classes; they are not public tokens and are not listed in the SKILL.

8. pui-soft pui-surface paints nothing (page over page), and light-mode solid fills sit below 4.5:1 against white labels; both are deliberate and documented.