CS 4910

Project: Blacktop

Stories 2/3/2020

| Team:        | Skyler Sheler     | skyler.j.sheler@wmich.edu   | (616) 438-3527 |
|--------------|-------------------|-----------------------------|----------------|
|              | Erron Johnson     | erron.d.johnson@wmich.edu   | (269) 547-8933 |
|              | Allin Kahrl       | f.allin.kahrl@wmich.edu     | (207) 522-4859 |
|              | Tyler Henniges    | tyler.m.henniges@wmich.edu  | (269) 330-4229 |
| Client:      | WMU Computer Club | colin.c.maccreery@wmich.edu | (269) 276-3106 |
| Contact:     | Colin MacCreery   | colin.c.maccreery@wmich.edu | (269) 276-3106 |
| Project Lead | Allin Kahrl       | f.allin.kahrl@wmich.edu     | (207) 522-4859 |

A daughter board for the MSP-EXO430G2/ET "Launchpad" development board will be developed for Colin MacCreery for use in Western Michigan University's CS-2230 Computer Organization and Assembly Language course. WMU Computer Club will oversee the production of the board. The boards will be maintained and purchased by computer club and be used by students in CS-2230.

The actors associated with the project are as follows:

- WMU Computer Club The client requesting and financing the production of the board. CClub will handle the ordering, sale, and distribution of boards to CS-2230.
  CClub will need to have all of the necessary information to maintain and offer support for the boards.
- Colin MacCreery The representative of computer club handling all administrative actions over the project and the professor that will use the board in CS-2230
- CS-2230 Students The customer that will be purchasing and using the boards in CS-2230

| Story  | Time to complete | Risk<br>(1-10) | Actual time to complete | % Complete |
|--|------------------|----------------|-------------------------|------------|
| The circuit board must be usable by the average student in CS 2230 | 4 weeks          | 4              | TBD                     | 60%        |
| The board is able to be purchased and maintained by computer club  | 12 weeks         | 4              | TBD                     | 50%        |

| The necessary materials (Circuit diagrams and pinout information) to reproduce and manufacture the boards are provided to the client   | 12 weeks | 4 | TBD | 50% |
|--|----------|---|-----|-----|
| A student has the ability to install, cross compile, and flash new code to the board. The code must be able to execute and interact with the board while it is running.  | 4 weeks  | 6 | TBD | 0%  |
| The installation of the board is set up so it is difficult to make mistakes while doing so and contains durable sockets to prevent damage to the board. Installation of the board will require that the daughter board is attached to the programming board via clearly defined sockets and the installation of the necessary libraries outlined by CS-2230's documentation. | 4 weeks  | 6 | TBD | 50% |
| Board manufacturers have been selected for maintainability of the project and computer club is able to communicate with them.  | 12 weeks | 5 | TBD | 75% |
| The board contains all of<br>the necessary peripherals<br>to teach CS 2230   | 4 weeks  | 2 | TBD | 75% |
| The peripherals display all necessary functionality required for use in CS 2230  | 4 weeks  | 6 | TBD | 30% |

| The onboard EEPROM is able to communicate with the main MSP chip via SPI   | 4 weeks  | 6 | TBD     | 40%  |
|--|----------|---|---------|------|
| The board operates with the most recent stable release of ubuntu 18.04 over the most stable versions of virtualbox, vmware, and on real hardware via mspdebug and mspgcc.  | 4 weeks  | 1 | 4 weeks | 100% |
| Students will be able to access appropriate documentation (schematic, parts, vendors, data sheets, documentation on all device drivers, example programs for device drivers) in a PDF student pack. Also instructions for compiling and flashing the board, write ups on serial i/o, and examples of simple programs will be provided. | 12 weeks | 5 | TBD     | 40%  |
| As part of a second release the board will require a test jig used to ensure the functionality of ordered boards. It will be constructed to clip onto the daughter board and contain peripherals that determine whether or not each peripheral is functional   | 12 weeks | 8 | TBD     | 0%   |
| As part of a second release<br>the test jig mentioned<br>above will output<br>information to a terminal to<br>aid in accessibility testing.<br>The jig will provide<br>feedback for students with  | 12 weeks | 8 | TBD     | 0%   |

| hearing disabilities |  |  |
|----------------------|--|--|
| 3                    |  |  |