

wildtag.ai - Quick Reference

A one-page summary of the workflow, tabs, and options. For full detail, see the User Manual.

VERSION 1.2 · JULY 2026

The workflow, start to finish

1 Install

Download and run `wildtag_Setup.exe`, launch from the shortcut. No admin rights needed. On a security warning: More info → Run anyway.

2 Download a model

Open the **Models** tab and click **Download** on a model while online (DeepFaune recommended). One time only; runs offline afterwards.

3 Run

Run tab: Browse to your image folder, pick the model, click **Run wildtag**.

4 Validate

Validate tab: review predictions species by species, correct errors, **Mark batch complete**.

5 Distribute & collect

Distribute tab: **Prepare zip packages** for volunteers; drop returned zips in `collect\` and **Merge**.

6 Export & review

Distribute: **Export Camtrap DP** and favourites. **Summary**: stats, species counts, map.

Tabs at a glance

Models

- **Download** / **Remove** a model per card
- Status: Not installed / Installed / Planned
- Needs internet once; offline after

Run wildtag

- **Browse** image folder
- Pick **Species identification model**
- **Run wildtag** / **Stop** (resumes if interrupted)

Validate

- Click an image to flag / correct it
- **Ctrl**+click = select several, correct together
- **Mark batch complete** when done
- **Open folder** to load a package (or it auto-loads)

Distribute

- **Prepare zip packages** - image-only; never sends an image twice
- **Merge** returned zips from `collect\`
- **Export Camtrap DP** / favourites

Summary

- What was processed; validation progress
- Detections per species; confusion matrix
- **Export results** (writes results_with_ids.csv)
- File locations; **Launch map**

Models to choose

- **DeepFaune v1.4** - UK/Europe, fast, offline (~1.1 GB)
- **SpeciesNet** - global (2000+ species); use a geo-filter to keep it fast

Run tab options

Option	What it does	Typical
Detection threshold	Below this, an image is <code>empty</code>	0.1
Species confidence	Below this, labelled <code>low_confidence</code>	0.6
Geographic filter	Drops implausible species for the region	GBR (UK)
Processing device	CPU always; NVIDIA GPU if detected (much faster)	Auto
Checkpoint frequency	How often progress is saved for resume	Default
Validation image quality	Size of downscaled review images	Default
Show confidence score on boxes	Label each box with species + score, or species only	On

Redraw validation images re-renders existing validation images with the current quality and confidence settings, without re-running detection or losing validation progress.

Handy to know

Validation shortcuts

- `Ctrl`+click tiles to multi-select, then correct all at once
- Press `E` to change contrast on an open image
- Heart a tile to mark it a favourite for later export
- Humans are auto-pixelated; originals never changed

Deployment metadata

For the map and Camtrap DP export, add a `deployment.csv` (one row per site: name, lat, long, start and retrieval dates). Use **Save deployment.csv template** to start one.

Troubleshooting

Run tab dropdown empty? No model is downloaded yet - open **Models** and download one while online.

Tiles show "Image not found"? The folder self-repairs on open. Nothing is lost.

SpeciesNet slow? Set a Geographic filter (your country) in the Run options - it narrows the global model to your region and speeds it up a lot. A GPU helps for very large projects.

Run interrupted? Reopen the project - wildtag offers to finish where it left off.

wildtag.ai Quick Reference · see [wildtag_manual](#) for full documentation · css6@st-andrews.ac.uk