Assignment 10: Data Scraping

Shiqi Zheng

OVERVIEW

This exercise accompanies the lessons in Environmental Data Analytics on data scraping.

Directions

- 1. Rename this file <FirstLast>_A10_DataScraping.Rmd (replacing <FirstLast> with your first and last name).
- 2. Change "Student Name" on line 3 (above) with your name.
- 3. Work through the steps, **creating code and output** that fulfill each instruction.
- 4. Be sure your code is tidy; use line breaks to ensure your code fits in the knitted output.
- 5. Be sure to **answer the questions** in this assignment document.
- 6. When you have completed the assignment, **Knit** the text and code into a single PDF file.

Set up

- 1. Set up your session:
- Load the packages tidyverse, rvest, and any others you end up using.
- Check your working directory

```
#1
library(tidyverse)
library(rvest)
library(here)
here()
```

[1] "/Users/shiqizheng/Desktop/ENV872/EDE Fall2023"

- 2. We will be scraping data from the NC DEQs Local Water Supply Planning website, specifically the Durham's 2022 Municipal Local Water Supply Plan (LWSP):
- Navigate to https://www.ncwater.org/WUDC/app/LWSP/search.php
- Scroll down and select the LWSP link next to Durham Municipality.
- \bullet Note the web address: https://www.ncwater.org/WUDC/app/LWSP/report.php?pwsid=03-32-010& year=2022

Indicate this website as the as the URL to be scraped. (In other words, read the contents into an rvest webpage object.)

```
#2
LWSP <- read_html(
   'https://www.ncwater.org/WUDC/app/LWSP/report.php?pwsid=03-32-010&year=2022')
LWSP

## {html_document}
## <html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
## [1] <head>\n<title>DWR :: Local Water Supply Planning</title>\n<meta http-equ ...</pre>
```

[2] <body id="plan">\r\n<!--<div id="division-header">\r\n<a name="top" href= ...

- 3. The data we want to collect are listed below:
- From the "1. System Information" section:
- Water system name
- PWSID
- Ownership
- From the "3. Water Supply Sources" section:
- Maximum Day Use (MGD) for each month

In the code chunk below scrape these values, assigning them to four separate variables.

HINT: The first value should be "Durham", the second "03-32-010", the third "Municipality", and the last should be a vector of 12 numeric values (represented as strings)".

```
#3
name <- LWSP %>%
    html_nodes("div+ table tr:nth-child(1) td:nth-child(2)") %>%
    html_text()
name

## [1] "Durham"

PWSID <- LWSP %>%
    html_nodes("td tr:nth-child(1) td:nth-child(5)") %>%
    html_text()
PWSID

## [1] "03-32-010"

cwnership <- LWSP %>%
    html_nodes("div+ table tr:nth-child(2) td:nth-child(4)") %>%
    html_text()
cwnership
```

```
Maximum.Day.Use <- LWSP %>%
  html_nodes("th~ td+ td") %>%
  html_text()
Maximum.Day.Use
```

```
## [1] "36.1000" "43.4200" "52.4900" "30.5000" "42.5900" "34.8800" "39.9100" ## [8] "43.3200" "32.5300" "34.6600" "41.8000" "37.5300"
```

4. Convert your scraped data into a dataframe. This dataframe should have a column for each of the 4 variables scraped and a row for the month corresponding to the withdrawal data. Also add a Date column that includes your month and year in data format. (Feel free to add a Year column too, if you wish.)


TIP: Use rep() to repeat a value when creating a dataframe.

NOTE: It's likely you won't be able to scrape the monthly widthrawal data in chronological order. You can overcome this by creating a month column manually assigning values in the order the data are scraped: "Jan", "May", "Sept", "Feb", etc... Or, you could scrape month values from the web page...

5. Create a line plot of the maximum daily withdrawals across the months for 2022

```
##
     WaterSystemName
                         PWSID
                                  Ownership MaximumDayUse Month Year
## 1
                                                             Jan 2022 2022-01-01
              Durham 03-32-010 Municipality
                                                     36.10
## 2
              Durham 03-32-010 Municipality
                                                     43.42
                                                            Feb 2022 2022-02-01
## 3
                                                     52.49
                                                            Mar 2022 2022-03-01
              Durham 03-32-010 Municipality
## 4
              Durham 03-32-010 Municipality
                                                     30.50
                                                            Apr 2022 2022-04-01
## 5
              Durham 03-32-010 Municipality
                                                     42.59
                                                            May 2022 2022-05-01
                                                     34.88
                                                             Jun 2022 2022-06-01
## 6
              Durham 03-32-010 Municipality
```

Water Maximum Daily Withdrawals for Durham in 2022




6. Note that the PWSID and the year appear in the web address for the page we scraped. Construct a function using your code above that can scrape data for any PWSID and year for which the NC DEQ has data. Be sure to modify the code to reflect the year and site (pwsid) scraped.

```
#6.
scrape.it <- function(year, PWSID){</pre>
  LWSP <- read_html(paste0('https://www.ncwater.org/WUDC/app/LWSP/report.php?pwsid=',
                                   PWSID, '&year=',year))
#scape data
name <- LWSP %>%
 html nodes("div+ table tr:nth-child(1) td:nth-child(2)") %>% html text()
PWSID <- LWSP %>% html_nodes("td tr:nth-child(1) td:nth-child(5)") %>% html_text()
ownership <- LWSP %>%
  html_nodes("div+ table tr:nth-child(2) td:nth-child(4)") %>% html_text()
Maximum.Day.Use <- LWSP %>% html_nodes("th~ td+ td") %>% html_text()
# create dataframe
df <- data.frame(</pre>
  "WaterSystemName" = rep(name, 12),
  "PWSID" = rep(PWSID, 12),
  "Ownership" = rep(ownership, 12),
  "MaximumDayUse" = as.numeric(Maximum.Day.Use),
  "Month" = c("Jan", "Feb", "Mar", "Apr", "May", "Jun", "Jul",
              "Aug", "Sep", "Oct", "Nov", "Dec"),
  "Year" = rep(year, 12)
```

```
) %>%
  mutate(Date = my(paste(Month,"-",Year)))
return(df)
}
```

7. Use the function above to extract and plot max daily with drawals for Durham (PWSID='03-32-010') for each month in 2015


Water Maximum Daily Withdrawals for Durham in 2015



8. Use the function above to extract data for Asheville (PWSID = 01-11-010) in 2015. Combine this data with the Durham data collected above and create a plot that compares Asheville's to Durham's water withdrawals.

```
#8
Asheville_df <- scrape.it(2015,'01-11-010')
combine_df <- rbind(Asheville_df,the_df)
ggplot(combine_df,aes(x=Date,y=MaximumDayUse,color = WaterSystemName)) +
    geom_line() +
    scale_x_date(date_labels = "%b", date_breaks = "1 month") +
    labs(title = "Water Maximum Daily Withdrawals for Durham and Asheville in 2015",
        y="Maximum Day Use (MGD)",
        x="Date",
        color ="System Name")</pre>
```

Water Maximum Daily Withdrawals for Durham and Asheville in 2015



9. Use the code & function you created above to plot Asheville's max daily withdrawal by months for the years 2010 thru 2021.Add a smoothed line to the plot (method = 'loess').


TIP: See Section 3.2 in the "10_Data_Scraping.Rmd" where we apply "map2()" to iteratively run a function over two inputs. Pipe the output of the map2() function to bindrows() to combine the dataframes into a single one.

```
#9
the_years <- seq(2010,2021)
the_PWSID <- rep('01-11-010',length(the_years))

dfs_Asheville <- map2(the_years, the_PWSID , scrape.it) %>% bind_rows()
ggplot(dfs_Asheville, aes(x = Date, y = MaximumDayUse)) +
```

'geom_smooth()' using formula = 'y ~ x'

Asheville's Maximum Daily Withdrawals from 2010 to 2021



Question: Just by looking at the plot (i.e. not running statistics), does Asheville have a trend in water usage over time?

Answer: From 2010 to 2015, Asheville has a decreasing trend in water usage. From 2015 to 2020, Asheville has a increasing trend in water usage through time.