SCRAPL: Scattering Transform with Random Paths for Machine Learning

Christopher Mitcheltree [♭] Vincent Lostanlen [♯] Emmanouil Benetos [♭] Mathieu Lagrange [♯]

[♭] Centre for Digital Music, Queen Mary University of London, UK
[♯] Nantes Université, École Centrale Nantes, CNRS, LS2N, UMR 6004, France

Overview

- **TLDR:** the SCRAPL algorithm enables efficient evaluation of multivariable wavelet scattering transforms as differentiable loss functions for neural network training.
  `pip install scrapl-loss` `christhetree.github.io/scrapl`
- **Motivation:** The Euclidean distance between wavelet scattering transform coefficients (known as *paths*) provides informative gradients for perceptual quality assessment in deep inverse problems for computer vision, speech, and audio.
- **Problem:** These transforms are computationally expensive when employed as differentiable loss functions, which significantly limits their use in neural networks.
- **Approach:** We propose SCRAPL: a stochastic optimization scheme for the efficient evaluation of multivariable scattering transforms. It stabilizes inexpensive single-path gradients using path-wise adaptive moment estimation ($\mathcal{P}$-Adam), path-wise stochastic average gradient with acceleration ($\mathcal{P}$-SAGA), and an architecture-informed, parallelizable θ-importance sampling initialization heuristic.
- **Experiments:** We apply SCRAPL to the joint time–frequency scattering transform (JTFS) and unsupervised sound matching with differentiable digital signal processing (DDSP) of a granular synthesizer and the Roland TR-808 drum machine.
- **Findings:** SCRAPL accomplishes a favorable tradeoff between goodness of fit and computational efficiency: it is within a factor two of full-tree scattering (JTFS) for accuracy, while remaining within a factor two of multiscale spectral loss (MSS) for runtime. Furthermore, the θ-importance sampling heuristic improves convergence.



Figure 1. Mean synthesizer parameter error versus computational cost of unsupervised sound matching models for the granular synthesis task. Both axes are rescaled by the performance of a supervised model with the same number of parameters.



Figure 2. Visualization of a wavelet scattering transform applied to an input signal $x(t)$.

Algorithm 1 "**Sc**attering transform with **Ra**ndom **P**aths for machine **L**earning" (SCRAPL). The pseudo-code below describes SCRAPL with a batch size equal to one, without loss of generality.

Require: $\Phi = (\phi_p)_0^{P-1}$: Scattering transform (ST) with P paths
Require: π: Categorical distribution over the path set $\mathscr{P} = \{0,\dots,P-1\}$
Require: F: Autoencoder with trainable parameters $\boldsymbol{w}$
Require: $\boldsymbol{w}$: Neural network weights at initialization
Require: $\beta_1, \beta_2, \varepsilon$: Adam hyperparameters
Require: $(\alpha_k)_1^K$: Learning rate schedule
  $\Gamma \leftarrow \emptyset$
  for p in $\{0,\dots,P-1\}$ **do**
    $\tau_p \leftarrow 0$
    $\boldsymbol{m}_p \leftarrow \mathbf{0}$
    $\boldsymbol{v}_p \leftarrow \mathbf{0}$
    $\hat{\boldsymbol{g}}_p \leftarrow \mathbf{0}$
  end for
  for k in $\{1,\dots,K\}$ **do**
    $n \leftarrow$ draw an integer uniformly at random in $\{0,\dots,N-1\}$
    $p \leftarrow$ draw an integer at random in $\{0,\dots,P-1\}$ according to π {Stochastic approx.}
    $\mathscr{L}(\boldsymbol{w}) \leftarrow P\|\phi_p(\boldsymbol{x}_n) - (\phi_p \circ F_{\boldsymbol{w}})(\boldsymbol{x}_n)\|_2^2$
    $\boldsymbol{g} \leftarrow \nabla \mathscr{L}(\boldsymbol{w})$
    $\boldsymbol{m}_p \leftarrow \beta_1^{(k-\tau_p)/P}\boldsymbol{m}_p + (1-\beta_1^{(k-\tau_p)/P})\boldsymbol{g}$
    $\boldsymbol{v}_p \leftarrow \beta_2^{(k-\tau_p)/P}\boldsymbol{v}_p + (1-\beta_2^{(k-\tau_p)/P})(\boldsymbol{g}\odot\boldsymbol{g})$
    $\hat{\boldsymbol{m}} \leftarrow \boldsymbol{m}_p/(1-\beta_1^{k/P})$ {$\mathscr{P}$-Adam}
    $\hat{\boldsymbol{v}} \leftarrow \boldsymbol{v}_p/(1-\beta_2^{k/P})$
    $\boldsymbol{g}_{\text{current}} \leftarrow \hat{\boldsymbol{m}}/\sqrt{\varepsilon + \hat{\boldsymbol{v}}}$
    $\tau_p \leftarrow k$
    $\boldsymbol{g}_{\text{avg}} \leftarrow \frac{1}{\max(1, \operatorname{card}\Gamma)} \sum_{\gamma\in\Gamma} \hat{\boldsymbol{g}}_\gamma$
    $\boldsymbol{g}_{\text{SAGA}} \leftarrow \boldsymbol{g}_{\text{current}} - \hat{\boldsymbol{g}}_p + \boldsymbol{g}_{\text{avg}}$ {$\mathscr{P}$-SAGA}
    $\boldsymbol{w} \leftarrow \boldsymbol{w} - \alpha_k \boldsymbol{g}_{\text{SAGA}}$
    $\hat{\boldsymbol{g}}_p \leftarrow \boldsymbol{g}_{\text{current}}$
    $\Gamma \leftarrow \Gamma \cup \{p\}$
  end for
  return $\boldsymbol{w}$



Figure 3. (a) Unsupervised sound matching with a perceptual audio loss (e.g., a wavelet scattering transform like the JTFS). (b) Supervised sound matching with parameter loss.



Figure 4. Left: Validation convergence graphs for the granular synth sound matching task. Right: JTFS vs. SCRAPL wall-clock training times on a single NVIDIA RTX A5000 GPU.



Figure 5. Top: SCRAPL path θ-importance sampling probabilities for two different AM / FM chirplet synths calculated from 1 batch of 32 log-uniformly randomly sampled $\boldsymbol{\theta}_{\mathbf{synth}}$ values. Black dots are individual path (wavelet) AM / FM center frequency locations and each dashed rectangle is the $\boldsymbol{\theta}_{\mathbf{synth}}$ range for each synth configuration. A uniform probability ratio of 1.0 means a path is sampled with probability $1/P$.
Bottom: θ-importance sampling (blue) vs. uniform sampling (black) $\boldsymbol{\theta}_{\mathbf{synth}}$ L_1 validation values during training for two different AM / FM chirplet synths.

Method	$\mathcal{P}$-Adam	$\mathcal{P}$-SAGA	θ-IS	Test: $\boldsymbol{\theta}_{\mathbf{synth}}$ L_1 ‰ ↓	Validation: Total Var. ↓	Validation: Conv. Steps ↓
SCRAPL				99.7 ± 8.2	5.30 ± 0.25	10 906 ± 1170
	✓			87.4 ± 15	6.98 ± 0.25	8006 ± 697
	✓	✓		73.8 ± 13	3.46 ± 0.15	7296 ± 683
	✓	✓	✓	**65.7** ± 4.2	**3.27** ± 0.12	**6014** ± 642
Full-tree Scattering (JTFS)				42.4	5.66	1442
Supervised (P-loss)				20.5 ± 0.20	1.83 ± 0.025	672 ± 23

Table 1. Ablation table for SCRAPL with test results and validation $\boldsymbol{\theta}_{\mathbf{synth}}$ L_1 total variation and convergence steps for unsupervised granular synth sound matching.

Figure 6. A Roland TR-808 drum machine. *Source: Wikimedia Commons / Bryan Pocius / CC BY 2.0*

Christopher Mitcheltree is supported jointly by UK Research and Innovation (grant number EP/S022694/1) and Queen Mary University of London.
This research was funded in part by the French National Research Agency (ANR) under the project MuReNN "ANR-23-CE23-0007".

`pip install scrapl-loss` `christhetree.github.io/scrapl`

UK Research and Innovation anr AI + MUSIC