


Agentic AI Research Approval Workflow Demo

This demo implements a locally hosted, multi-agent AI research and report-generation workflow platform using Python, React, FastAPI, LangGraph, LangChain, Langfuse, Ollama, and Llama 3, with human-in-the-loop approval checkpoints, resumable workflows, and streaming API support. Langfuse LLM observability platform within Docker is used to monitor the research workflow.

System Architecture



What this application does

Backend (main-research.py)

- Runs a FastAPI service that exposes a simple research workflow.
- Uses a local Ollama-hosted llama3 model via langchain_ollama.
- Orchestrates a LangGraph state machine with three logical steps:
- researcher_agent: generates research notes from a task prompt
- writer_agent: turns those notes into a draft report
- human_approval_node: pauses for human review/feedback
- Supports human-in-the-loop continuation:
- starts a workflow with POST /research/start
- returns thread_id
- polls status via GET /research/{thread_id}
- resumes via POST /research/{thread_id}/respond
- Persists thread state in memory and can reload saved state.
- Serves a streaming endpoint /research/stream for frontend progress.

Frontend (Research.jsx)

- React UI for starting the research workflow and viewing progress.
- Sends requests to http://localhost:8000/research/stream by default.
- Reads server-sent event-style chunks and renders streaming results.
- Shows draft report text, status, retry behavior, and approval controls.
- Uses a polling loop to refresh workflow status after the initial stream.
- Integrates Langfuse tracing for observability.

Tech stack

Backend

- Python 3
- FastAPI
- Pydantic
- LangChain / LangGraph
- ChatOllama with local llama3
- StreamingResponse for SSE-style streaming
- UUID-based thread tracking


Frontend

- React
- Vite
- JavaScript / JSX
- fetch for HTTP calls
- Local environment variables with Vite (import.meta.env)
- Langfuse SDK for tracing

Observability / tooling

- Langfuse for trace instrumentation
- Docker Desktop / Docker Compose for Langfuse local dashboard
- PostgreSQL used by Langfuse when running locally via Docker

User Clicks Start Research



Working state (streaming)

Welcome

my-react-one-app X

← → ↺ http://localhost:5173/

Research Workflow

Task Prompt:

Research the different breeds of Guinea Pigs and their care requirements.

Streaming... Reset / Cancel

Current status: streaming

 Working...

Thread: 8b930ae8cb7a4cefbad93f912e28f11b

Status: streaming

Draft Report

Working...

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
6
  top_k = 40, top_p = 0.900, min_p = 0.000, xtc_probability = 0.000, xtc_threshold = 0.100,
typical_p = 1.000, top_n_sigma = -1.000, temp = 0.700
  mirostat = 0, mirostat_lr = 0.100, mirostat_ent = 5.000, adaptive_target = -1.000, adaptiv
e_decay = 0.900
slot launch_slot_: id 0 | task 702 | processing task, is_child = 0
slot update_slots: id 0 | task 702 | new prompt, n_ctx_slot = 4096, n_keep = 24, task.n_tokens =
732
slot update_slots: id 0 | task 702 | cached n_tokens = 2, memory_seq_rm [2, end)
srv log_server_r: done request: POST /completion 127.0.0.1 200
slot update_slots: id 0 | task 702 | cached n_tokens = 514, memory_seq_rm [514, end)
slot init_sampler: id 0 | task 702 | init sampler, took 0.11 ms, tokens: text = 732, total = 732
slot print_timing: id 0 | task 702 | n_decoded = 100, tg = 21.06 t/s
slot print_timing: id 0 | task 702 | n_decoded = 160, tg = 20.62 t/s
slot print_timing: id 0 | task 702 | n_decoded = 222, tg = 20.63 t/s
slot print_timing: id 0 | task 702 | n_decoded = 284, tg = 20.56 t/s
slot print_timing: id 0 | task 702 | n_decoded = 346, tg = 20.53 t/s
slot print_timing: id 0 | task 702 | n_decoded = 409, tg = 20.57 t/s
slot print_timing: id 0 | task 702 | n_decoded = 470, tg = 20.53 t/s
slot print_timing: id 0 | task 702 | n_decoded = 532, tg = 20.53 t/s
slot print_timing: id 0 | task 702 | n_decoded = 593, tg = 20.49 t/s

```

+ v ... | [] X

ollama [] [] []

Python [] [] []

docker [] [] []

node [] [] []

3 Hidden Term...

paused_for_review state

Welcome

my-react-one-app X

← → ↺ http://localhost:5173/

Current status: paused_for_review

Thread: 7c6cba6f46d9443794f06b3edd8d681b

Status: paused_for_review

Draft Report

Comprehensive Report: Guinea Pig Breeds and Care Requirements

Introduction:

Guinea pigs are popular small mammals kept as pets due to their gentle nature, social behavior, and relatively low maintenance. However, each breed has unique characteristics, care requirements, and average lifespan. This report aims to provide a comprehensive overview of various Guinea Pig breeds, including their characteristics, care requirements, and average lifespan.

Breed-Specific Information

1. **Abyssinian Guinea Pigs**

* Characteristics: Recognizable by their ticked coats featuring a mix of brown, black, and white colors.

* Care Requirements:

+ Housing: Provide a spacious enclosure with adequate ventilation and hiding places.

+ Diet: Offer high-quality pellets supplemented with fresh fruits and vegetables.

+ Socialization: Keep in pairs or groups to satisfy their social nature.

* Average Lifespan: 5-7 years

2. **Peruvian Guinea Pigs**

* Characteristics: Known for their long, silky coats that require regular grooming.

* Care Requirements:

+ Housing: Provide a large enclosure with plenty of hiding places and vertical space for climbing.

+ Diet: Offer high-quality pellets supplemented with fresh fruits and vegetables.

+ Grooming: Regularly brush their coat to prevent matting and tangling.

* Average Lifespan: 5-7 years

3. **Silkie Guinea Pigs**

* Characteristics: Characterized by their soft, fluffy coats that resemble silk.

* Care Requirements:

+ Housing: Provide a spacious enclosure with adequate ventilation and hiding places.

length, color, and texture. Long-haired breeds like the Peruvian and Shire require regular grooming to prevent matting and tangling, while short-haired breeds like the Abyssinian and

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
INFO: 127.0.0.1:65500 - "OPTIONS /research/7c6cba6f46d9443794f06b3edd8d681b/respond HTTP/1.1" 200 OK
INFO: 127.0.0.1:65500 - "POST /research/7c6cba6f46d9443794f06b3edd8d681b/respond HTTP/1.1" 200 OK
INFO: 127.0.0.1:65500 - "GET /research/7c6cba6f46d9443794f06b3edd8d681b HTTP/1.1" 200 OK
INFO: 127.0.0.1:49160 - "POST /research/7c6cba6f46d9443794f06b3edd8d681b/respond HTTP/1.1" 200 OK
INFO: 127.0.0.1:49160 - "GET /research/7c6cba6f46d9443794f06b3edd8d681b HTTP/1.1" 200 OK
INFO: 127.0.0.1:49163 - "OPTIONS /research/stream HTTP/1.1" 200 OK
INFO: 127.0.0.1:49163 - "POST /research/stream HTTP/1.1" 200 OK
INFO: 127.0.0.1:49163 - "GET /research/8b930ae8cb7a4cefbad93f912e28f11b HTTP/1.1" 200 OK
```

+ v ... | [] x

- ollama
- Python
- docker
- node

3 Hidden Terminals

Breeding Variations

Guinea Pigs come in a wide range of breeds, each with distinct characteristics such as coat

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
redis-1 | 1:M 13 Jun 2026 23:27:46.125 * Background saving terminated with success
langfuse-worker-1 | 2026-06-13T23:30:00.041Z info Executing Mixpanel Integration Job
langfuse-worker-1 | 2026-06-13T23:30:00.043Z info Executing PostHog Integration Job
langfuse-worker-1 | 2026-06-13T23:30:00.044Z info [MIXPANEL] No Mixpanel integrations ready for sync
langfuse-worker-1 | 2026-06-13T23:30:00.058Z info [POSTHOG] No PostHog integrations ready for sync
redis-1 | 1:M 13 Jun 2026 23:32:47.005 * 100 changes in 300 seconds. Saving...
redis-1 | 1:M 13 Jun 2026 23:32:47.005 * Background saving started by pid 14280
redis-1 | 14280:C 13 Jun 2026 23:32:47.008 * DB saved on disk
redis-1 | 14280:C 13 Jun 2026 23:32:47.008 * Fork CoW for RDB: current 0 MB, peak 0 MB, average 0 MB
redis-1 | 1:M 13 Jun 2026 23:32:47.107 * Background saving terminated with success
```

+ v ... | [] x

- ollama
- Python
- docker
- node

3 Hidden Terminals

Guinea Pigs come in a wide range of breeds, each with distinct characteristics such as coat

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
(.venv-research) christisanderson@Christis-MacBook-Air dev % bash
VITE v8.0.11 ready in 176 ms

→ Local: http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help
6:47:44 PM [vite] (client) hmr update /src/Research.jsx
6:48:23 PM [vite] (client) hmr update /src/Research.jsx (x2)
6:49:13 PM [vite] (client) hmr update /src/Research.jsx (x3)
6:49:13 PM [vite] .env.local changed, restarting server...
6:49:13 PM [vite] server restarted.
```

+ v ... | [] x

- ollama
- Python
- docker
- node

3 Hidden Terminals

User Enters Feedback (Prompt to Refine)

Welcome

my-react-one-app X

http://localhost:5173/

5. ****Veterinary Care****: Consult with a veterinarian experienced in caring for Guinea Pigs to address any health issues.

****Conclusion****

Each breed of Guinea Pig has unique characteristics, care requirements, and average lifespan. By understanding these factors, you can provide the best possible care for your furry friends. Remember to prioritize their nutritional needs, provide adequate housing and socialization, and seek veterinary care when necessary. With proper care, your Guinea Pigs can live a happy and healthy life.

****Recommendations****

1. Research the specific breed(s) of interest before bringing them home.
2. Provide a suitable environment that meets the individual breed's needs.
3. Ensure access to fresh water and high-quality pellets as the main staple.
4. Supplement with fresh fruits and vegetables regularly.
5. Consider consulting with experienced breeders or veterinarians for guidance on specific care requirements.

By following this comprehensive report, you can provide the best possible care for your Guinea Pig(s) and ensure a happy and healthy life.

Human approval / feedback


☐ Approve

Feedback:

Add the average years lifespan for each breed of Guinea Pig in each breed section.

Submit Response

Draft Report Looks Good - User Checks Approve checkbox



Draft Report Completed state

Welcome

my-react-one-app X

← → ↺ http://localhost:5173/

Research Workflow

Task Prompt:

Research the different breeds of Guinea Pigs and their care requirements.

Start Research

Reset / Cancel

Current status: completed

Thread: 7c6cba6f46d9443794f06b3edd8d681b

Status: completed

Draft Report

****Comprehensive Report: Guinea Pig Breeds and Care Requirements****

Introduction:

Guinea pigs are popular small mammals kept as pets due to their gentle nature, social behavior, and relatively low maintenance. However, each breed has unique characteristics, care requirements, and average lifespan. This report aims to provide a comprehensive overview of various Guinea Pig breeds, including their characteristics, care requirements, and average lifespan.

****Breed-Specific Information****

- **Abyssinian Guinea Pigs****
 - * Characteristics: Recognizable by their ticked coats featuring a mix of brown, black, and white colors.
 - * Care Requirements:
 - + Housing: Provide a spacious enclosure with adequate ventilation and hiding places.
 - + Diet: Offer high-quality pellets supplemented with fresh fruits and vegetables.
 - + Socialization: Keep in pairs or groups to satisfy their social nature.
 - * Average Lifespan: 5-7 years
- **Peruvian Guinea Pigs****
 - * Characteristics: Known for their long, silky coats that require regular grooming.
 - * Care Requirements:

Docker for Langfuse

langfuse
/Users/christisanderson/dev/tmp/langfuse

View configurations

Filter, search, and stream logs from all your Compose services in one place with the new Logs view. View logs

postgres
postgres:17
5432:5432

redis
redis:7
6379:6379

clickhouse
clickhouse/clickh
8123:8123
Show all ports (2)

minio
chainguard/minio
9090:9000
Show all ports (2)

langfuse-wor...
langfuse/langfuse
3030:3030

langfuse-web
langfuse/langfuse
3000:3000

2026-06-14 00:07:24.621 UTC [60] LOG:
checkpoint starting: time
2026-06-14 00:07:39.720 UTC [60] LOG:
checkpoint complete: wrote 150 buffers
(0.9%); 0 WAL file(s) added, 0 removed,
0 recycled; write=15.091 s, sync=0.002
s, total=15.099 s; sync files=38,
longest=0.001 s, average=0.001 s;
distance=927 kB, estimate=3773 kB;
lsn=0/1AD6C58, redo lsn=0/1AD6BCB

1:1M 14 Jun 2026 00:07:54.010 * 100
changes in 300 seconds. Saving...
1:1M 14 Jun 2026 00:07:54.011 *
Background saving started by pid 18435
18435:C 14 Jun 2026 00:07:54.017 * DB
saved on disk
18435:C 14 Jun 2026 00:07:54.018 * Fork
CoW for RDB: current 0 MB, peak 0 MB,
average 0 MB
1:1M 14 Jun 2026 00:07:54.111 *
Background saving terminated with
success
1:1M 14 Jun 2026 00:12:55.015 * 100
changes in 300 seconds. Saving...
1:1M 14 Jun 2026 00:12:55.017 *
Background saving started by pid 19027
19027:C 14 Jun 2026 00:12:55.021 * DB
saved on disk
19027:C 14 Jun 2026 00:12:55.022 * Fork
CoW for RDB: current 0 MB, peak 0 MB,
average 0 MB
1:1M 14 Jun 2026 00:12:55.119 *
Background saving terminated with
success

Resource usage

Container CPU usage
9.06% / 1000%
10 CPUs available

Container memory usage
3.09GB / 7.57GB

RAM 7.34 GB CPU 1.60% Disk: 6.27 GB used (limit 452.13 GB)

Containers Give feedback

Container CPU usage 6.65% / 1000% (10 CPUs available)

Container memory usage 3.06GB / 7.57GB

Search

Only show running containers

	Name	Container ID	Image	Port(s)	Actions
	langfuse	-	-	-	
	postgres-1	fd2bca8bc3d0	postgres:1	5432:5432	
	redis-1	051c7d16b4d8	redis:7	6379:6379	
	clickhouse-1	a05a9e16756b	clickhouse	8123:8123 Show all ports (2)	
	minio-1	639c6a9c8e28	chainguard	9090:9000 Show all ports (2)	
	langfuse-worker-1	004a7d424fff	langfuse/li	3030:3030	
	langfuse-web-1	dd63ea5da880	langfuse/li	3000:3000	

Showing 7 items

Resource usage

Container CPU usage
13.38% / 1000%
10 CPUs available

Container memory usage
3.06GB / 7.57GB

RAM 7.28 GB CPU 2.00% Disk: 6.26 GB used (limit 452.13 GB)



[Containers](#) / langfuse-postgres-1

langfuse-postgres-1



fd2bca8bc3d0 

postgres:17 (was postgres:17)

STATUS

Running (3 hours ago)



Logs

Inspect

Bind mounts

Exec

Files

Stats



View and search logs for all containers in one place with the new Logs view.

View logs



```
"updated_at" = $16 WHERE ("public"."eval_templates"."id" = $17 AND 1=1) RETURNING
"public"."eval_templates"."id", "public"."eval_templates"."created_at",
"public"."eval_templates"."updated_at", "public"."eval_templates"."project_id",
"public"."eval_templates"."name", "public"."eval_templates"."version", "public"."eval_templates"."prompt",
"public"."eval_templates"."type)::text, "public"."eval_templates"."partner",
"public"."eval_templates"."model", "public"."eval_templates"."provider",
"public"."eval_templates"."model_params", "public"."eval_templates"."vars",
"public"."eval_templates"."output_schema", "public"."eval_templates"."source_code",
"public"."eval_templates"."source_code_language)::text
2026-06-13 21:37:23.726 UTC [60] LOG:  checkpoint starting: time
2026-06-13 21:38:14.759 UTC [60] LOG:  checkpoint complete: wrote 509 buffers (3.1%); 0 WAL file(s) added,
0 removed, 0 recycled; write=50.995 s, sync=0.033 s, total=51.033 s; sync files=704, longest=0.001 s,
average=0.001 s; distance=5038 kB, estimate=5038 kB; lsn=0/19D9398, redo lsn=0/19D9308
2026-06-13 21:42:23.841 UTC [60] LOG:  checkpoint starting: time
2026-06-13 21:42:24.456 UTC [60] LOG:  checkpoint complete: wrote 7 buffers (0.0%); 0 WAL file(s) added, 0
removed, 0 recycled; write=0.608 s, sync=0.003 s, total=0.615 s; sync files=5, longest=0.002 s,
average=0.001 s; distance=7 kB, estimate=4535 kB; lsn=0/19DB288, redo lsn=0/19DB230
2026-06-14 00:02:24.575 UTC [60] LOG:  checkpoint starting: time
2026-06-14 00:02:25.589 UTC [60] LOG:  checkpoint complete: wrote 10 buffers (0.1%); 0 WAL file(s) added,
0 removed, 0 recycled; write=1.009 s, sync=0.002 s, total=1.015 s; sync files=1, longest=0.002 s,
average=0.002 s; distance=78 kB, estimate=4089 kB; lsn=0/19EEC80, redo lsn=0/19EEC28
2026-06-14 00:07:24.621 UTC [60] LOG:  checkpoint starting: time
2026-06-14 00:07:39.720 UTC [60] LOG:  checkpoint complete: wrote 150 buffers (0.9%); 0 WAL file(s) added,
0 removed, 0 recycled; write=15.091 s, sync=0.002 s, total=15.099 s; sync files=38, longest=0.001 s,
average=0.001 s; distance=927 kB, estimate=3773 kB; lsn=0/1AD6C58, redo lsn=0/1AD6BC8
2026-06-14 00:20:06.842 UTC [26917] LOG:  invalid length of startup packet
2026-06-14 00:20:07.879 UTC [26918] LOG:  invalid length of startup packet
2026-06-14 00:20:07.881 UTC [26927] LOG:  invalid length of startup packet
2026-06-14 00:20:07.883 UTC [26928] LOG:  invalid length of startup packet
```



Containers / langfuse-postgres-1

langfuse-postgres-1


<  fd2bca8bc3d0  postgres:17 (was postgres:5432:5432)

STATUS
Running (3 hours ago)




Logs Inspect Bind mounts Exec Files **Stats**


CPU usage: 0%




Memory usage: 79.39MB / 7.75GB



Disk read/write: 2.53MB / 76MB



Network I/O: 4.54MB / 1.78MB



STATUS
Running (3 hours ago)



Stats

View logs X





Containers / langfuse-redis-1

langfuse-redis-1

< 051c7d16b4d8 [redis:7](#) (was redis:7)
[6379:6379](#)

STATUS

Running (3 hours ago)



Logs

Inspect


Bind mounts

Exec


Files

Stats


CPU usage: 1.33%




Memory usage: 13.63MB / 7.75GB



Disk read/write: 971KB / 418KB



Network I/O: 150MB / 42.6MB



Stats

View logs

```
2026-06-14T00:04:12.603Z info dataset-run-item-upsert-queue executor started: true
2026-06-14T00:04:12.604Z info evaluation-execution-queue executor started: true
2026-06-14T00:04:12.605Z info llm-as-a-judge-execution-queue executor started: true
2026-06-14T00:04:12.605Z info code-eval-execution-queue executor started: true
2026-06-14T00:04:12.605Z info secondary-evaluation-execution-queue executor started: true
2026-06-14T00:04:12.606Z info batch-export-queue executor started: true
2026-06-14T00:04:12.606Z info batch-action-queue executor started: true
2026-06-14T00:04:12.606Z info otel-ingestion-queue executor started: true
2026-06-14T00:04:12.606Z info secondary-otel-ingestion-queue executor started: true
2026-06-14T00:04:12.607Z info ingestion-queue executor started: true
2026-06-14T00:04:12.607Z info secondary-ingestion-queue executor started: true
2026-06-14T00:04:12.607Z info monitor-queue executor started: true
2026-06-14T00:04:12.607Z info experiment-create-queue executor started: true
2026-06-14T00:04:12.609Z info posthog-integration-queue executor started: true
2026-06-14T00:04:12.609Z info posthog-integration-processing-queue executor started: true
2026-06-14T00:04:12.609Z info mixpanel-integration-queue executor started: true
2026-06-14T00:04:12.610Z info mixpanel-integration-processing-queue executor started: true
2026-06-14T00:04:12.610Z info blobstorage-integration-queue executor started: true
2026-06-14T00:04:12.611Z info blobstorage-integration-processing-queue executor started: true
2026-06-14T00:04:12.611Z info data-retention-queue executor started: true
2026-06-14T00:04:12.611Z info data-retention-processing-queue executor started: true
2026-06-14T00:04:12.612Z info webhook-queue executor started: true
2026-06-14T00:04:12.612Z info entity-change-queue executor started: true
2026-06-14T00:04:12.612Z info notification-queue executor started: true
2026-06-14T00:04:12.616Z info Starting MonitorRunner(1/1)
2026-06-14T00:04:12.626Z info Listening: http://004a7d424fff:3030 ↗
2026-06-14T00:04:12.711Z info [Background Migration] No background migrations to run
2026-06-14T00:20:00.035Z info Executing Blob Storage Integration Job
2026-06-14T00:20:00.038Z info No blob storage integrations ready for sync
```



Containers / langfuse-langfuse-worker-1

langfuse-langfuse-worker-1

<  004a7d424fff  langfuse/langfuse-wor
3030:3030


STATUS

Running (23 minutes ago)




Logs Inspect Bind mounts Exec Files **Stats**


CPU usage: 1.48%




Memory usage: 377.4MB / 7.75GB



Disk read/write: 0B / 0B



Network I/O: 7.35MB / 22.3MB



Containers / langfuse-langfuse-web-1

langfuse-langfuse-web-1

<  dd63ea5da880  langfuse/langfuse:3 (3000:3000 

STATUS
Running (27 minutes ago)



Logs Inspect Bind mounts Exec Files Stats

View and search logs for all containers in one place with the new Logs view.

View logs X

No pending migrations to apply.
no change

▲ Next.js 16.2.6

- Local: <http://dd63ea5da880:3000> 
- Network: <http://dd63ea5da880:3000> 

✓ Ready in 0ms

Running init scripts...

```
2026-06-14T00:01:01.591Z info [LocalCache:model_match] Initialized local cache
{"enabled":false,"ttlMs":10000,"max":20000}
2026-06-14T00:01:01.783Z info [Connection] Log level is set to INFO
2026-06-14T00:01:01.803Z info Applying ClickHouse compatibility settings
2026-06-14T00:01:03.046Z info [LocalCache:model_match] Initialized local cache
{"enabled":false,"ttlMs":10000,"max":20000}
2026-06-14T00:01:03.175Z info [LocalCache:model_match] Initialized local cache
{"enabled":false,"ttlMs":10000,"max":20000}
2026-06-14T00:01:03.396Z info MCP feature registered: prompts
2026-06-14T00:01:03.396Z info MCP feature registered: observations
2026-06-14T00:01:03.396Z info MCP feature registered: annotationQueues
2026-06-14T00:01:03.396Z info MCP feature registered: comments
2026-06-14T00:01:03.396Z info MCP feature registered: datasets
2026-06-14T00:01:03.396Z info MCP feature registered: health
2026-06-14T00:01:03.396Z info MCP feature registered: scores
2026-06-14T00:01:03.396Z info MCP feature registered: metrics
2026-06-14T00:01:03.396Z info MCP feature registered: models
2026-06-14T00:01:03.396Z info MCP feature registered: media
2026-06-14T00:01:03.396Z info MCP feature registered: evals
2026-06-14T00:01:04.137Z info [LocalCache:model_match] Initialized local cache
{"enabled":false,"ttlMs":10000,"max":20000}
```



Containers / langfuse-langfuse-web-1

langfuse-langfuse-web-1


<  dd63ea5da880  [langfuse/langfuse:3](#) ([3000:3000](#) )

STATUS
Running (28 minutes ago)



Logs Inspect Bind mounts Exec Files **Stats**


CPU usage: 0.58%



Memory usage: 765.5MB / 7.75GB



Disk read/write: 40MB / 0B



Network I/O: 177KB / 64.5KB

