

Species cards — review sheet

Colour, A6 double-sided, one deck per following page (8 cards, grouped by workshop table for printing only). Front: photo, name, one-line description. Back: I live / I eat / eats me as general species biology, a real scannable QR to FishSpotter.

For review, not final print. Every photo is a real, print-safe (CC0 / CC-BY / CC-BY-SA) image showing the live animal in water or on natural substrate — none hand-held or out of habitat — each checked with Gemini vision for whole-body visibility (see the build log for scores). I eat / eats me is written from the full 72-species food web plus each species' own catalogue field note, so it reads as general biology rather than only what is on that species' own workshop table.

Table 1 · The kelp canopy

8 cards






 Common Limpet <i>Patella vulgata</i> Grazes algae off bare rock, always returning to the same spot (c) Jamie O'Neill, some rights reserved (CC BY) · CC-BY · via inaturalist PEBL	T2 Grazer / filter feeder I LIVE Rocky crevices I EAT Algae grazed off bare rock EATS ME Wrasse, including the ballan wrasse  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk	 Edible sea urchin <i>Echinus esculentus</i> Britain's largest sea urchin, grazing kelp and rock algae (c) Ron Pasieczna, some rights reserved (CC BY) · CC-BY · via manual PEBL	T2 Grazer / filter feeder I LIVE Rocky crevices and the kelp canopy I EAT Kelp and other seaweed EATS ME Wrasse  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk
 Painted Top Shell <i>Calliostoma zizyphinum</i> A glossy, cone-shaped shell marbled in pink and white (c) Julien Renoult, some rights reserved (CC BY) · CC-BY · via inaturalist PEBL	T2 Grazer / filter feeder I LIVE Rocky crevices and the kelp canopy I EAT Kelp and other seaweed EATS ME Wrasse  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk	 Ballan wrasse <i>Labrus bergylta</i> A stocky wrasse that crushes shellfish with strong teeth (c) jeyre, some rights reserved (CC BY) · CC-BY · via inaturalist PEBL	T4 Predator I LIVE Rocky crevices and the kelp canopy I EAT Limpets, top shells, urchins, mussels and small crabs, crushed with strong pharyngeal teeth EATS ME Grey seals and cormorants  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk
 Two-spotted goby <i>Gobiusculus flavescens</i> Hovers in loose midwater groups near kelp, unlike most gobies (c) Bernard Picton, some rights reserved (CC BY) · CC-BY · via inaturalist PEBL	T3 Planktivore / invertivore I LIVE The kelp canopy and open midwater I EAT Plankton EATS ME Sea bass, pollack and shags  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk	 Spider Crab <i>Majoidea</i> Decorates its shell with seaweed and hydroids for camouflage (c) Ian Manning, some rights reserved (CC BY) · CC-BY · via manual PEBL	T3 Planktivore / invertivore I LIVE The kelp canopy and rocky crevices and the open sand I EAT Kelp and seabed detritus EATS ME Wrasse, cuttlefish, octopus, cod and eider  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk
 Thick-lipped mullet <i>Chelon labrosus</i> A silver mullet that cruises near the surface in schools Roberto Pillon, CC BY 4.0 via Wikimedia Commons · CC-BY · via manual PEBL	T2 Grazer / filter feeder I LIVE Near the surface and the open sand I EAT Algae and the organic film on sediment, sieved through the gills EATS ME Cormorants, grey seals and sea bass  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk	 Great cormorant <i>Phalacrocorax carbo</i> Dives for fish, then dries its wings held open on rocks Alexis Lours, CC BY 2.0 via Wikimedia Commons · CC-BY · via wikimedia PEBL	T5 Apex predator I LIVE Near the surface and the open water and rocky crevices I EAT A wide range of inshore fish, especially wrasse and mullet EATS ME No natural predators as an adult  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk

Table 2 · The mussel ropes

8 cards

**Dog Whelk***Nucella lapillus*

Drills through mussel and barnacle shells to feed

Martin Talbot, CC BY 2.0 via Wikimedia Commons · CC-BY · via wikimedia



T3 Planktivore / invertivore

I LIVE
Rocky crevices


I EAT
Mussels and barnacles, drilled through with a rasping tongue

EATS ME
Wrasse and eider



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk

**Velvet Swimming Crab***Necora puber*

A red-eyed crab with paddle-shaped back legs for swimming

(c) Nick Butcher, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
Rocky crevices and the kelp canopy

I EAT
Mussels and other shellfish

EATS ME
Octopus, cod and conger eel



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk

**Spiny Starfish***Marthasterias glacialis*

Britain's largest starfish, with spines ringed in blue

(c) jeyre, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
Rocky crevices and the open sand

I EAT
Mussels and other bivalves

EATS ME
No common predator, well defended by spines



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk

**Common Starfish***Asterias rubens*

The familiar orange starfish, often found near mussel beds

(c) Darren Obbard, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
The open sand and rocky crevices


I EAT
Mussels and brittlestars, prised open and digested externally

EATS ME
No common predator



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk

**Common Brittlestar***Ophiothrix fragilis*

Carpets the seabed in dense beds of thin, fragile arms

(c) Lou Wagstaffe, some rights reserved (CC BY) · CC-BY · via inaturalist



T2 Grazer / filter feeder

I LIVE
Rocky crevices and the open sand


I EAT
Plankton and fine organic detritus

EATS ME
Flatfish, gurnards, dragonets and wrasse



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk

**Shore Crab***Carcinus maenas*

Britain's commonest crab, found on almost every shore

Jürgen Hamann, CC BY-SA 4.0 via Wikimedia Commons · CC-BY-SA · via wikimedia



T3 Planktivore / invertivore

I LIVE
Rocky crevices and the open sand


I EAT
Seabed detritus, carrion and smaller invertebrates

EATS ME
Catshark, gurnards, cuttlefish, octopus, cod, conger eel and eider



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk

**Edible Crab***Cancer pagurus*

A broad crab with a crimped, pie-crust shell edge

Olivier Dugomay (Ifremer), CC BY 4.0 via Wikimedia Commons · CC-BY · via wikimedia



T4 Predator

I LIVE
Rocky crevices and the open sand


I EAT
Mussels, seabed detritus and smaller crabs

EATS ME
Octopus, conger eel and grey seals



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk

**Common eider***Somateria mollissima*

Britain's heaviest duck, diving for mussels near the farm

Andreas Trepte, CC BY-SA 2.5 via Wikimedia Commons · CC-BY-SA · via wikimedia



T5 Apex predator

I LIVE
Near the surface and the open sand

I EAT
Mussels, crabs, whelks and urchins, swallowed whole

EATS ME
No natural predators as an adult



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk

Table 3 · The rope shoal

8 cards



Sprat
Sprattus sprattus
A small shoaling baitfish and prey for almost everything else

(c) Jacob Littlejohn, some rights reserved (CC BY-SA) · CC-BY-SA · via inaturalist



T3 Planktivore / invertivore

I LIVE
Open midwater and the open water


I EAT
Plankton

EATS ME
Almost every larger predator here, from bass and cod to squid, mackerel and seabirds



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Sand smelt
Atherina presbyter
A slender, silver-striped fish that shoals near the surface

(c) Klaus Kevin Kristensen, some rights reserved (CC BY) · CC-BY · via manual



T3 Planktivore / invertivore

I LIVE
Near the surface and the open sand


I EAT
Plankton

EATS ME
Sea bass, pollack, seals and diving birds



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Fifteen-spined stickleback
Spinachia spinachia
Hovers almost motionless, camouflaged among kelp fronds

(c) Vsevolod Rudyi, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
The kelp canopy

I EAT
Plankton

EATS ME
Pollack, sea scorpions and shags



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Poor cod
Trisopterus minutus
A small cod relative with one chin barbel and large eyes

Julien Renoult, CC BY 4.0 via Wikimedia Commons · CC-BY · via wikimedia



T3 Planktivore / invertivore

I LIVE
Open midwater and rocky crevices

I EAT
Plankton and small crabs

EATS ME
Larger gadoids, conger eel and grey seals



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Bib
Trisopterus luscus
A banded cod relative that shoals densely near wrecks

(c) Donald Davesne, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
Rocky crevices and open midwater

I EAT
Sprat and small crabs

EATS ME
Atlantic cod, conger eel and grey seals



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Pollack
Pollachius pollachius
A mid-water hunter with a sharply kinked lateral line

(c) celticdeep, CC BY via iNaturalist · CC-BY · via manual



T4 Predator

I LIVE
Open midwater and the kelp canopy and rocky crevices

I EAT
Sprat, sandeel-like fish and gobies, hunted mid-water

EATS ME
Grey and harbour seals, shags



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Atlantic cod
Gadus morhua
A heavy-bodied cod with three dorsal fins and a chin barbel

Hans-Petter Fjeld, CC BY-SA 2.5 via Wikimedia Commons · CC-BY-SA · via wikimedia



T4 Predator

I LIVE
Open midwater and the open sand


I EAT
A very broad diet: small fish, crabs, cuttlefish and gurnards

EATS ME
Grey seals



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



European shag
Phalacrocorax aristotelis
A dark diving bird that can stay underwater for 20-40 seconds

(c) Donald Davesne, some rights reserved (CC BY) · CC-BY · via manual



T5 Apex predator

I LIVE
Near the surface and rocky crevices

I EAT
Sprat, sand smelt, gobies and sticklebacks, chased underwater

EATS ME
No natural predators as an adult




Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk

Table 4 · The seabed crew

8 cards

**Hermit Crab***Pagurus bernhardus*

Lives inside a borrowed whelk or periwinkle shell

(c) Donald Davesne, some rights reserved (CC BY) · CC-BY · via inaturalist

**T3** Planktivore / invertivore**I LIVE**


The open sand and rocky crevices

I EAT

Seabed detritus and scraps, scavenged rather than hunted

EATS ME

Catshark, gurnards, cuttlefish and octopus

**Keep spotting.** Scan to help ID real footage on fishspotter.app**PEBL** pebl-cic.co.uk**Butterfish***Pholis gunnellus*

A slippery, ribbon-like fish with dark eye-spots along its fin

(c) Morgan Caygill, some rights reserved (CC BY) · CC-BY · via inaturalist

**T3** Planktivore / invertivore**I LIVE**

Rocky crevices and the open sand

I EAT

Small invertebrates picked from crevices

EATS ME

Conger eel and shags

**Keep spotting.** Scan to help ID real footage on fishspotter.app**PEBL** pebl-cic.co.uk**Shanny***Lipophrys pholis*

A tubby blenny that darts in and out of rockpool crevices

(c) Julien Renoult, CC BY 4.0 via Wikimedia Commons · CC-BY · via manual

**T3** Planktivore / invertivore**I LIVE**


Rocky crevices

I EAT

Small invertebrates and algae from rockpools

EATS ME

Conger eel

**Keep spotting.** Scan to help ID real footage on fishspotter.app**PEBL** pebl-cic.co.uk**Rock goby***Gobius paganellus*

A goby with fused pelvic fins that form a sucker

Roberto Pillon, CC BY 3.0 via Wikimedia Commons · CC-BY · via wikimedia

**T3** Planktivore / invertivore**I LIVE**

Rocky crevices

I EAT

Plankton and small invertebrates

EATS ME

Atlantic cod, conger eel, cormorants and shags

**Keep spotting.** Scan to help ID real footage on fishspotter.app**PEBL** pebl-cic.co.uk**Common Octopus***Octopus vulgaris*

A muscular octopus with two rows of suckers on each arm and a strong, shell-opening beak

albert kok, CC BY-SA 3.0 via Wikimedia Commons · CC-BY-SA · via wikimedia

**T4** Predator**I LIVE**

Rocky crevices and the open sand

I EAT

Crabs, mussels and other shellfish, opened with a strong beak

EATS ME

Conger eel and grey seals

**Keep spotting.** Scan to help ID real footage on fishspotter.app**PEBL** pebl-cic.co.uk**Conger eel***Conger conger*

A large eel, usually seen only as a head peering from a crevice

Holger Krisp, CC BY 3.0 via Wikimedia Commons · CC-BY · via wikimedia

**T4** Predator**I LIVE**


Rocky crevices

I EAT

Crabs, small fish, blennies and other cephalopods, ambushed from a crevice

EATS ME

Grey seals

**Keep spotting.** Scan to help ID real footage on fishspotter.app**PEBL** pebl-cic.co.uk**Lesser-spotted catshark***Scyliorhinus canicula*

A small, spotted shark that curls up on the seabed

Ernstla, CC BY-SA 2.5 via Wikimedia Commons · CC-BY-SA · via wikimedia

**T4** Predator**I LIVE**


The open sand and rocky crevices

I EAT

Brittlestars, hermit crabs, sea potatoes and small fish

EATS ME

Conger eel and grey seals

**Keep spotting.** Scan to help ID real footage on fishspotter.app**PEBL** pebl-cic.co.uk**Grey seal***Halichoerus grypus*

Britain's larger seal, with a long, straight 'Roman nose'

(c) Katie Gipson, some rights reserved (CC BY) · CC-BY · via inaturalist

**T5** Apex predator**I LIVE**

Rocky crevices and near the surface

I EAT

A very broad diet of fish, crabs and cephalopods

EATS ME

No natural predators as an adult

**Keep spotting.** Scan to help ID real footage on fishspotter.app**PEBL** pebl-cic.co.uk

Table 5 · The open sand

8 cards



Sea potato

Echinocardium cordatum

An urchin that lives buried in sand and is rarely seen alive

(c) Donald Davesne, some rights reserved (CC BY) · CC-BY · via manual



T2 Grazer / filter feeder

I LIVE
The open sand

I EAT
Organic matter sieved from clean sand while buried

EATS ME
Plaice, flounder and catshark



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Purple heart urchin

Spatangus purpureus

A larger heart urchin that ploughs shallow trails through sand

Rpillon, CC BY-SA 3.0 via Wikimedia Commons · CC-BY-SA · via wikimedia



T2 Grazer / filter feeder

I LIVE
The open sand


I EAT
Organic matter ploughed from sand just below the surface

EATS ME
Plaice



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Dragonet

Callionymus lyra

A sand-dwelling fish; males display a tall dorsal fin

Diego Delso, CC BY-SA 4.0 via Wikimedia Commons · CC-BY-SA · via wikimedia



T3 Planktivore / invertivore

I LIVE
The open sand

I EAT
Small worms, crustaceans and brittlestars picked off the sand

EATS ME
Atlantic cod and catshark



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Sand goby

Pomatoschistus minutus

A pale, near-transparent goby that blends into sand

(c) Klaus Kevin Kristensen, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
The open sand

I EAT
Plankton and small invertebrates

EATS ME
Cod, sea scorpions, shags, gurnards and sea bass



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Long-spined sea scorpion

Taurulus bubalis

An armoured ambush predator camouflaged against rock

(c) Micha Baum, some rights reserved (CC BY-SA) · CC-BY-SA · via inaturalist



T3 Planktivore / invertivore

I LIVE
Rocky crevices and the kelp canopy

I EAT
Small fish, ambushed while camouflaged against rock

EATS ME
Conger eel



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Plaice

Pleuronectes platessa

A flatfish with bright orange spots scattered across its back

NasserHalaweh, CC BY-SA 4.0 via Wikimedia Commons · CC-BY-SA · via wikimedia



T3 Planktivore / invertivore

I LIVE
The open sand

I EAT
Brittlestars and burrowing urchins

EATS ME
Grey seals and cormorants



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Flounder

Platichthys flesus

A flatfish that tolerates fresh water and enters rivers

(c) Micha Baum, some rights reserved (CC BY-SA) · CC-BY-SA · via inaturalist



T3 Planktivore / invertivore

I LIVE
The open sand

I EAT
Brittlestars and sea potatoes

EATS ME
Harbour seals and cormorants



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Harbour seal

Phoca vitulina

Smaller than the grey seal, often hauled out in a curved pose

(c) nbasargin, some rights reserved (CC BY) · CC-BY · via inaturalist



T5 Apex predator

I LIVE
Rocky crevices and the open sand and near the surface

I EAT
Sea bass, squid, pollack, sand smelt and flatfish

EATS ME
No natural predators as an adult



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk