


Species cards — review sheet

Colour, A6 double-sided, one deck per following page (8 cards, grouped by workshop table for printing only). Front: photo, name, one-line description. Back: I live / I eat / eats me as general species biology, a real scannable QR to FishSpotter.

For review, not final print. Every photo is a real, print-safe (CC0 / CC-BY / CC-BY-SA) image showing the live animal in water or on natural substrate — none hand-held or out of habitat — each checked with Gemini vision for whole-body visibility (see the build log for scores). I eat / eats me is written from the full 72-species food web plus each species' own catalogue field note, so it reads as general biology rather than only what is on that species' own workshop table.



Common Limpet

Patella vulgata

Grazes algae off bare rock, always returning to the same spot

(c) Jamie O'Neill, some rights reserved (CC BY) · CC-BY · via inaturalist



T2 Grazer / filter feeder

I LIVE
Rocky crevices


I EAT
Algae grazed off bare rock

EATS ME
Wrasse, including the ballan wrasse



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Edible sea urchin

Echinus esculentus

Britain's largest sea urchin, grazing kelp and rock algae

(c) Ron Pasieczna, some rights reserved (CC BY) · CC-BY · via manual



T2 Grazer / filter feeder

I LIVE
Rocky crevices and the kelp canopy

I EAT
Kelp and other seaweed

EATS ME
Wrasse



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Painted Top Shell

Calliostoma zizyphinum

A glossy, cone-shaped shell marbled in pink and white

(c) Julien Renoult, some rights reserved (CC BY) · CC-BY · via inaturalist



T2 Grazer / filter feeder

I LIVE
Rocky crevices and the kelp canopy

I EAT
Kelp and other seaweed

EATS ME
Wrasse



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Ballan wrasse

Labrus bergylta

A stocky wrasse that crushes shellfish with strong teeth

(c) jeyre, some rights reserved (CC BY) · CC-BY · via inaturalist



T4 Predator

I LIVE
Rocky crevices and the kelp canopy


I EAT
Limpets, top shells, urchins, mussels and small crabs, crushed with strong pharyngeal teeth

EATS ME
Grey seals and cormorants



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Two-spotted goby

Gobiusculus flavescens

Hovers in loose midwater groups near kelp, unlike most gobies

(c) Bernard Picton, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
The kelp canopy and open midwater


I EAT
Plankton

EATS ME
Sea bass, pollack and shags



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Spider Crab

Majoidea

Decorates its shell with seaweed and hydroids for camouflage

(c) Ian Manning, some rights reserved (CC BY) · CC-BY · via manual



T3 Planktivore / invertivore

I LIVE
The kelp canopy and rocky crevices and the open sand

I EAT
Kelp and seabed detritus

EATS ME
Wrasse, cuttlefish, octopus, cod and eider



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Thick-lipped mullet

Chelon labrosus

A silver mullet that cruises near the surface in schools

Roberto Pillon, CC BY 4.0 via Wikimedia Commons · CC-BY · via manual



T2 Grazer / filter feeder

I LIVE
Near the surface and the open sand


I EAT
Diatoms, algae and detritus sieved from the sediment, plus small invertebrates

EATS ME
Cormorants, grey seals and sea bass



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Great cormorant

Phalacrocorax carbo

Dives for fish, then dries its wings held open on rocks

Alexis Lours, CC BY 2.0 via Wikimedia Commons · CC-BY · via wikipedia



T5 Apex predator

I LIVE
Coastal cliffs and rocky shores, diving inshore to hunt


I EAT
A wide range of inshore fish, mostly small ones, whatever is locally common

EATS ME
No natural predators as an adult



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Dog Whelk

Nucella lapillus

Drills through mussel and barnacle shells to feed

Martin Talbot, CC BY 2.0 via Wikimedia Commons · CC-BY · via wikimedia



T3 Planktivore / invertivore

I LIVE
Rocky crevices


I EAT
Mussels and barnacles, drilled through with a rasping tongue

EATS ME
Wrasse and eider



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Velvet Swimming Crab

Necora puber

A red-eyed crab with paddle-shaped back legs for swimming

(c) Nick Butcher, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
Rocky crevices and the kelp canopy

I EAT
Mussels and other shellfish

EATS ME
Octopus, cod and conger eel



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Spiny Starfish

Marthasterias glacialis

Britain's largest starfish, with spines ringed in blue

(c) jeyre, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
Rocky crevices and the open sand


I EAT
Mussels and other bivalves

EATS ME
No common predator, well defended by spines



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Common Starfish

Asterias rubens

The familiar orange starfish, often found near mussel beds

(c) Darren Obbard, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
The open sand and rocky crevices


I EAT
Mussels and brittlestars, prised open and digested externally

EATS ME
No common predator



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Common Brittlestar

Ophiothrix fragilis

Carpets the seabed in dense beds of thin, fragile arms

(c) Lou Wagstaffe, some rights reserved (CC BY) · CC-BY · via inaturalist



T2 Grazer / filter feeder

I LIVE
Rocky crevices and the open sand


I EAT
Plankton and fine organic detritus

EATS ME
Flatfish, gurnards, dragonets and wrasse



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Shore Crab

Carcinus maenas

Britain's commonest crab, found on almost every shore

Jürgen Hamann, CC BY-SA 4.0 via Wikimedia Commons · CC-BY-SA · via wikimedia



T3 Planktivore / invertivore

I LIVE
Rocky crevices and the open sand


I EAT
Seabed detritus, carrion and smaller invertebrates

EATS ME
Catshark, gurnards, cuttlefish, octopus, cod, conger eel and eider



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Edible Crab

Cancer pagurus

A broad crab with a crimped, pie-crust shell edge

Olivier Dugomay (Ifremer), CC BY 4.0 via Wikimedia Commons · CC-BY · via wikimedia



T4 Predator

I LIVE
Rocky crevices and the open sand


I EAT
Mussels, seabed detritus and smaller crabs

EATS ME
Octopus, conger eel and grey seals



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Common eider

Somateria mollissima

Britain's heaviest duck, diving for mussels near the farm

Andreas Trepte, CC BY-SA 2.5 via Wikimedia Commons · CC-BY-SA · via wikimedia



T5 Apex predator

I LIVE
Sheltered rocky coasts, diving for mussels


I EAT
Mussels, crabs, whelks and urchins, swallowed whole

EATS ME
No natural predators as an adult



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk

**Sprat***Sprattus sprattus*

A small shoaling baitfish and prey for almost everything else

(c) Jacob Littlejohn, some rights reserved (CC BY-SA) · CC-BY-SA · via inaturalist



T3 Planktivore / invertivore

I LIVE

Open midwater and the open water

I EAT

Plankton

EATS ME


Almost every larger predator here, from bass and cod to squid, mackerel and seabirds



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**Sand smelt***Atherina presbyter*

A slender, silver-striped fish that shoals near the surface

(c) Klaus Kevin Kristensen, some rights reserved (CC BY) · CC-BY · via manual



T3 Planktivore / invertivore

I LIVE

Near the surface and the open sand

I EAT

Plankton

EATS ME


Sea bass, pollack, seals and diving birds



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**Fifteen-spined stickleback***Spinachia spinachia*

Hovers almost motionless, camouflaged among kelp fronds

(c) Vsevolod Rudyi, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE

The kelp canopy

I EAT

Plankton

EATS ME


Pollack, sea scorpions and shags



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**Poor cod***Trisopterus minutus*

A small cod relative with one chin barbel and large eyes

Julien Renoult, CC BY 4.0 via Wikimedia Commons · CC-BY · via wikimedia



T3 Planktivore / invertivore

I LIVE

Open midwater and rocky crevices

I EAT

Plankton and small crabs

EATS ME

Larger gadoids, conger eel and grey seals



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**Bib***Trisopterus luscus*

A banded cod relative that shoals densely near wrecks

(c) Donald Davesne, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE

Rocky crevices and open midwater

I EAT

Sprat and small crabs

EATS ME

Atlantic cod, conger eel and grey seals



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**Pollack***Pollachius pollachius*

A mid-water hunter with a sharply kinked lateral line

(c) celticdeep, CC BY via iNaturalist · CC-BY · via manual



T4 Predator

I LIVE

Open midwater and the kelp canopy and rocky crevices

I EAT

Sprat, sandeel-like fish and gobies, hunted mid-water

EATS ME


Grey and harbour seals, shags



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**Atlantic cod***Gadus morhua*

A heavy-bodied cod with three dorsal fins and a chin barbel

Hans-Petter Fjeld, CC BY-SA 2.5 via Wikimedia Commons · CC-BY-SA · via wikimedia



T4 Predator

I LIVE

Open midwater and the open sand

I EAT

A very broad diet: small fish, crabs, cuttlefish and gurnards

EATS ME


Grey seals



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**European shag***Phalacrocorax aristotelis*

A dark diving bird that can stay underwater for 20-40 seconds

(c) Donald Davesne, some rights reserved (CC BY) · CC-BY · via manual



T5 Apex predator

I LIVE

Sea cliffs and rocky ledges, diving close inshore

I EAT

Sprat, sand smelt, gobies and sticklebacks, chased underwater

EATS ME


No natural predators as an adult



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk



Hermit Crab

Pagurus bernhardus

Lives inside a borrowed whelk or periwinkle shell

(c) Donald Davesne, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE

The open sand and rocky crevices

I EAT

Seabed detritus and scraps, scavenged rather than hunted


EATS ME

Catshark, gurnards, cuttlefish and octopus



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Butterfish

Pholis gunnellus

A slippery, ribbon-like fish with dark eye-spots along its fin

(c) Morgan Caygill, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE

Rocky crevices and the open sand

I EAT

Small invertebrates picked from crevices

EATS ME

Conger eel and shags



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Shanny

Lipophrys pholis

A tubby blenny that darts in and out of rockpool crevices

(c) Julien Renoult, CC BY 4.0 via Wikimedia Commons · CC-BY · via manual



T3 Planktivore / invertivore

I LIVE

Rocky crevices

I EAT

Small invertebrates and algae from rockpools


EATS ME

Conger eel



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Rock goby

Gobius paganellus

A goby with fused pelvic fins that form a sucker

Roberto Pillon, CC BY 3.0 via Wikimedia Commons · CC-BY · via wikimedia



T3 Planktivore / invertivore

I LIVE

Rocky crevices

I EAT

Plankton and small invertebrates

EATS ME

Atlantic cod, conger eel, cormorants and shags



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Common Octopus

Octopus vulgaris

A muscular octopus with two rows of suckers on each arm and a strong, shell-opening beak

albert kok, CC BY-SA 3.0 via Wikimedia Commons · CC-BY-SA · via wikimedia



T4 Predator

I LIVE

Rocky crevices and the open sand

I EAT

Crabs, mussels and other shellfish, opened with a strong beak

EATS ME

Conger eel and grey seals



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Conger eel

Conger conger

A large eel, usually seen only as a head peering from a crevice

Holger Krisp, CC BY 3.0 via Wikimedia Commons · CC-BY · via wikimedia



T4 Predator

I LIVE

Rocky crevices

I EAT

Crabs, small fish, blennies and other cephalopods, ambushed from a crevice


EATS ME

Grey seals



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Lesser-spotted catshark

Scyliorhinus canicula

A small, spotted shark that curls up on the seabed

Ernstia, CC BY-SA 2.5 via Wikimedia Commons · CC-BY-SA · via wikimedia



T4 Predator

I LIVE

The open sand and rocky crevices

I EAT

Brittlestars, hermit crabs, sea potatoes and small fish


EATS ME

Conger eel and grey seals



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Grey seal

Halichoerus grypus

Britain's larger seal, with a long, straight 'Roman nose'

(c) Katie Gipson, some rights reserved (CC BY) · CC-BY · via inaturalist



T5 Apex predator

I LIVE

Rocky shores and skerries, hauled out between dives

I EAT

A very broad diet of fish, crabs and cephalopods


EATS ME

No natural predators as an adult



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Sea potato

Echinocardium cordatum

An urchin that lives buried in sand and is rarely seen alive

(c) Donald Davesne, some rights reserved (CC BY) · CC-BY · via manual



T2 Grazer / filter feeder

I LIVE
The open sand

I EAT
Organic matter sieved from clean sand while buried

EATS ME
Plaice, flounder and catshark



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Purple heart urchin

Spatangus purpureus

A larger heart urchin that ploughs shallow trails through sand

Rpillon, CC BY-SA 3.0 via Wikimedia Commons · CC-BY-SA · via wikimedia



T2 Grazer / filter feeder

I LIVE
The open sand


I EAT
Organic matter ploughed from sand just below the surface

EATS ME
Plaice



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Dragonet

Callionymus lyra

A sand-dwelling fish; males display a tall dorsal fin

Diego Delso, CC BY-SA 4.0 via Wikimedia Commons · CC-BY-SA · via wikimedia



T3 Planktivore / invertivore

I LIVE
The open sand


I EAT
Small worms, crustaceans and brittlestars picked off the sand

EATS ME
Atlantic cod and catshark



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Sand goby

Pomatoschistus minutus

A pale, near-transparent goby that blends into sand

(c) Klaus Kevin Kristensen, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
The open sand


I EAT
Plankton and small invertebrates

EATS ME
Cod, sea scorpions, shags, gurnards and sea bass



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Long-spined sea scorpion

Taurulus bubalis

An armoured ambush predator camouflaged against rock

(c) Micha Baum, some rights reserved (CC BY-SA) · CC-BY-SA · via inaturalist



T3 Planktivore / invertivore

I LIVE
Rocky crevices and the kelp canopy


I EAT
Small fish, ambushed while camouflaged against rock

EATS ME
Conger eel



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Plaice

Pleuronectes platessa

A flatfish with bright orange spots scattered across its back

NasserHalaweh, CC BY-SA 4.0 via Wikimedia Commons · CC-BY-SA · via wikimedia



T3 Planktivore / invertivore

I LIVE
The open sand

I EAT
Brittlestars and burrowing urchins

EATS ME
Grey seals and cormorants



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Flounder

Platichthys flesus

A flatfish that tolerates fresh water and enters rivers

(c) Micha Baum, some rights reserved (CC BY-SA) · CC-BY-SA · via inaturalist



T3 Planktivore / invertivore

I LIVE
The open sand


I EAT
Brittlestars and sea potatoes

EATS ME
Harbour seals and cormorants



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Harbour seal

Phoca vitulina

Smaller than the grey seal, often hauled out in a curved pose

(c) nbasargin, some rights reserved (CC BY) · CC-BY · via inaturalist



T5 Apex predator

I LIVE
Sandbanks and sheltered shores, hauled out between dives

I EAT
Sea bass, squid, pollack, sand smelt and flatfish

EATS ME
No natural predators as an adult



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk