







Species cards — review sheet


Colour, A6 double-sided, one deck per following page (8 cards, grouped by workshop table for printing only). Front: photo, name, one-line description. Back: I live / I eat / eats me as general species biology, a real scannable QR to FishSpotter.

For review, not final print. Every photo is a real, print-safe (CC0 / CC-BY / CC-BY-SA) image showing the live animal in water or on natural substrate — none hand-held or out of habitat — each checked with Gemini vision for whole-body visibility (see the build log for scores). I eat / eats me is written from the full 72-species food web plus each species' own catalogue field note, so it reads as general biology rather than only what is on that species' own workshop table.

Table 1 · The kelp canopy

8 cards

 Common Limpet <i>Patella vulgata</i> Grazes algae off bare rock, always returning to the same spot (c) Jamie O'Neill, some rights reserved (CC BY) · CC-BY · via inaturalist PEBL	T2 Grazer / filter feeder I LIVE Rocky crevices I EAT Algae grazed off bare rock EATS ME Wrasse, including the ballan wrasse ● FARM-BUILT gone without the farm  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk	 Edible sea urchin <i>Echinus esculentus</i> Britain's largest sea urchin, grazing kelp and rock algae (c) Ron Pasieczna, some rights reserved (CC BY) · CC-BY · via manual PEBL	T2 Grazer / filter feeder I LIVE Rocky crevices and the kelp canopy I EAT Kelp and other seaweed EATS ME Wrasse ● FARM-BUILT gone without the farm  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk
 Painted Top Shell <i>Calliostoma zizyphinum</i> A glossy, cone-shaped shell marbled in pink and white (c) Julien Renoult, some rights reserved (CC BY) · CC-BY · via inaturalist PEBL	T2 Grazer / filter feeder I LIVE Rocky crevices and the kelp canopy I EAT Kelp and other seaweed EATS ME Wrasse ● FARM-BUILT gone without the farm  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk	 Ballan wrasse <i>Labrus bergylla</i> A stocky wrasse that crushes shellfish with strong teeth (c) jeyre, some rights reserved (CC BY) · CC-BY · via inaturalist PEBL	T4 Predator I LIVE Rocky crevices and the kelp canopy I EAT Limpets, top shells, urchins, mussels and small crabs, crushed with strong pharyngeal teeth EATS ME Grey seals and cormorants ● BOOSTED fewer without the farm  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk
 Two-spotted goby <i>Gobiusculus flavescens</i> Hovers in loose midwater groups near kelp, unlike most gobies (c) Bernard Picton, some rights reserved (CC BY) · CC-BY · via inaturalist PEBL	T3 Planktivore / invertivore I LIVE The kelp canopy and open midwater I EAT Plankton EATS ME Sea bass, pollack and shags ● FARM-BUILT gone without the farm  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk	 Spider Crab <i>Majoidea</i> Decorates its shell with seaweed and hydroids for camouflage (c) Ian Manning, some rights reserved (CC BY) · CC-BY · via manual PEBL	T3 Planktivore / invertivore I LIVE The kelp canopy and rocky crevices and the open sand I EAT Kelp and seabed detritus EATS ME Wrasse, cuttlefish, octopus, cod and eider ● BOOSTED fewer without the farm  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk
 Thick-lipped mullet <i>Chelon labrosus</i> A silver mullet that cruises near the surface in schools Roberto Pillon, CC BY 4.0 via Wikimedia Commons · CC-BY · via manual PEBL	T2 Grazer / filter feeder I LIVE Near the surface and the open sand I EAT Algae and the organic film on sediment, sieved through the gills EATS ME Cormorants, grey seals and sea bass ○ HERE ANYWAY barely changes  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk	 Great cormorant <i>Phalacrocorax carbo</i> Dives for fish, then dries its wings held open on rocks Alexis Lours, CC BY 2.0 via Wikimedia Commons · CC-BY · via wikipedia PEBL	T5 Apex predator I LIVE Near the surface and the open water and rocky crevices I EAT A wide range of inshore fish, especially wrasse and mullet EATS ME No natural predators as an adult ○ HERE ANYWAY barely changes  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk



Dog Whelk

Nucella lapillus

Drills through mussel and barnacle shells to feed

Martin Talbot, CC BY 2.0 via Wikimedia Commons · CC-BY · via wikimedia



T3 Planktivore / invertivore

I LIVE
Rocky crevices

I EAT
Mussels and barnacles, drilled through with a rasping tongue


EATS ME
Wrasse and eider

● **FARM-BUILT** gone without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Velvet Swimming Crab

Necora puber

A red-eyed crab with paddle-shaped back legs for swimming

(c) Nick Butcher, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
Rocky crevices and the kelp canopy

I EAT
Mussels and other shellfish

EATS ME
Octopus, cod and conger eel

● **FARM-BUILT** gone without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Spiny Starfish

Marthasterias glacialis

Britain's largest starfish, with spines ringed in blue

(c) jeyre, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
Rocky crevices and the open sand

I EAT
Mussels and other bivalves


EATS ME
No common predator, well defended by spines

● **FARM-BUILT** gone without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Common Starfish

Asterias rubens

The familiar orange starfish, often found near mussel beds

(c) Darren Obbard, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE
The open sand and rocky crevices

I EAT
Mussels and brittlestars, prised open and digested externally


EATS ME
No common predator

● **BOOSTED** fewer without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Common Brittlestar

Ophiothrix fragilis

Carpet the seabed in dense beds of thin, fragile arms

(c) Lou Wagstaffe, some rights reserved (CC BY) · CC-BY · via inaturalist



T2 Grazer / filter feeder

I LIVE
Rocky crevices and the open sand

I EAT
Plankton and fine organic detritus


EATS ME
Flatfish, gurnards, dragonets and wrasse

● **BOOSTED** fewer without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Shore Crab

Carcinus maenas

Britain's commonest crab, found on almost every shore

Jürgen Hamann, CC BY-SA 4.0 via Wikimedia Commons · CC-BY-SA · via wikimedia



T3 Planktivore / invertivore

I LIVE
Rocky crevices and the open sand

I EAT
Seabed detritus, carrion and smaller invertebrates


EATS ME
Catshark, gurnards, cuttlefish, octopus, cod, conger eel and eider

○ **HERE ANYWAY** barely changes



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Edible Crab

Cancer pagurus

A broad crab with a crimped, pie-crust shell edge

Olivier Dugomay (Ifremer), CC BY 4.0 via Wikimedia Commons · CC-BY · via wikimedia



T4 Predator

I LIVE
Rocky crevices and the open sand

I EAT
Mussels, seabed detritus and smaller crabs


EATS ME
Octopus, conger eel and grey seals

○ **HERE ANYWAY** barely changes



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Common eider

Somateria mollissima

Britain's heaviest duck, diving for mussels near the farm

Andreas Trepte, CC BY-SA 2.5 via Wikimedia Commons · CC-BY-SA · via wikimedia



T5 Apex predator

I LIVE
Near the surface and the open sand

I EAT
Mussels, crabs, whelks and urchins, swallowed whole

EATS ME
No natural predators as an adult

● **BOOSTED** fewer without the farm




Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk

Table 3 · The rope shoal

8 cards

**Sprat***Sprattus sprattus*

A small shoaling baitfish and prey for almost everything else

(c) Jacob Littlejohn, some rights reserved (CC BY-SA) · CC-BY-SA · via inaturalist



T3 Planktivore / invertivore

I LIVE

Open midwater and the open water

I EAT

Plankton

EATS ME

Almost every larger predator here, from bass and cod to squid, mackerel and seabirds


○ **HERE ANYWAY** barely changes



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**Sand smelt***Atherina presbyter*

A slender, silver-striped fish that shoals near the surface

(c) Klaus Kevin Kristensen, some rights reserved (CC BY) · CC-BY · via manual



T3 Planktivore / invertivore

I LIVE

Near the surface and the open sand

I EAT

Plankton

EATS ME

Sea bass, pollack, seals and diving birds


○ **HERE ANYWAY** barely changes



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**Fifteen-spined stickleback***Spinachia spinachia*

Hovers almost motionless, camouflaged among kelp fronds

(c) Vsevolod Rudyi, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE

The kelp canopy

I EAT

Plankton

EATS ME

Pollack, sea scorpions and shags


● **FARM-BUILT** gone without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**Poor cod***Trisopterus minutus*

A small cod relative with one chin barbel and large eyes

Julien Renoult, CC BY 4.0 via Wikimedia Commons · CC-BY · via wikimedia



T3 Planktivore / invertivore

I LIVE

Open midwater and rocky crevices

I EAT

Plankton and small crabs

EATS ME

Larger gadoids, conger eel and grey seals

● **FARM-BUILT** gone without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**Bib***Trisopterus luscus*

A banded cod relative that shoals densely near wrecks

(c) Donald Davesne, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE

Rocky crevices and open midwater

I EAT

Sprat and small crabs

EATS ME

Atlantic cod, conger eel and grey seals

● **FARM-BUILT** gone without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**Pollack***Pollachius pollachius*

A mid-water hunter with a sharply kinked lateral line

(c) celticdeep, CC BY via iNaturalist · CC-BY · via manual



T4 Predator

I LIVE

Open midwater and the kelp canopy and rocky crevices

I EAT

Sprat, sandeel-like fish and gobies, hunted mid-water

EATS ME

Grey and harbour seals, shags


● **BOOSTED** fewer without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**Atlantic cod***Gadus morhua*

A heavy-bodied cod with three dorsal fins and a chin barbel

Hans-Petter Fjeld, CC BY-SA 2.5 via Wikimedia Commons · CC-BY-SA · via wikimedia



T4 Predator

I LIVE

Open midwater and the open sand

I EAT

A very broad diet: small fish, crabs, cuttlefish and gurnards

EATS ME

Grey seals


● **BOOSTED** fewer without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk

**European shag***Phalacrocorax aristotelis*

A dark diving bird that can stay underwater for 20-40 seconds

(c) Donald Davesne, some rights reserved (CC BY) · CC-BY · via manual



T5 Apex predator

I LIVE

Near the surface and rocky crevices

I EAT

Sprat, sand smelt, gobies and sticklebacks, chased underwater

EATS ME

No natural predators as an adult


○ **HERE ANYWAY** barely changes



Keep spotting. Scan to help ID real footage on fishspotter.app



pebl-cic.co.uk



Hermit Crab

Pagurus bernhardus

Lives inside a borrowed whelk or periwinkle shell

(c) Donald Davesne, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE

The open sand and rocky crevices

I EAT

Seabed detritus and scraps, scavenged rather than hunted

EATS ME


Catshark, gurnards, cuttlefish and octopus

○ **HERE ANYWAY** barely changes



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Butterfish

Pholis gunnellus

A slippery, ribbon-like fish with dark eye-spots along its fin

(c) Morgan Caygill, some rights reserved (CC BY) · CC-BY · via inaturalist



T3 Planktivore / invertivore

I LIVE

Rocky crevices and the open sand

I EAT

Small invertebrates picked from crevices

EATS ME

Conger eel and shags

● **FARM-BUILT** gone without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Shanny

Lipophrys pholis

A tubby blenny that darts in and out of rockpool crevices

(c) Julien Renoult, CC BY 4.0 via Wikimedia Commons · CC-BY · via manual



T3 Planktivore / invertivore

I LIVE

Rocky crevices

I EAT

Small invertebrates and algae from rockpools

EATS ME


Conger eel

● **FARM-BUILT** gone without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Rock goby

Gobius paganellus

A goby with fused pelvic fins that form a sucker

Roberto Pillon, CC BY 3.0 via Wikimedia Commons · CC-BY · via wikimedia



T3 Planktivore / invertivore

I LIVE

Rocky crevices

I EAT

Plankton and small invertebrates

EATS ME

Atlantic cod, conger eel, cormorants and shags

● **FARM-BUILT** gone without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Common Octopus

Octopus vulgaris

A muscular octopus with two rows of suckers on each arm and a strong, shell-opening beak

albert kok, CC BY-SA 3.0 via Wikimedia Commons · CC-BY-SA · via wikimedia



T4 Predator

I LIVE

Rocky crevices and the open sand

I EAT

Crabs, mussels and other shellfish, opened with a strong beak

EATS ME

Conger eel and grey seals

● **BOOSTED** fewer without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Conger eel

Conger conger

A large eel, usually seen only as a head peering from a crevice

Holger Krisp, CC BY 3.0 via Wikimedia Commons · CC-BY · via wikimedia



T4 Predator

I LIVE

Rocky crevices

I EAT

Crabs, small fish, blennies and other cephalopods, ambushed from a crevice

EATS ME


Grey seals

● **FARM-BUILT** gone without the farm



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Lesser-spotted catshark

Scyliorhinus canicula

A small, spotted shark that curls up on the seabed

Ernstia, CC BY-SA 2.5 via Wikimedia Commons · CC-BY-SA · via wikimedia



T4 Predator

I LIVE

The open sand and rocky crevices

I EAT

Brittlestars, hermit crabs, sea potatoes and small fish

EATS ME


Conger eel and grey seals

○ **HERE ANYWAY** barely changes



Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk



Grey seal

Halichoerus grypus

Britain's larger seal, with a long, straight 'Roman nose'

(c) Katie Gipson, some rights reserved (CC BY) · CC-BY · via inaturalist



T5 Apex predator

I LIVE

Rocky crevices and near the surface

I EAT

A very broad diet of fish, crabs and cephalopods

EATS ME

No natural predators as an adult

○ **HERE ANYWAY** barely changes





Keep spotting. Scan to help ID real footage on fishspotter.app

PEBL pebl-cic.co.uk

Table 5 · The open sand

8 cards

 Sea potato <i>Echinocardium cordatum</i> An urchin that lives buried in sand and is rarely seen alive (c) Donald Daviesne, some rights reserved (CC BY) · CC-BY · via manual PEBL	T2 Grazer / filter feeder I LIVE The open sand I EAT Organic matter sieved from clean sand while buried EATS ME Plaice, flounder and catshark ◆ BETTER WITHOUT more without the farm  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk	 Purple heart urchin <i>Spatangus purpureus</i> A larger heart urchin that ploughs shallow trails through sand Rpillon, CC BY-SA 3.0 via Wikimedia Commons · CC-BY-SA · via wikimedia PEBL	T2 Grazer / filter feeder I LIVE The open sand I EAT Organic matter ploughed from sand just below the surface EATS ME Plaice ○ HERE ANYWAY barely changes  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk
 Dragonet <i>Callionymus lyra</i> A sand-dwelling fish; males display a tall dorsal fin Diego Delso, CC BY-SA 4.0 via Wikimedia Commons · CC-BY-SA · via wikimedia PEBL	T3 Planktivore / invertivore I LIVE The open sand I EAT Small worms, crustaceans and brittlestars picked off the sand EATS ME Atlantic cod and catshark ○ HERE ANYWAY barely changes  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk	 Sand goby <i>Pomatoschistus minutus</i> A pale, near-transparent goby that blends into sand (c) Klaus Kevin Kristensen, some rights reserved (CC BY) · CC-BY · via inaturalist PEBL	T3 Planktivore / invertivore I LIVE The open sand I EAT Plankton and small invertebrates EATS ME Cod, sea scorpions, shags, gurnards and sea bass ○ HERE ANYWAY barely changes  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk
 Long-spined sea scorpion <i>Taurulus bubalis</i> An armoured ambush predator camouflaged against rock (c) Micha Baum, some rights reserved (CC BY-SA) · CC-BY-SA · via inaturalist PEBL	T3 Planktivore / invertivore I LIVE Rocky crevices and the kelp canopy I EAT Small fish, ambushed while camouflaged against rock EATS ME Conger eel ● FARM-BUILT gone without the farm  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk	 Plaice <i>Pleuronectes platessa</i> A flatfish with bright orange spots scattered across its back NasserHalaweh, CC BY-SA 4.0 via Wikimedia Commons · CC-BY-SA · via wikimedia PEBL	T3 Planktivore / invertivore I LIVE The open sand I EAT Brittlestars and burrowing urchins EATS ME Grey seals and cormorants ○ HERE ANYWAY barely changes  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk
 Flounder <i>Platichthys flesus</i> A flatfish that tolerates fresh water and enters rivers (c) Micha Baum, some rights reserved (CC BY-SA) · CC-BY-SA · via inaturalist PEBL	T3 Planktivore / invertivore I LIVE The open sand I EAT Brittlestars and sea potatoes EATS ME Harbour seals and cormorants ○ HERE ANYWAY barely changes  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk	 Harbour seal <i>Phoca vitulina</i> Smaller than the grey seal, often hauled out in a curved pose (c) nbasargin, some rights reserved (CC BY) · CC-BY · via inaturalist PEBL	T5 Apex predator I LIVE Rocky crevices and the open sand and near the surface I EAT Sea bass, squid, pollack, sand smelt and flatfish EATS ME No natural predators as an adult ○ HERE ANYWAY barely changes  Keep spotting. Scan to help ID real footage on fishspotter.app PEBL pebl-cic.co.uk