


INSTITUTO TECNOLÓGICO SUPERIOR “IBARRA”

Carrera: Desarrollo de Software en Línea

Tarea 2	
ASIGNATURA: GESTION DE BASES DE DATOS	TIPO: individual
DOCENTE: Ing. José Luis Rodríguez.	Nivel: Cuarto
TIEMPO ESTIMADO: 2 horas	EVALUACIÓN: 10 puntos
UNIDAD DE APRENDIZAJE: DESARROLLO DE UN API REST	FECHA ENTREGA: 17/08/2026 18:00
ESTUDIANTE: Flores Espín Cristian Andrés	
TEMA: Implementación de API Rest usando FastAPI	
DESARROLLO DE UN API REST CON PYTHON, FASTAPI Y MYSQL Proyecto Sistema de Carrito de Compras	
RECURSOS: SQL yog ,XAMPP, Word. Visual studio code.	
https://github.com/christian8fl/shopping-API-Rest.git	

1. FastAPI: Es un framework web moderno y de alto rendimiento para construir APIs con Python 3.8+ basado en estándares de tipo de Python. Se caracteriza por su velocidad (comparable a NodeJS y Go), la generación automática de documentación interactiva (Swagger UI) y su validación de datos basada en Pydantic.

2. SQLAlchemy: Es el kit de herramientas de SQL de Python y el ORM (Object Relational Mapper) más popular. Permite abstraer las bases de datos relacionales (como MySQL) convirtiendo tablas en clases de Python, facilitando las operaciones CRUD (Crear, Leer, Actualizar, Borrar) sin escribir SQL complejo manualmente.



The screenshot shows a VS Code editor with a project named 'shopping-api'. The file explorer on the left shows the project structure, including 'app', 'core', 'models', 'repositories', 'schemas', 'services', and 'main.py'. The main editor displays the file 'test_db.py' with the following code:

```
1 from fastapi import APIRouter
2 from sqlalchemy import text
3
4 from app.core.database import SessionLocal
5
6 router = APIRouter()
7
8 @router.get("/test-db")
9 def test_database():
10     db = SessionLocal()
11     try:
12         db.execute(text("SELECT 1"))
13         return {
14             "message": "Conexión correcta con MySQL"
15         }
16     finally:
17         db.close()
```

The terminal at the bottom shows the command to run the application using uvicorn, and the output indicates that the application is running successfully on http://127.0.0.1:8000. The chat panel on the right shows a message from the AI agent: "Build with Agent. AI responses may be inaccurate. Generate Agent Instructions to onboard AI onto your codebase."

