Solution of Exercise Sheet 1

The exercise sheets of the operating systems course contain theoretical and practical exercises. For solving the practical exercises you need a UNIX shell. A very popular one is the Bash [1]. The Apple Mac OS X Terminal is sufficient for most practical exercises. The Windows command prompt and the Windows PowerShell are not sufficient for the exercises.

To prepare yourself, it is ideal, if you install on your system the Linux operating system. An installation in a virtual machine is sufficient. Easy to use distributions are, for example, Debian [2], Ubuntu [3] and Mint [4]. A free virtualization solution is VirtualBox [5]

Alternatively, you can work with a live system on CD, DVD, or USB flash memory drive. In this case no local installation is required. A powerful live distributions KNOPPIX [6].

- [1] http://tiswww.case.edu/php/chet/bash/bashtop.html
- [2] http://www.debian.org
- [3] http://www.ubuntu.com
- [4] http://www.linuxmint.com
- [5] http://www.virtualbox.org
- [6] http://www.knopper.net/knoppix

Exercise 1 (Batch Processing)

1. What is the objective of batch processing

To maximize the CPU utilization.

2. Why causes batch processing an acceleration effect, when multiple tasks are executed?

Because of the automation. No time is wasted when changing users.

3. What preconditions must be satisfied for batch processing before the execution of a task can begin

Each program needs to be provided completely (with all input data!) before the execution may begin.

4. For which tasks is batch processing especially well suited

Batch processing is well suited for the execution of routine tasks.

5. Batch processing is always...

Content: Topics of slide set 1 Page 1 of 4

 \square interactive \boxtimes non-interactive

6. Name an application of batch mode, which is still popular today.

Batch files, shell scripts,...

7. What is spooling?

Spooling removes I/O workload from the CPU by using additional hardware.

Exercise 2 (Time-Sharing)

1. What is the objective of time-sharing

A fair distribution of the computing time among the users.

- 2. How does time-sharing distribute the computing time among the processes?

 By using time slices.
- 3. What is the name of the quasi-parallel program or process execution?

 Multitasking.
- 4. What is the objective of the quasi-parallel program or process execution?

 Minimizing the response time.
- 5. What is scheduling?

Automatic creation of an execution plan (schedule), which is used to allocate time limited resources to users or their processes.

6. Was is swapping?

Process of storing and removing data to/from main memory from/into background memory (HDDs/SSDs).

7. How does memory protection work?

The memory is split and running programs are separated from each other.

8. What is the purpose of memory protection?

This way, a bug or crash of a single program does not affect the stability of other programs and the total system.

Content: Topics of slide set 1 Page 2 of 4

Exercise 3 (Files and Directories)

- 1. Create in your home directory a directory BTS.
 - \$ mkdir ~/BTS
- 2. Navigate to the directory BTS and create inside an empty file with the filename File1.txt.
 - Do not use an editor application to create the file, but a command line command.
 - \$ cd ~/BTS && touch File1.txt
- 3. Check the file size of the file File1.txt.
 - \$ ls -lh File1.txt
- 4. Change the modification time of the file File1.txt to your birth date.

touch -t XXXXYYZZAABB File1.txt

XXXX specifies the year.

YY specifies the month.

ZZ specifies the day of the month.

AA specifies the hour.

BB specifies the minute.

- 5. Create a new file in the shell File2.txt and insert any text with more than just a single line as content into the new file.
 - Do not use an editor application to insert the text into the file, but a command line command.
 - \$ echo -e "Line1\nLine2" > File2.txt
- 6. Print out the first line of the file File2.txt in the shell.
 - \$ head -n 1 File2.txt
- 7. Append the content of File2.txt to File1.txt.
 - Do not use an editor application, but a command line command.
 - \$ cat File2.txt >> File1.txt
- 8. Create in your home directory, a directory with the directory name BTS_new_semester.
 - \$ mkdir ~/BTS_new_semester

- 9. Copy the files File1.txt and File2.txt from the directory BTS into the directory BTS_new_semester.
 - \$ cp ~/BTS/* ~/BTS_new_semester
- 10. Erase the directory BTS.
 - \$ rm -rf ~/BTS

Content: Topics of slide set 1 Page 4 of 4