

Appendix 3: World Maps

June 15, 2021

Session Info

Give the session info (reduced).

```
## [1] "R version 3.6.3 (2020-02-29)"  
## [1] "x86_64-pc-linux-gnu"
```

Load Libraries

If the libraries are not installed yet, you need to install them using, for example, the command: `install.packages("ggplot2")`.

```
library(readr)  
library(ggmap)  
library(maps)  
library(gridExtra)  
library(ggrepel)
```

Give the package versions.

```
##   ggrepel gridExtra      maps      ggmap   ggplot2      readr  
##   "0.9.1"      "2.3"    "3.3.0"    "3.0.0"    "3.3.3"    "1.4.0"
```

Load the Data

Load Glottolog (Version 4.1) language information combined with information on the language sample of the IWMLC.

```
languages <- as.data.frame(read_csv("https://raw.githubusercontent.com/IWMLC/language-complexity-metrics"))
```

Simple Stats

```
length(unique(languages$isocodes)) # number of languages according to iso
```

```
## [1] 80
```

```
length(unique(languages$glottocode)) # number of languages according to glottolog
```

```
## [1] 80
```

```
length(unique(languages$family_id)) # number of language families according to glottolog
```

```
## [1] 34
```

```
unique(languages$macroarea) # number of macroareas according to glottolog
```

```
## [1] "Africa"          "Papunesia"        "Eurasia"          "South America"  
## [5] "North America" "Australia"        NA
```


Pre-Processing

```
# remove Norwegian Nynorsk (nno) since this has NAs in glottolog  
languages <- languages[languages$isocodes != "nno", ]  
# add 360 to longitudes for languages with longitudes < -25  
# (this is necessary to create a Pacific centered map)  
languages$longitude[languages$longitude < -25] <-  
  languages$longitude[languages$longitude < -25] + 360
```

World Map

World maps with macroarea information from Glottolog.

```
# create world map  
world <- map_data("world", wrap = c(-25, 335))  
area.map <- ggplot() +  
  geom_polygon(data = world, aes(x = long, y = lat, group = group),  
    fill = "white", colour = "darkgrey") +  
  geom_point(data = languages, aes(x = longitude, y = latitude,  
    fill = macroarea),  
    alpha = 0.9, size = 2.5, pch = 21) +  
  geom_text_repel(data = languages, aes(x = longitude, y = latitude,  
    label = name), size = 2.5,  
    box.padding = unit(0.1, 'lines'), force = 0.2) +  
  scale_y_continuous(limits = c(-65, 80)) +  
  labs(x = "longitude", y = "latitude", fill = "Macroarea") +  
  theme_bw() +  
  facet_wrap(~ corpus, nrow = 2) +  
  theme(axis.title.x = element_text(size = 12),  
    axis.title.y = element_text(size = 12),  
    title = element_text(size = 12),  
    legend.title = element_text(size = 10),  
    legend.text = element_text(size = 10),  
    legend.position = "bottom")  
area.map
```



Save to file.

```
ggsave("Figures/WorldMap/worldMaps.pdf", area.map,
       dpi = 300, scale = 1, width = 9, height = 9, device = cairo_pdf)
```