```
camper@dadsa-9048-900-0044:~$ ssh p4student@172.16.101.128
p4student@172.16.101.128's password:
Welcome to Ubuntu 24.04 LTS (GNU/Linux 6.8.0-31-generic x86_64)
Last login: Fri May 3 01:14:19 2024 from 172.16.102.65
p4student@p4student:~$ sudo mysql -u root -p
[sudo] password for p4student:
Enter password:
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 22
Server version: 8.0.36-2ubuntu3 (Ubuntu)
mysql> show databases;
| Database
+-----
| DownloadUser
| MyGuitarShop
| information schema |
| mysql
parque
| performance_schema |
sys
```

7 rows in set (0.00 sec)

```
+ rows in set (0.00 sec)
mysql> use MyGuitarShop;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
Database changed
mysql> show tables;
| Tables_in_MyGuitarShop |
| Adresses
| Categories
| Customers
| Product
| orderItem
| ordr
6 rows in set (0.00 sec)
mysql>
Database changed
mysql> show tables;
| Tables_in_MyGuitarShop |
| Adresses
| Categories
Customers
| Product
| orderItem
l ordr
6 rows in set (0.00 sec)
mysql> use parque;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
Databas<u>e</u> changed
mysql>
```